





Ergebnis: **350** (369.5)
 Serien: 87 90 91 82
 Zähler: 9 16 12 2 1 0 0 0 0 0
 Innenzehner: 4
 weiteste: 3302 (39), 2997 (37), 2401 (38)
 beste Teiler 143.6 (20.) 200.0 (4.) 260.5 (9.)
 Trefferlage 1.14 mm rechts, 5.21 mm tief
 Streuwert 10.46, horizontal: 11.23, vertikal: 9.62




Serie 1:
 8.1 ↙ 8.6 → 8.3 ↓ 10.7 * 8.0 ↓
 9.2 ↓ 10.1 ↙ 8.8 ↙ 10.6 * 8.8 ↙
 beste Teiler 200.0 (4.) 260.5 (9.) 692.1 (7.)
 Trefferlage 1.35 mm links, 9.64 mm tief
 Streuwert 10.01, horizontal: 10.37, vertikal: 9.63



Serie 2:
 8.8 → 9.6 ↓ 9.6 ↙ 9.7 ↓ 9.9 →
 8.9 ↙ 10.3 → 9.3 → 9.2 ↓ 10.8 *
 beste Teiler 143.6 (20.) 519.5 (17.) 864.3 (15.)
 Trefferlage 1.53 mm rechts, 4.87 mm tief
 Streuwert 7.94, horizontal: 9.74, vertikal: 5.58



Serie 3:
 10.0 ↑ 10.0 → 8.0 ↓ 8.9 ↓ 9.6 ↙
 9.9 ↓ 10.0 ← 9.1 ↗ 9.4 ↓ 9.0 ↙
 beste Teiler 746.7 (27.) 761.9 (22.) 795.0 (21.)
 Trefferlage 0.93 mm links, 4.27 mm tief
 Streuwert 9.47, horizontal: 8.67, vertikal: 10.21





Serie 4:
 9.3 ← 8.7 ← 9.8 ↗ 9.8 ← 9.6 ↓
 10.5 * 7.2 ↓ 7.9 → 6.8 ↗ 8.7 →
 beste Teiler 395.4 (36.) 899.7 (34.) 955.6 (33.)
 Trefferlage 5.33 mm rechts, 2.05 mm tief
 Streuwert 13.72, horizontal: 15.41, vertikal: 11.78


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **354** (371.8)
 Serien: 87 93 88 86
 Zähler: 9 19 9 3 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 2691 (34), 2542 (3), 2441 (29)
 beste Teiler 108.6 (18.) 201.5 (28.) 357.1 (13.)
 Trefferlage 0.11 mm links, 2.86 mm tief
 Streuwert 10.37, horizontal: 10.96, vertikal: 9.74




Serie 1:
 9.7 ↘ 9.8 ↘ 7.8 ↙ 9.5 ↘ 10.2 ↙
 9.0 ↙ 9.2 ↘ 8.4 ↙ 8.9 ↑ 9.6 ↘
 beste Teiler 618.5 (5.) 910.1 (2.) 981.7 (1.)
 Trefferlage 3.47 mm links, 6.84 mm tief
 Streuwert 9.61, horizontal: 10.34, vertikal: 8.82



Serie 2:
 10.3 ↘ 10.3 ↘ 10.5 * 9.6 ↗ 9.6 ↘
 9.2 ↙ 8.2 → 10.8 * 10.0 ↙ 8.6 ↙
 beste Teiler 108.6 (18.) 357.1 (13.) 525.6 (11.)
 Trefferlage 1.42 mm rechts, 3.82 mm tief
 Streuwert 8.33, horizontal: 10.94, vertikal: 4.37



Serie 3:
 8.7 ↗ 9.8 ↙ 9.1 ↙ 9.2 ↙ 9.3 ↗
 9.1 → 8.5 ↘ 10.7 * 7.9 ↙ 10.0 ↙
 beste Teiler 201.5 (28.) 791.0 (30.) 916.2 (22.)
 Trefferlage 4.77 mm links, 2.95 mm tief
 Streuwert 10.40, horizontal: 9.76, vertikal: 11.01





Serie 4:
 8.3 ↙ 9.4 ↘ 10.2 ↘ 7.6 ↗ 9.8 →
 9.2 ↗ 9.7 ↘ 8.6 ↗ 9.5 ↑ 8.0 →
 beste Teiler 629.2 (33.) 925.0 (35.) 971.4 (37.)
 Trefferlage 6.36 mm rechts, 2.17 mm hoch
 Streuwert 11.38, horizontal: 10.60, vertikal: 12.10


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **365** (381.7)
 Serien: 90 91 95 89
 Zähler: 15 15 10 0 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 2267 (33), 2079 (4), 2028 (37)
 beste Teiler 101.5 (39.) 181.4 (8.) 239.0 (16.)
 Trefferlage 3.67 mm rechts, 0.82 mm hoch
 Streuwert 8.65, horizontal: 8.77, vertikal: 8.52




Serie 1:
 9.1 → 10.1 ↖ 9.4 ↘ 8.4 ↗ 8.6 →
 10.1 ← 8.9 ↘ 10.7 * 9.2 ↓ 9.7 ↙
 beste Teiler 181.4 (8.) 645.6 (6.) 670.2 (2.)
 Trefferlage 4.48 mm rechts, 3.40 mm tief
 Streuwert 9.17, horizontal: 9.24, vertikal: 9.09



Serie 2:
 9.5 → 9.3 ↗ 8.6 ↙ 10.3 ↘ 9.8 →
 10.7 * 8.5 → 10.0 ↘ 9.0 → 9.8 ↘
 beste Teiler 239.0 (16.) 504.5 (14.) 783.4 (18.)
 Trefferlage 5.32 mm rechts, 0.20 mm hoch
 Streuwert 8.43, horizontal: 9.46, vertikal: 7.26



Serie 3:
 10.3 ↓ 9.8 → 10.2 ↖ 10.3 ↗ 10.0 →
 9.5 ↖ 10.0 ↗ 9.3 ← 10.2 ↘ 8.7 ↑
 beste Teiler 493.0 (24.) 515.1 (21.) 575.1 (29.)
 Trefferlage 0.70 mm rechts, 4.49 mm hoch
 Streuwert 6.50, horizontal: 6.43, vertikal: 6.56





Serie 4:
 8.5 → 10.2 ← 8.1 ↗ 9.8 ← 9.4 ↑
 9.5 ↑ 8.4 ↓ 10.1 ↗ 10.8 * 8.9 →
 beste Teiler 101.5 (39.) 586.9 (32.) 676.1 (38.)
 Trefferlage 4.19 mm rechts, 1.99 mm hoch
 Streuwert 10.07, horizontal: 10.16, vertikal: 9.97


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **368.3** (350)
 Serien: 97.0 92.5 88.2 90.6
 Zähler: 8 18 11 2 1 0 0 0 0 0
 Innenzehner: 3
 weiteste: 3268 (22), 2722 (34), 2719 (26)
 beste Teiler 308.4 (6.) 330.0 (9.) 372.8 (24.)
 Trefferlage 6.70 mm rechts, 3.75 mm tief
 Streuwert 9.63, horizontal: 9.73, vertikal: 9.53




Serie 1:
 9.5 ← 9.6 → 9.0 ↗ 9.1 ↘ 10.2 ↓
 10.6 * 9.5 ↘ 10.1 ← 10.5 * 8.9 →
 beste Teiler 308.4 (6.) 330.0 (9.) 634.6 (5.)
 Trefferlage 4.08 mm rechts, 1.44 mm tief
 Streuwert 7.46, horizontal: 8.76, vertikal: 5.87



Serie 2:
 10.1 ↗ 9.0 → 8.5 ↓ 9.3 ↓ 8.2 ↓
 8.9 ↘ 9.5 → 9.7 ↙ 9.1 ↘ 10.2 ↓
 beste Teiler 564.3 (20.) 694.7 (11.) 1003.7 (18.)
 Trefferlage 5.25 mm rechts, 7.74 mm tief
 Streuwert 8.18, horizontal: 7.56, vertikal: 8.75



Serie 3:
 9.2 ↖ 6.9 → 10.0 ↑ 10.5 * 8.2 →
 7.6 ↗ 8.9 → 9.9 ↗ 8.2 ↓ 8.8 ←
 beste Teiler 372.8 (24.) 799.1 (23.) 875.4 (28.)
 Trefferlage 8.18 mm rechts, 2.28 mm hoch
 Streuwert 12.86, horizontal: 14.11, vertikal: 11.47





Serie 4:
 8.3 ↘ 9.9 ↓ 9.9 ↑ 7.5 → 9.1 ↓
 8.7 ↘ 9.3 → 8.5 ↓ 9.6 → 9.8 ↘
 beste Teiler 843.8 (33.) 851.3 (32.) 915.1 (40.)
 Trefferlage 9.30 mm rechts, 8.10 mm tief
 Streuwert 7.84, horizontal: 7.58, vertikal: 8.09

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	361				(380.5)
Serien:	89	90	90	92	
Zähler:	10	22	7	1	0 0 0 0 0 0
Innenzehner:	6				
weiteste:	2689	(6), 2365	(36), 2316	(16)	
beste Teiler	119.8	(33.) 123.4	(4.) 281.7	(24.)	
Trefferlage	2.10 mm	links, 2.88 mm	tief		
Streuwert	9.06,	horizontal: 8.77,	vertikal: 9.33		




Serie 1:

9.0 ←	8.3 ↓	10.5 *	10.8 *	8.4 ↓
7.6 ↖	10.2 ↖	10.3 ↓	9.7 ←	8.7 →
beste Teiler	123.4 (4.)	381.0 (3.)	534.4 (8.)	
Trefferlage	2.27 mm links, 2.23 mm tief			
Streuwert	11.12, horizontal: 10.19, vertikal: 11.98			




Serie 2:

9.9 ↑	9.8 ↙	10.3 ↓	9.6 ↙	9.1 ↙
8.1 →	9.4 ←	9.8 ↑	9.3 ↓	9.4 ↓
beste Teiler	494.9 (13.)	880.8 (11.)	886.3 (12.)	
Trefferlage	2.03 mm links, 3.76 mm tief			
Streuwert	8.95, horizontal: 10.21, vertikal: 7.47			



Serie 3:

9.6 ↗	8.8 ↓	9.4 ↙	10.6 *	9.9 ↑
9.8 ↙	9.8 ↘	9.8 ←	9.5 ↓	9.1 ↓
beste Teiler	281.7 (24.)	845.5 (25.)	908.2 (27.)	
Trefferlage	2.58 mm links, 4.23 mm tief			
Streuwert	7.56, horizontal: 6.10, vertikal: 8.79			





Serie 4:

9.8 ↓	8.4 ←	10.8 *	9.2 ↓	10.4 *
8.0 ↗	9.3 ↖	10.6 *	9.5 ↓	10.0 ↙
beste Teiler	119.8 (33.)	308.9 (38.)	451.5 (35.)	
Trefferlage	1.51 mm links, 1.32 mm tief			
Streuwert	9.55, horizontal: 9.35, vertikal: 9.75			


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **368** (385.6)
 Serien: 89 92 93 94
 Zähler: 15 18 7 0 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 2332 (8), 1963 (24), 1961 (13)
 beste Teiler 114.4 (25.) 203.3 (35.) 206.1 (30.)
 Trefferlage 1.12 mm rechts, 3.30 mm hoch
 Streuwert 8.16, horizontal: 7.83, vertikal: 8.47




Serie 1:
 9.8 ↙ 9.1 ↓ 9.3 ↗ 8.7 ↗ 8.8 ↘
 9.6 ↑ 10.6 * 8.0 ↑ 9.5 ← 10.2 ↓
 beste Teiler 278.5 (7.) 630.6 (10.) 895.4 (1.)
 Trefferlage 1.83 mm rechts, 2.42 mm hoch
 Streuwert 10.13, horizontal: 7.62, vertikal: 12.12



Serie 2:
 9.3 ← 10.2 → 8.5 ↗ 9.0 ↑ 9.6 ↗
 9.3 ↗ 10.6 * 10.4 * 10.1 ↑ 8.6 ↘
 beste Teiler 275.9 (17.) 461.6 (18.) 619.4 (12.)
 Trefferlage 2.16 mm rechts, 5.77 mm hoch
 Streuwert 8.17, horizontal: 9.59, vertikal: 6.43



Serie 3:
 9.3 ← 10.0 ↗ 10.3 ↑ 8.5 ↗ 10.8 *
 9.6 ↘ 8.6 ↘ 9.3 ↑ 10.3 ↘ 10.7 *
 beste Teiler 114.4 (25.) 206.1 (30.) 485.5 (23.)
 Trefferlage 1.01 mm rechts, 5.06 mm hoch
 Streuwert 7.64, horizontal: 8.33, vertikal: 6.87



Serie 4:
 9.3 ↑ 10.5 * 9.1 ↙ 9.8 → 10.7 *
 10.3 ↑ 9.5 ← 10.1 ↘ 9.9 ↙ 9.8 ↓
 beste Teiler 203.3 (35.) 329.8 (32.) 519.2 (36.)
 Trefferlage 0.52 mm links, 0.04 mm tief
 Streuwert 6.83, horizontal: 6.45, vertikal: 7.20

Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **364** (381.3)

Serien: 92 95 88 89

Zähler: 15 14 11 0 0 0 0 0 0 0



Innenzehner: 8

weiteste: 2149 (23), 2107 (32), 2062 (24)

beste Teiler 170.3 (30.) 183.0 (26.) 202.4 (3.)

Trefferlage 1.07 mm links, 0.18 mm tief

Streuwert 9.21, horizontal: 8.37, vertikal: 9.97




Serie 1:

9.7 ↗	10.2 ↗	10.7 *	9.9 ↓	10.1 ↘
9.3 ↙	8.6 ↖	9.1 ↓	9.3 ↓	9.2 ↑

beste Teiler 202.4 (3.) 597.5 (2.) 676.0 (5.)

Trefferlage 1.75 mm links, 0.79 mm tief

Streuwert 8.64, horizontal: 7.79, vertikal: 9.41




Serie 2:

10.6 *	10.4 *	10.3 ↗	9.1 ↓	10.3 →
8.5 →	9.4 ↙	10.1 ↙	10.6 *	9.3 ↑

beste Teiler 246.7 (19.) 290.6 (11.) 416.2 (12.)

Trefferlage 1.68 mm rechts, 0.24 mm hoch

Streuwert 7.59, horizontal: 8.24, vertikal: 6.88




Serie 3:

8.7 ↓	8.4 ↑	8.3 ↑	8.4 ↖	9.6 ↖
10.7 *	10.4 *	9.6 ←	8.9 ↓	10.7 *

beste Teiler 170.3 (30.) 183.0 (26.) 450.1 (27.)

Trefferlage 3.25 mm links, 1.43 mm hoch

Streuwert 10.60, horizontal: 7.58, vertikal: 12.93



Serie 4:

9.0 ↙	8.3 ↓	10.1 ↘	8.8 ↗	8.9 →
9.2 ↓	8.9 ↙	9.0 ↘	10.0 ↗	10.7 *

beste Teiler 205.0 (40.) 664.2 (33.) 769.6 (39.)



Trefferlage 0.98 mm links, 1.62 mm tief

Streuwert 10.61, horizontal: 10.16, vertikal: 11.05


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **360** (374.9)
 Serien: 86 88 92 94
 Zähler: 14 17 6 2 0 1 0 0 0 0
 Innenzehner: 5
 weiteste: 4412 (10), 2712 (14), 2647 (2)
 beste Teiler 294.7 (4.) 347.9 (1.) 425.6 (33.)
 Trefferlage 1.49 mm links, 4.40 mm hoch
 Streuwert 10.16, horizontal: 10.41, vertikal: 9.90




Serie 1:
 10.5 * 7.6 ↗ 9.4 ↘ 10.6 * 10.0 ←
 8.2 ↑ 9.0 ↙ 9.2 ← 9.7 ↑ 5.4 ↗
 beste Teiler 294.7 (4.) 347.9 (1.) 777.6 (5.)
 Trefferlage 0.26 mm rechts, 7.84 mm hoch
 Streuwert 13.45, horizontal: 12.92, vertikal: 13.96



Serie 2:
 10.0 ← 8.5 ↘ 8.1 ↘ 7.6 ↘ 10.2 ↑
 9.2 ↘ 10.0 ↓ 8.8 ↙ 9.7 ↑ 9.0 ↘
 beste Teiler 627.3 (15.) 740.6 (11.) 744.0 (17.)
 Trefferlage 9.26 mm links, 6.16 mm hoch
 Streuwert 8.84, horizontal: 6.82, vertikal: 10.48



Serie 3:
 8.2 → 10.4 * 9.6 ↙ 9.3 ↑ 9.5 ↘
 9.3 ← 9.7 ↘ 10.1 ↗ 9.8 ↘ 10.3 →
 beste Teiler 444.3 (22.) 500.1 (30.) 706.2 (28.)
 Trefferlage 3.25 mm rechts, 0.53 mm hoch
 Streuwert 8.32, horizontal: 9.79, vertikal: 6.53



Serie 4:
 8.8 → 9.6 ↙ 10.4 * 9.0 ↘ 10.1 ↑
 9.6 ↑ 10.2 → 9.6 ↙ 10.3 ↘ 10.4 *
 beste Teiler 425.6 (33.) 445.7 (40.) 533.3 (39.)
 Trefferlage 0.23 mm links, 3.07 mm hoch
 Streuwert 7.26, horizontal: 7.93, vertikal: 6.52

Unterschrift des Schützen

Meyton Elektronik