





Ergebnis: **350** (369.2)  
 Serien: 87 89 87 87  
 Zähler: 6 21 10 3 0 0 0 0 0 0  
 Innenzehner: 3  
 weiteste: 2704 (37), 2523 (2), 2498 (22)  
 beste Teiler 137.0 (13.) 248.2 (23.) 266.8 (24.)  
 Trefferlage 4.28 mm links, 2.00 mm hoch  
 Streuwert 10.33, horizontal: 10.26, vertikal: 10.40




Serie 1:  
 9.9 ←                      7.8 ←                      8.2 →                      10.3 ←                      10.0 ↘  
 8.7 ↑                      9.0 ↓                      9.5 ↙                      8.3 ↘                      9.5 ↗  
 beste Teiler 554.0 (4.) 768.2 (5.) 817.7 (1.)  
 Trefferlage 3.46 mm links, 1.31 mm hoch  
 Streuwert 11.62, horizontal: 12.61, vertikal: 10.54



Serie 2:  
 9.3 ↗                      9.9 ↘                      10.8 \*                      10.2 ↘                      9.4 ↙  
 9.8 ↑                      8.1 →                      8.8 ↘                      8.0 ↗                      9.0 ←  
 beste Teiler 137.0 (13.) 610.9 (14.) 874.8 (12.)  
 Trefferlage 0.34 mm links, 5.47 mm hoch  
 Streuwert 10.23, horizontal: 11.52, vertikal: 8.76



Serie 3:  
 9.2 ↑                      7.8 ↑                      10.6 \*                      10.6 \*                      8.6 ↘  
 8.6 ↙                      9.7 ↗                      8.6 ↙                      9.9 ←                      9.5 ↑  
 beste Teiler 248.2 (23.) 266.8 (24.) 878.8 (29.)  
 Trefferlage 3.54 mm links, 4.62 mm hoch  
 Streuwert 10.17, horizontal: 6.66, vertikal: 12.74





Serie 4:  
 9.2 ←                      9.8 ↘                      9.4 ↙                      9.4 ←                      9.5 ←  
 9.0 ↘                      7.6 ↙                      9.4 ←                      9.5 ↘                      8.8 ↙  
 beste Teiler 907.3 (32.) 1135.4 (35.) 1154.8 (39.)  
 Trefferlage 9.79 mm links, 3.40 mm tief  
 Streuwert 8.13, horizontal: 8.21, vertikal: 8.04

Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>353</b>	(372.9)			
Serien:	90	86	89	88	
Zähler:	11	17	6	6	0 0 0 0 0 0
Innenzehner:	6				
weiteste:	3001	(34), 2896	(8), 2809	(23)	
beste Teiler	97.1	(7.) 185.1	(36.) 259.0	(19.)	
Trefferlage	6.28 mm links, 0.91 mm tief				
Streuwert	9.94, horizontal: 11.40, vertikal: 8.22				



Serie 1:

10.5 *	9.6 ↙	9.9 ↙	10.4 *	8.9 ←
9.7 ←	10.8 *	7.3 ↙	8.8 ←	10.5 *


beste Teiler 97.1 (7.) 356.4 (10.) 377.1 (1.)  
 Trefferlage 8.69 mm links, 2.21 mm tief  
 Streuwert 7.20, horizontal: 7.28, vertikal: 7.12



Serie 2:

9.2 ←	8.1 ←	7.7 ←	9.1 ←	9.5 ↑
8.4 ↗	7.8 ↘	10.0 ↓	10.6 *	9.0 ↙


beste Teiler 259.0 (19.) 737.9 (18.) 1199.5 (15.)  
 Trefferlage 12.05 mm links, 3.31 mm hoch  
 Streuwert 9.33, horizontal: 9.10, vertikal: 9.56



Serie 3:

9.9 ↘	10.1 ↘	7.4 ←	9.9 ←	9.3 ←
10.0 ↙	9.4 ←	8.7 →	9.8 ↘	9.5 ←

beste Teiler 711.5 (22.) 788.3 (26.) 813.4 (21.)  
 Trefferlage 5.24 mm links, 1.53 mm tief  
 Streuwert 9.47, horizontal: 12.70, vertikal: 4.27





Serie 4:

8.8 →	9.8 ↑	9.9 ↗	7.2 ↘	10.2 ↘
10.7 *	9.1 ←	9.9 ↙	7.5 ↙	10.0 ↙


beste Teiler 185.1 (36.) 580.0 (35.) 728.8 (40.)  
 Trefferlage 0.84 mm rechts, 3.21 mm tief  
 Streuwert 11.60, horizontal: 12.83, vertikal: 10.22

Unterschrift des Schützen


Ergebnis: **358** (379.0)  
 Serien: 90 84 91 93  
 Zähler: 13 17 7 1 2 0 0 0 0 0  
 Innenzehner: 9  
 weiteste: 3922 (11), 3256 (18), 2494 (1)  
 beste Teiler 126.0 (20.) 198.2 (37.) 216.1 (30.)  
 Trefferlage 5.62 mm links, 0.04 mm hoch  
 Streuwert 9.38, horizontal: 9.41, vertikal: 9.36




Serie 1:  
 7.8 ↙                      8.2 ↖                      10.6 \*                      9.1 ↘                      10.2 ↗  
 9.7 ↓                      10.5 \*                      8.8 ←                      9.1 ↓                      10.5 \*  
 beste Teiler 305.9 (3.) 369.1 (10.) 382.0 (7.)  
 Trefferlage 4.34 mm links, 3.66 mm tief  
 Streuwert 9.62, horizontal: 10.63, vertikal: 8.50



Serie 2:  
 6.0 ↘                      9.6 ↖                      9.4 ←                      8.9 ←                      8.8 ↓  
 10.4 \*                      8.7 ↙                      6.9 ↖                      10.2 ↑                      10.8 \*  
 beste Teiler 126.0 (20.) 427.5 (16.) 564.4 (19.)  
 Trefferlage 10.13 mm links, 2.21 mm hoch  
 Streuwert 12.31, horizontal: 12.63, vertikal: 11.99



Serie 3:  
 9.5 ↓                      10.6 \*                      9.8 ↑                      9.3 ↙                      10.5 \*  
 9.3 ↓                      9.7 ←                      8.7 ←                      8.3 ↘                      10.7 \*  
 beste Teiler 216.1 (30.) 262.7 (22.) 383.1 (25.)  
 Trefferlage 4.21 mm links, 1.83 mm tief  
 Streuwert 8.33, horizontal: 7.04, vertikal: 9.44





Serie 4:  
 9.7 ↘                      9.8 →                      10.1 ↙                      9.8 ↑                      10.0 ←  
 9.7 ←                      10.7 \*                      9.3 ↘                      9.9 ↘                      9.4 ↑  
 beste Teiler 198.2 (37.) 711.7 (33.) 723.3 (35.)  
 Trefferlage 3.83 mm links, 3.48 mm hoch  
 Streuwert 5.82, horizontal: 5.57, vertikal: 6.06


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **383.4** (364)  
 Serien: 91.2 98.7 97.4 96.1  
 Zähler: 16 16 6 0 2 0 0 0 0 0  
 Innenzehner: 8  
 weiteste: 3549 (32), 3260 (1), 2031 (2)  
 beste Teiler 172.2 (11.) 228.9 (39.) 267.8 (20.)  
 Trefferlage 4.85 mm links, 1.91 mm hoch  
 Streuwert 8.76, horizontal: 9.13, vertikal: 8.38




Serie 1:  
 6.9 ↓                      8.4 ↖                      9.7 ←                      10.4 ↗                      9.2 ↘  
 9.7 ↖                      10.4 \*                      9.0 ↖                      8.9 ↘                      8.6 ←  
 beste Teiler 425.1 (7.) 480.9 (4.) 1020.7 (6.)  
 Trefferlage 9.82 mm links, 0.39 mm hoch  
 Streuwert 10.14, horizontal: 6.26, vertikal: 12.90



Serie 2:  
 10.7 \*                      10.6 \*                      9.2 ↗                      8.8 ←                      10.3 ↗  
 9.4 ↗                      9.2 ←                      10.1 ↘                      9.8 ↘                      10.6 \*  
 beste Teiler 172.2 (11.) 267.8 (20.) 314.5 (12.)  
 Trefferlage 0.56 mm links, 0.05 mm hoch  
 Streuwert 7.54, horizontal: 9.27, vertikal: 5.27



Serie 3:  
 10.6 \*                      10.3 ↘                      10.1 ↗                      8.6 ←                      9.4 ↗  
 9.9 ↑                      8.8 ↙                      9.9 ↑                      9.3 ↖                      10.5 \*  
 beste Teiler 303.1 (21.) 377.4 (30.) 543.0 (22.)  
 Trefferlage 2.45 mm links, 3.66 mm hoch  
 Streuwert 7.58, horizontal: 7.74, vertikal: 7.41





Serie 4:  
 9.7 ↖                      6.5 ←                      9.9 ←                      10.2 ↗                      10.1 ↘  
 10.6 \*                      9.1 ↘                      10.3 ↑                      10.7 \*                      9.0 ↘  
 beste Teiler 228.9 (39.) 303.0 (36.) 509.6 (38.)  
 Trefferlage 6.56 mm links, 3.54 mm hoch  
 Streuwert 8.98, horizontal: 10.90, vertikal: 6.51


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **362** (377.9)  
 Serien: 88 93 92 89  
 Zähler: 14 18 6 1 0 1 0 0 0 0  
 Innenzehner: 5  
 weiteste: 4732 (2), 2417 (21), 2114 (17)  
 beste Teiler 243.2 (14.) 250.4 (39.) 303.1 (26.)  
 Trefferlage 0.55 mm rechts, 1.29 mm hoch  
 Streuwert 10.23, horizontal: 9.48, vertikal: 10.93




Serie 1:  
 9.7 ↗ 5.0 ↗ 8.6 ↙ 10.3 ↙ 10.1 ↗  
 10.2 ↘ 9.4 → 9.1 ↖ 8.6 ↙ 10.0 ↖  
 beste Teiler 512.8 (4.) 585.5 (6.) 666.5 (5.)  
 Trefferlage 0.10 mm rechts, 3.77 mm hoch  
 Streuwert 13.85, horizontal: 13.08, vertikal: 14.58



Serie 2:  
 10.2 ↗ 9.4 ↖ 9.9 ↖ 10.6 \* 9.0 ↓  
 10.4 \* 8.3 ↑ 9.8 ↓ 10.1 ↓ 9.3 ↑  
 beste Teiler 243.2 (14.) 432.4 (16.) 640.7 (11.)  
 Trefferlage 0.72 mm rechts, 1.53 mm hoch  
 Streuwert 8.40, horizontal: 4.01, vertikal: 11.19





Serie 3:  
 7.9 ↗ 9.4 ↗ 9.1 ↘ 9.0 ← 9.3 ↑  
 10.6 \* 10.0 ← 9.7 → 10.1 ↑ 10.4 \*  
 beste Teiler 303.1 (26.) 437.7 (30.) 668.6 (29.)  
 Trefferlage 2.34 mm rechts, 1.83 mm hoch  
 Streuwert 9.17, horizontal: 9.23, vertikal: 9.11



Serie 4:  
 9.8 → 9.3 ↖ 9.5 ↙ 9.8 → 8.3 ↙  
 10.2 → 8.8 ↗ 8.6 ↙ 10.6 \* 9.5 ↘  
 beste Teiler 250.4 (39.) 631.7 (36.) 886.0 (34.)  
 Trefferlage 0.94 mm links, 1.96 mm tief  
 Streuwert 9.72, horizontal: 10.54, vertikal: 8.81


Unterschrift des Schützen

Ergebnis:	<b>361</b>	(380.9)
Serien:	91 90 90 90	
Zähler:	14 16 7 3 0 0 0 0 0 0	
Innenzehner:	7	
weiteste:	2981 (9), 2894 (16), 2432 (19)	
beste Teiler	149.1 (24.) 200.1 (20.) 240.8 (3.)	
Trefferlage	0.24 mm rechts, 4.13 mm hoch	
Streuwert	9.24, horizontal: 7.84, vertikal: 10.45	




Serie 1:

10.4 *	8.1 ↑	10.7 *	9.8 ↗	9.8 ↗
9.8 ↗	9.7 ←	10.0 ↑	7.2 ↑	10.6 *
beste Teiler	240.8 (3.)	303.0 (10.)	474.0 (1.)	
Trefferlage	0.04 mm links, 8.06 mm hoch			
Streuwert	8.19, horizontal: 5.59, vertikal: 10.14			




Serie 2:

9.8 ↓	9.5 ↖	10.0 ↙	9.4 ↙	10.1 ↖
7.3 ↑	9.7 ↓	10.6 *	7.9 ↗	10.7 *
beste Teiler	200.1 (20.)	266.6 (18.)	687.8 (15.)	
Trefferlage	0.22 mm rechts, 2.55 mm hoch			
Streuwert	10.46, horizontal: 7.88, vertikal: 12.51			



Serie 3:

9.3 ↓	8.0 ↖	10.2 ↘	10.8 *	9.7 ←
9.8 ↗	8.2 ↗	9.5 ↙	10.2 ↙	8.8 ↑
beste Teiler	149.1 (24.)	604.3 (29.)	607.6 (23.)	
Trefferlage	1.91 mm links, 2.39 mm hoch			
Streuwert	10.03, horizontal: 9.02, vertikal: 10.94			





Serie 4:


8.9 ↑	8.7 ↗	9.7 ↗	9.3 ↗	10.0 ↖
8.7 ↙	9.8 ↑	9.4 ↘	10.2 ↘	10.6 *
beste Teiler	254.6 (40.)	583.6 (39.)	736.1 (35.)	
Trefferlage	2.70 mm rechts, 3.51 mm hoch			
Streuwert	8.66, horizontal: 8.94, vertikal: 8.38			

Unterschrift des Schützen


Ergebnis: **360** (377.5)  
 Serien: 91 94 88 87  
 Zähler: 15 14 9 0 2 0 0 0 0 0  
 Innenzehner: 4  
 weiteste: 3715 (25), 3575 (35), 2218 (23)  
 beste Teiler 226.3 (33.) 336.4 (28.) 376.5 (21.)  
 Trefferlage 1.25 mm rechts, 3.25 mm tief  
 Streuwert 9.95, horizontal: 8.15, vertikal: 11.46




Serie 1:  
 8.6 ↓                      9.3 ↓                      10.2 ↙                      10.0 →                      9.8 →  
 9.1 ↘                      9.9 ↑                      9.1 ↑                      9.8 →                      9.4 →  
 beste Teiler 587.8 (3.) 783.0 (4.) 829.7 (7.)  
 Trefferlage 4.73 mm rechts, 1.52 mm tief  
 Streuwert 8.21, horizontal: 5.57, vertikal: 10.19



Serie 2:  
 10.1 ↓                      8.9 ←                      9.9 ↘                      10.0 ↓                      10.3 ↙  
 9.5 ↙                      10.5 \*                      9.5 →                      9.2 ←                      10.2 ↓  
 beste Teiler 386.3 (17.) 490.3 (15.) 636.9 (20.)  
 Trefferlage 3.74 mm links, 2.48 mm tief  
 Streuwert 6.59, horizontal: 8.17, vertikal: 4.49



Serie 3:  
 10.5 \*                      10.0 ↓                      8.2 ↗                      8.9 →                      6.3 ↓  
 9.6 ↑                      8.9 ↓                      10.5 \*                      9.3 ↓                      10.1 ↗  
 beste Teiler 336.4 (28.) 376.5 (21.) 711.0 (30.)  
 Trefferlage 4.21 mm rechts, 4.95 mm tief  
 Streuwert 11.55, horizontal: 6.95, vertikal: 14.78





Serie 4:  
 8.6 ↘                      9.7 ←                      10.7 \*                      10.2 ↘                      6.5 ↓  
 8.7 ↘                      10.1 ←                      8.9 ←                      10.3 ↗                      8.2 ↗  
 beste Teiler 226.3 (33.) 541.3 (39.) 602.3 (34.)  
 Trefferlage 0.16 mm links, 4.03 mm tief  
 Streuwert 12.40, horizontal: 9.40, vertikal: 14.80

Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>362</b>	(382.1)
Serien:	93 92 90 87	
Zähler:	12 19 8 1 0 0 0 0 0 0	
Innenzehner:	5	
weiteste:	2417 (35), 2315 (11), 2034 (20)	
beste Teiler	234.9 (16.) 289.0 (24.) 289.4 (9.)	
Trefferlage	0.22 mm rechts, 0.12 mm hoch	
Streuwert	8.97, horizontal: 9.09, vertikal: 8.84	



Serie 1:

10.1 →	9.9 ←	10.1 ↘	10.2 ←	9.9 ↓
10.3 ↘	8.9 ←	8.8 ↙	10.6 *	9.1 →


beste Teiler 289.4 (9.) 512.8 (6.) 609.3 (4.)  
 Trefferlage 2.11 mm links, 2.10 mm tief  
 Streuwert 7.49, horizontal: 9.35, vertikal: 4.98



Serie 2:

8.1 ←	10.4 *	9.5 →	9.6 ↙	10.0 ↘
10.7 *	9.9 ↙	9.9 →	10.5 *	8.4 ↗


beste Teiler 234.9 (16.) 339.0 (19.) 460.3 (12.)  
 Trefferlage 0.33 mm rechts, 0.14 mm hoch  
 Streuwert 8.97, horizontal: 10.27, vertikal: 7.44



Serie 3:

10.3 ↘	9.7 ↗	9.2 ↓	10.6 *	9.8 ↗
9.1 ↙	8.9 ↗	9.7 ↗	8.6 ↓	9.7 ←

beste Teiler 289.0 (24.) 506.4 (21.) 889.7 (25.)  
 Trefferlage 2.16 mm rechts, 1.57 mm tief  
 Streuwert 8.70, horizontal: 6.61, vertikal: 10.37



Serie 4:

9.1 ↑	9.1 ↑	9.1 ↑	10.1 ↙	7.9 ↙
8.5 →	9.6 ↑	9.8 →	9.7 ↙	8.7 ↗

beste Teiler 674.9 (34.) 888.4 (38.) 989.3 (39.)  
 Trefferlage 0.50 mm rechts, 4.03 mm hoch  
 Streuwert 10.87, horizontal: 10.54, vertikal: 11.19

Unterschrift des Schützen

Meyton Elektronik