





Ergebnis: **367** (382.5)
 Serien: 93 91 90 93
 Zähler: 14 19 7 0 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 2191 (15), 1991 (14), 1984 (32)
 beste Teiler 171.6 (18.) 307.4 (2.) 316.8 (28.)
 Trefferlage 2.05 mm rechts, 0.28 mm hoch
 Streuwert 8.69, horizontal: 9.36, vertikal: 7.96




Serie 1:
 9.2 ↓ 10.6 * 8.8 ↓ 9.0 ↗ 9.0 ↓
 9.9 ↖ 9.7 ↗ 10.2 ↘ 10.1 ↘ 10.1 ↓
 beste Teiler 307.4 (2.) 598.3 (8.) 680.3 (10.)
 Trefferlage 2.66 mm rechts, 3.00 mm tief
 Streuwert 8.03, horizontal: 4.81, vertikal: 10.28



Serie 2:
 9.3 → 9.7 ↘ 10.3 ↑ 8.5 ↗ 8.2 →
 9.6 ↗ 9.6 → 10.7 * 9.8 ↓ 10.0 ↓
 beste Teiler 171.6 (18.) 550.5 (13.) 728.4 (20.)
 Trefferlage 6.93 mm rechts, 1.28 mm hoch
 Streuwert 7.69, horizontal: 7.51, vertikal: 7.87



Serie 3:
 8.5 ← 10.5 * 9.2 ↘ 9.5 → 8.9 ←
 9.2 ↘ 9.5 ↗ 10.6 * 10.2 → 8.8 →
 beste Teiler 316.8 (28.) 374.0 (22.) 640.9 (29.)
 Trefferlage 2.64 mm rechts, 1.01 mm tief
 Streuwert 9.47, horizontal: 12.09, vertikal: 5.76





Serie 4:
 9.0 ↘ 8.5 ↘ 9.6 ↗ 10.0 ↘ 9.2 ↗
 10.1 ↑ 10.1 ↘ 9.5 ↖ 9.2 ↖ 10.1 ↖
 beste Teiler 670.0 (36.) 700.3 (37.) 702.0 (40.)
 Trefferlage 4.01 mm links, 3.85 mm hoch
 Streuwert 8.07, horizontal: 9.25, vertikal: 6.67


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **367** (385.3)
 Serien: 91 92 89 95
 Zähler: 13 21 6 0 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 2121 (19), 2016 (8), 1889 (25)
 beste Teiler 176.2 (32.) 282.0 (14.) 352.4 (36.)
 Trefferlage 0.17 mm links, 2.85 mm hoch
 Streuwert 8.10, horizontal: 7.72, vertikal: 8.46




Serie 1:
 10.3 ↖ 9.7 → 9.4 ↑ 9.4 → 9.8 ↙
 9.3 ↘ 10.2 → 8.4 ↓ 9.9 ↙ 9.0 ↘
 beste Teiler 540.7 (1.) 563.9 (7.) 828.9 (9.)
 Trefferlage 4.42 mm rechts, 3.18 mm tief
 Streuwert 8.05, horizontal: 7.24, vertikal: 8.79



Serie 2:
 10.3 ↘ 9.3 ↖ 9.7 ↗ 10.6 * 9.8 ↑
 9.8 → 10.3 ↖ 9.2 ↖ 8.3 ↖ 9.6 ↖
 beste Teiler 282.0 (14.) 491.5 (11.) 491.9 (17.)
 Trefferlage 1.58 mm links, 6.12 mm hoch
 Streuwert 6.98, horizontal: 6.63, vertikal: 7.32



Serie 3:
 8.9 ← 8.6 ↖ 10.4 * 10.1 ↗ 8.6 ↑
 9.4 ↑ 8.9 ↖ 9.0 → 9.9 ← 10.0 ↑
 beste Teiler 440.6 (23.) 650.9 (24.) 773.3 (30.)
 Trefferlage 2.02 mm links, 7.49 mm hoch
 Streuwert 8.29, horizontal: 9.90, vertikal: 6.29





Serie 4:
 10.3 ↖ 10.7 * 10.0 ↑ 9.5 ↑ 9.6 ↗
 10.5 * 9.3 ↓ 9.9 ↙ 9.0 ↖ 10.4 *
 beste Teiler 176.2 (32.) 352.4 (36.) 439.6 (40.)
 Trefferlage 1.51 mm links, 0.97 mm hoch
 Streuwert 6.78, horizontal: 5.69, vertikal: 7.72


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **361** (380.3)
 Serien: 90 90 95 86
 Zähler: 13 19 5 2 1 0 0 0 0 0
 Innenzehner: 4
 weiteste: 3655 (1), 2795 (31), 2511 (20)
 beste Teiler 154.0 (17.) 298.4 (27.) 424.6 (23.)
 Trefferlage 3.77 mm rechts, 2.04 mm tief
 Streuwert 9.22, horizontal: 8.89, vertikal: 9.54




Serie 1:
 6.4 → 8.6 ↓ 10.1 ↘ 10.4 * 10.2 ↗
 10.0 ← 9.8 ↓ 9.8 ↘ 9.7 ↑ 9.8 ↓
 beste Teiler 466.8 (4.) 631.5 (5.) 674.3 (3.)
 Trefferlage 3.92 mm rechts, 3.38 mm tief
 Streuwert 10.39, horizontal: 11.90, vertikal: 8.61



Serie 2:
 9.8 ↓ 9.6 ↓ 9.7 ↑ 9.6 ↑ 9.0 ↑
 10.1 → 10.8 * 9.7 → 9.7 ↑ 7.8 ↓
 beste Teiler 154.0 (17.) 648.6 (16.) 890.4 (11.)
 Trefferlage 3.66 mm rechts, 0.09 mm tief
 Streuwert 8.87, horizontal: 4.03, vertikal: 11.88





Serie 3:
 8.3 ↑ 10.0 ↓ 10.4 * 9.5 ↗ 10.2 ↘
 9.6 → 10.6 * 10.0 ↘ 10.3 ↓ 9.4 ↘
 beste Teiler 298.4 (27.) 424.6 (23.) 511.5 (29.)
 Trefferlage 3.68 mm rechts, 0.66 mm hoch
 Streuwert 7.21, horizontal: 5.85, vertikal: 8.36




Serie 4:
 7.5 → 9.8 → 10.0 ↗ 8.5 ↘ 9.8 →
 8.7 ↓ 8.6 ↓ 9.3 ← 9.7 ↓ 9.5 ←
 beste Teiler 732.0 (33.) 914.5 (32.) 940.0 (35.)
 Trefferlage 3.82 mm rechts, 5.36 mm tief
 Streuwert 10.78, horizontal: 12.25, vertikal: 9.07

Unterschrift des Schützen


Ergebnis: **382.2** (365)
 Serien: 90.7 98.4 96.5 96.6
 Zähler: 12 21 7 0 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 2310 (30), 2223 (8), 2091 (4)
 beste Teiler 254.4 (25.) 259.2 (13.) 294.2 (20.)
 Trefferlage 0.70 mm links, 0.97 mm tief
 Streuwert 8.91, horizontal: 8.85, vertikal: 8.98




Serie 1:
 9.3 ↘ 9.9 ↑ 9.8 ↘ 8.3 ↓ 9.8 ↓
 8.4 ↖ 9.3 ↙ 8.2 ← 8.5 ↘ 9.2 ↗
 beste Teiler 847.4 (2.) 885.2 (5.) 906.4 (3.)
 Trefferlage 0.18 mm rechts, 2.45 mm tief
 Streuwert 11.59, horizontal: 11.53, vertikal: 11.65



Serie 2:
 10.0 ↓ 10.3 → 10.6 * 10.0 ↓ 10.2 ↗
 8.4 ← 9.8 ↑ 9.1 ↓ 9.4 ↖ 10.6 *
 beste Teiler 259.2 (13.) 294.2 (20.) 552.0 (12.)
 Trefferlage 1.31 mm links, 0.16 mm tief
 Streuwert 7.69, horizontal: 7.72, vertikal: 7.66



Serie 3:
 9.0 ↖ 9.7 ↓ 9.2 ← 10.4 * 10.6 *
 8.9 ↗ 9.7 → 10.5 * 10.4 * 8.1 ↓
 beste Teiler 254.4 (25.) 333.9 (28.) 465.9 (24.)
 Trefferlage 1.33 mm links, 2.12 mm tief
 Streuwert 8.89, horizontal: 8.98, vertikal: 8.81





Serie 4:
 9.1 ← 9.7 ↖ 10.5 * 9.0 ↓ 10.4 *
 9.7 ↓ 9.5 ↑ 9.4 → 9.7 ↘ 9.6 ↑
 beste Teiler 322.0 (33.) 456.0 (35.) 1000.7 (32.)
 Trefferlage 0.34 mm links, 0.84 mm hoch
 Streuwert 8.16, horizontal: 8.02, vertikal: 8.29


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **362** (381.4)
 Serien: 89 89 91 93
 Zähler: 11 21 7 1 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 2725 (20), 2243 (27), 1996 (32)
 beste Teiler 204.9 (39.) 209.7 (26.) 264.8 (34.)
 Trefferlage 2.34 mm rechts, 0.92 mm tief
 Streuwert 8.94, horizontal: 9.52, vertikal: 8.33




Serie 1:
 9.1 ↙ 8.8 → 9.7 ↘ 9.2 ↑ 10.2 ↖
 9.8 → 9.4 → 9.5 ↓ 8.7 ↘ 9.1 ↗
 beste Teiler 573.2 (5.) 957.2 (6.) 1030.1 (3.)
 Trefferlage 5.62 mm rechts, 0.21 mm tief
 Streuwert 9.07, horizontal: 9.47, vertikal: 8.66



Serie 2:
 9.8 ↙ 9.8 → 9.7 → 9.4 ← 9.1 ↓
 8.6 ↘ 9.8 ↖ 10.6 * 10.2 ↓ 7.5 ←
 beste Teiler 284.5 (18.) 566.0 (19.) 887.5 (12.)
 Trefferlage 1.58 mm links, 2.55 mm tief
 Streuwert 9.88, horizontal: 12.53, vertikal: 6.20



Serie 3:
 9.6 ↙ 10.0 ↓ 10.5 * 8.6 → 9.2 ↗
 10.7 * 8.1 ↑ 9.7 ↗ 9.9 ↑ 9.6 →
 beste Teiler 209.7 (26.) 392.9 (23.) 747.8 (22.)
 Trefferlage 3.73 mm rechts, 3.96 mm hoch
 Streuwert 8.36, horizontal: 8.29, vertikal: 8.44





Serie 4:
 9.0 ↓ 8.5 ↓ 10.2 ↓ 10.6 * 9.6 ↗
 10.3 ↙ 8.7 ↘ 9.7 ↓ 10.7 * 10.2 ←
 beste Teiler 204.9 (39.) 264.8 (34.) 499.0 (36.)
 Trefferlage 1.60 mm rechts, 4.87 mm tief
 Streuwert 7.55, horizontal: 6.74, vertikal: 8.29


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **366** (383.0)
 Serien: 92 93 91 90
 Zähler: 13 20 7 0 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 2313 (26), 2107 (40), 1977 (11)
 beste Teiler 264.3 (10.) 319.9 (14.) 332.5 (15.)
 Trefferlage 0.02 mm rechts, 0.38 mm hoch
 Streuwert 8.71, horizontal: 9.21, vertikal: 8.18




Serie 1:
 8.6 ↙ 9.2 ↓ 9.0 ← 10.5 * 10.1 ←
 9.5 → 9.4 ↑ 9.7 ↘ 9.4 ↑ 10.6 *
 beste Teiler 264.3 (10.) 347.5 (4.) 696.4 (5.)
 Trefferlage 2.51 mm links, 0.88 mm hoch
 Streuwert 8.47, horizontal: 7.90, vertikal: 9.01



Serie 2:
 8.5 ↘ 10.3 ↗ 10.0 ← 10.6 * 10.5 *
 9.2 → 9.7 ↘ 9.0 ↓ 9.0 ↙ 9.8 ←
 beste Teiler 319.9 (14.) 332.5 (15.) 483.1 (12.)
 Trefferlage 2.96 mm links, 0.09 mm hoch
 Streuwert 8.34, horizontal: 7.40, vertikal: 9.17



Serie 3:
 9.2 ← 9.3 ↙ 9.9 ↘ 9.8 ↘ 10.3 ←
 8.1 ↓ 10.3 ↘ 9.7 ↑ 8.7 → 10.3 ↑
 beste Teiler 520.3 (27.) 527.3 (25.) 555.7 (30.)
 Trefferlage 0.17 mm links, 1.17 mm tief
 Streuwert 9.22, horizontal: 9.17, vertikal: 9.27





Serie 4:
 9.6 ← 8.7 → 8.6 ↗ 10.3 ↘ 10.2 →
 9.6 → 9.7 → 10.2 ↓ 9.6 ← 8.3 →
 beste Teiler 556.0 (34.) 604.6 (35.) 637.3 (38.)
 Trefferlage 5.77 mm rechts, 1.71 mm hoch
 Streuwert 8.54, horizontal: 10.61, vertikal: 5.77


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **365** (381.5)
 Serien: 90 93 92 90
 Zähler: 12 22 5 1 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 2507 (23), 2164 (40), 2046 (32)
 beste Teiler 250.0 (24.) 443.8 (2.) 451.9 (37.)
 Trefferlage 2.22 mm links, 1.47 mm hoch
 Streuwert 8.62, horizontal: 9.04, vertikal: 8.18




Serie 1:
 9.3 ↘ 10.4 * 9.5 ↘ 8.8 ← 9.9 ↘
 10.0 ↘ 8.6 ↗ 9.2 ↙ 9.2 ↖ 9.8 →
 beste Teiler 443.8 (2.) 762.1 (6.) 803.3 (5.)
 Trefferlage 0.47 mm rechts, 3.35 mm tief
 Streuwert 9.06, horizontal: 9.14, vertikal: 8.98



Serie 2:
 9.9 ↘ 9.2 ↗ 9.5 ↖ 9.3 ↗ 9.9 ↘
 10.1 ↑ 9.7 → 10.3 ← 10.2 ↘ 9.1 ↖
 beste Teiler 483.1 (18.) 573.1 (19.) 644.1 (16.)
 Trefferlage 2.05 mm rechts, 2.29 mm hoch
 Streuwert 7.38, horizontal: 7.19, vertikal: 7.56



Serie 3:
 9.5 ↗ 10.0 ↓ 7.8 ← 10.6 * 9.5 ←
 9.6 → 9.1 ↖ 10.1 ↖ 9.0 ↑ 10.0 ←
 beste Teiler 250.0 (24.) 687.8 (28.) 754.4 (22.)
 Trefferlage 5.12 mm links, 1.85 mm hoch
 Streuwert 8.63, horizontal: 9.58, vertikal: 7.56





Serie 4:
 8.7 ↖ 8.4 ← 9.9 ← 10.0 ↖ 9.4 ←
 9.7 ↑ 10.4 * 9.7 ↖ 10.0 → 8.2 ↑
 beste Teiler 451.9 (37.) 746.0 (39.) 789.9 (34.)
 Trefferlage 6.29 mm links, 5.09 mm hoch
 Streuwert 7.89, horizontal: 8.42, vertikal: 7.32


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **358** (372.6)
 Serien: 91 88 88 91
 Zähler: 13 17 6 3 1 0 0 0 0 0
 Innenzehner: 3
 weiteste: 3695 (30), 2693 (9), 2527 (40)
 beste Teiler 371.0 (3.) 386.0 (4.) 419.5 (21.)
 Trefferlage 0.76 mm rechts, 2.80 mm hoch
 Streuwert 10.59, horizontal: 10.89, vertikal: 10.30




Serie 1:
 9.0 ↗ 10.0 ↘ 10.5 * 10.5 * 9.1 →
 8.3 ← 9.1 → 10.0 ↗ 7.6 ↗ 9.6 ↘
 beste Teiler 371.0 (3.) 386.0 (4.) 723.3 (2.)
 Trefferlage 5.54 mm rechts, 2.44 mm hoch
 Streuwert 9.87, horizontal: 12.04, vertikal: 7.06



Serie 2:
 9.4 ↘ 9.6 ↙ 9.8 ← 8.5 ↘ 9.2 ←
 9.6 ↗ 9.3 ↙ 10.0 ↑ 7.9 ↙ 9.2 ↑
 beste Teiler 797.0 (18.) 884.8 (13.) 1064.2 (16.)
 Trefferlage 2.30 mm links, 3.91 mm tief
 Streuwert 10.16, horizontal: 9.85, vertikal: 10.45



Serie 3:
 10.4 * 10.3 ↖ 10.0 ↗ 9.8 ↑ 9.5 →
 8.4 ↙ 10.3 ↖ 8.4 ↖ 8.0 ↑ 6.3 ↗
 beste Teiler 419.5 (21.) 526.2 (22.) 548.2 (27.)
 Trefferlage 1.97 mm rechts, 6.93 mm hoch
 Streuwert 12.11, horizontal: 11.77, vertikal: 12.44



Serie 4:
 10.1 ← 10.3 ↙ 10.3 ↖ 8.3 ↖ 10.0 ↖
 9.4 ↗ 9.7 → 9.4 ← 9.7 ↗ 7.8 ↗
 beste Teiler 504.3 (33.) 527.0 (32.) 719.9 (31.)
 Trefferlage 2.16 mm links, 5.76 mm hoch
 Streuwert 8.73, horizontal: 9.28, vertikal: 8.16

Unterschrift des Schützen

Meyton Elektronik