





Ergebnis: **355** (374.3)
 Serien: 89 86 89 91
 Zähler: 9 20 8 3 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 2603 (13), 2526 (1), 2466 (24)
 beste Teiler 258.3 (33.) 272.2 (28.) 317.7 (8.)
 Trefferlage 0.18 mm links, 2.25 mm hoch
 Streuwert 10.07, horizontal: 8.85, vertikal: 11.15




Serie 1:
 7.8 ↑ 9.2 ↘ 9.1 ↘ 10.1 ↙ 9.8 ↓
 8.9 ↗ 10.3 ↘ 10.6 * 9.8 ↖ 8.0 ↖
 beste Teiler 317.7 (8.) 502.3 (7.) 688.4 (4.)
 Trefferlage 2.33 mm links, 6.41 mm hoch
 Streuwert 9.66, horizontal: 8.90, vertikal: 10.36



Serie 2:
 8.9 ↗ 9.4 ↓ 7.7 ↓ 9.2 ↑ 8.9 ↘
 9.5 ↑ 9.7 ← 9.5 ↘ 9.1 ↓ 9.7 ←
 beste Teiler 973.6 (17.) 983.1 (20.) 1165.0 (16.)
 Trefferlage 0.20 mm links, 1.19 mm hoch
 Streuwert 11.11, horizontal: 8.83, vertikal: 12.99



Serie 3:
 9.7 ↘ 10.3 ↑ 9.7 ↘ 7.9 ↓ 9.1 ↗
 9.8 → 9.0 ↙ 10.6 * 9.0 ↑ 8.4 ↓
 beste Teiler 272.2 (28.) 509.5 (22.) 957.1 (26.)
 Trefferlage 2.95 mm rechts, 2.14 mm tief
 Streuwert 10.32, horizontal: 6.98, vertikal: 12.82





Serie 4:
 9.1 ↘ 8.6 ↘ 10.6 * 10.4 * 10.3 ↑
 8.4 ← 9.7 → 9.3 ↑ 10.5 * 8.7 →
 beste Teiler 258.3 (33.) 397.5 (39.) 418.4 (34.)
 Trefferlage 1.15 mm links, 3.55 mm hoch
 Streuwert 9.25, horizontal: 10.80, vertikal: 7.38


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **369** (388.0)
 Serien: 90 91 95 93
 Zähler: 14 21 5 0 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 2356 (1), 2076 (14), 1989 (4)
 beste Teiler 202.9 (5.) 271.5 (28.) 346.4 (24.)
 Trefferlage 2.80 mm rechts, 0.93 mm hoch
 Streuwert 7.72, horizontal: 7.92, vertikal: 7.52




Serie 1:
 8.0 ↘ 10.5 * 9.4 ↓ 8.5 ↗ 10.7 *
 9.5 ↗ 10.5 * 9.9 ↘ 8.9 → 9.3 ↗
 beste Teiler 202.9 (5.) 350.8 (7.) 394.9 (2.)
 Trefferlage 2.38 mm rechts, 4.83 mm hoch
 Streuwert 9.11, horizontal: 9.27, vertikal: 8.94



Serie 2:
 9.6 → 9.2 ↓ 9.6 ← 8.4 → 9.8 ←
 9.7 → 9.7 ↘ 10.1 ↑ 10.5 * 9.2 ←
 beste Teiler 374.9 (19.) 663.2 (18.) 956.9 (15.)
 Trefferlage 0.16 mm links, 0.35 mm hoch
 Streuwert 8.79, horizontal: 10.85, vertikal: 6.05



Serie 3:
 9.9 ↓ 9.4 ↗ 10.3 ↗ 10.5 * 9.9 ↓
 10.0 ↗ 10.3 ↗ 10.6 * 9.0 ↘ 9.3 →
 beste Teiler 271.5 (28.) 346.4 (24.) 516.5 (23.)
 Trefferlage 3.28 mm rechts, 1.82 mm hoch
 Streuwert 6.24, horizontal: 4.73, vertikal: 7.45





Serie 4:
 8.9 ↘ 9.9 ↘ 10.3 ↗ 10.4 * 9.6 →
 10.1 → 9.7 ↘ 10.0 ↑ 9.3 → 9.6 ↓
 beste Teiler 463.3 (34.) 482.5 (33.) 663.9 (36.)
 Trefferlage 5.71 mm rechts, 3.29 mm tief
 Streuwert 5.53, horizontal: 5.10, vertikal: 5.93


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **359** (378.5)
 Serien: 89 89 93 88
 Zähler: 13 16 9 1 1 0 0 0 0 0
 Innenzehner: 6
 weiteste: 3206 (19), 2900 (36), 2180 (14)
 beste Teiler 163.5 (10.) 329.6 (13.) 353.0 (23.)
 Trefferlage 1.94 mm links, 0.36 mm hoch
 Streuwert 9.74, horizontal: 7.80, vertikal: 11.36




Serie 1:
 9.2 ↓ 8.9 ↗ 9.4 → 8.7 ↘ 8.4 ↖
 10.3 ↓ 9.2 ↙ 9.4 ↖ 9.6 ↘ 10.7 *
 beste Teiler 163.5 (10.) 555.6 (6.) 1061.4 (9.)
 Trefferlage 2.86 mm links, 2.21 mm tief
 Streuwert 9.86, horizontal: 9.45, vertikal: 10.24



Serie 2:
 9.6 ↖ 9.8 ↘ 10.5 * 8.2 ↖ 10.2 ↗
 10.1 ↑ 8.7 → 10.0 ↓ 6.9 ↖ 9.1 ↓
 beste Teiler 329.6 (13.) 626.6 (15.) 657.4 (16.)
 Trefferlage 1.59 mm links, 3.58 mm hoch
 Streuwert 11.20, horizontal: 10.65, vertikal: 11.72



Serie 3:
 9.3 ↓ 8.8 ↘ 10.5 * 9.9 ↗ 9.5 ↖
 10.4 * 10.2 ↖ 9.9 ← 10.5 * 9.8 ↑
 beste Teiler 353.0 (23.) 381.8 (29.) 419.7 (26.)
 Trefferlage 0.69 mm links, 0.17 mm tief
 Streuwert 7.12, horizontal: 5.15, vertikal: 8.65





Serie 4:
 8.8 ↓ 9.9 ↘ 10.3 → 8.8 ↘ 10.0 ↓
 7.3 ↑ 9.8 ↙ 10.5 * 8.2 ↑ 9.2 ↖
 beste Teiler 381.0 (38.) 533.7 (33.) 734.7 (35.)
 Trefferlage 2.62 mm links, 0.27 mm hoch
 Streuwert 11.27, horizontal: 5.57, vertikal: 14.93


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **380.4** (364)
 Serien: 95.3 92.4 96.2 96.5
 Zähler: 15 17 6 1 1 0 0 0 0 0
 Innenzehner: 10
 weiteste: 3955 (14), 2624 (1), 2193 (32)
 beste Teiler 221.9 (6.) 288.3 (4.) 329.1 (39.)
 Trefferlage 0.91 mm links, 4.03 mm hoch
 Streuwert 9.37, horizontal: 7.71, vertikal: 10.78




Serie 1:
 7.7 ↑ 9.3 ↓ 8.7 ← 10.6 * 8.5 →
 10.7 * 9.6 ↘ 10.3 ↓ 9.5 → 10.4 *
 beste Teiler 221.9 (6.) 288.3 (4.) 403.2 (10.)
 Trefferlage 1.08 mm rechts, 0.18 mm tief
 Streuwert 10.20, horizontal: 9.90, vertikal: 10.49



Serie 2:
 9.8 ↓ 9.4 ↑ 10.1 ↖ 6.0 ↑ 10.4 *
 9.4 → 9.2 ← 9.3 ↘ 10.5 * 8.3 ↘
 beste Teiler 329.5 (19.) 426.5 (15.) 682.1 (13.)
 Trefferlage 0.92 mm links, 8.21 mm hoch
 Streuwert 10.95, horizontal: 7.93, vertikal: 13.31



Serie 3:
 10.4 * 9.0 ↘ 9.9 ↑ 10.4 * 10.0 →
 8.6 ↓ 10.5 * 9.3 ↙ 8.6 ↑ 9.5 ↘
 beste Teiler 354.8 (27.) 428.0 (24.) 464.3 (21.)
 Trefferlage 0.41 mm links, 2.45 mm hoch
 Streuwert 8.79, horizontal: 6.53, vertikal: 10.57





Serie 4:
 10.4 ↙ 8.2 ↑ 9.7 ← 10.0 ↖ 9.7 →
 9.1 ↖ 10.4 * 9.4 ↑ 10.5 * 9.1 ↘
 beste Teiler 329.1 (39.) 471.4 (37.) 478.1 (31.)
 Trefferlage 3.40 mm links, 5.66 mm hoch
 Streuwert 7.16, horizontal: 6.53, vertikal: 7.74


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **360** (379.3)
 Serien: 87 88 95 90
 Zähler: 14 17 5 3 1 0 0 0 0 0
 Innenzehner: 8
 weiteste: 3473 (37), 3060 (13), 2526 (38)
 beste Teiler 212.0 (31.) 225.2 (33.) 331.8 (34.)
 Trefferlage 1.29 mm links, 3.91 mm hoch
 Streuwert 9.57, horizontal: 9.05, vertikal: 10.08




Serie 1:
 8.9 ↖ 8.4 ↗ 10.2 ↖ 9.7 ↓ 7.8 ↑
 9.9 ↑ 10.4 * 9.9 ↗ 9.3 → 8.8 ↘
 beste Teiler 452.9 (7.) 637.9 (3.) 804.8 (6.)
 Trefferlage 1.94 mm rechts, 3.43 mm hoch
 Streuwert 10.29, horizontal: 9.87, vertikal: 10.70



Serie 2:
 8.8 ↓ 9.2 ↖ 7.1 ↗ 10.4 → 10.5 *
 9.8 ↖ 9.0 ↖ 9.7 ← 8.5 ↗ 9.6 →
 beste Teiler 346.3 (15.) 477.9 (14.) 908.4 (16.)
 Trefferlage 0.81 mm rechts, 7.01 mm hoch
 Streuwert 10.29, horizontal: 9.39, vertikal: 11.12



Serie 3:
 9.1 ↓ 9.2 ↖ 9.4 ↖ 10.0 ↓ 10.2 →
 10.5 * 9.7 ↙ 9.2 ↑ 10.5 * 10.3 ↙
 beste Teiler 372.4 (26.) 373.7 (29.) 503.1 (30.)
 Trefferlage 1.72 mm links, 0.50 mm hoch
 Streuwert 7.41, horizontal: 4.50, vertikal: 9.46





Serie 4:
 10.7 * 9.5 ← 10.7 * 10.5 * 9.6 ←
 10.0 ↗ 6.6 ↖ 7.8 ↑ 9.5 ← 10.4 *
 beste Teiler 212.0 (31.) 225.2 (33.) 331.8 (34.)
 Trefferlage 6.21 mm links, 4.69 mm hoch
 Streuwert 9.82, horizontal: 10.25, vertikal: 9.37

Unterschrift des Schützen


Meyton Elektronik

Ergebnis: **355** (372.4)
 Serien: 89 86 91 89
 Zähler: 11 16 10 3 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 3099 (31), 3023 (13), 2427 (17)
 beste Teiler 154.0 (29.) 198.0 (27.) 269.2 (5.)
 Trefferlage 0.78 mm links, 5.85 mm hoch
 Streuwert 9.91, horizontal: 8.60, vertikal: 11.06




Serie 1:
 9.6 ↑ 9.0 ↓ 10.0 ↑ 9.4 ← 10.6 *
 9.3 ↓ 8.6 ↘ 8.2 ↑ 9.6 ↗ 8.7 ↓

beste Teiler 269.2 (5.) 760.2 (3.) 1056.3 (9.)
 Trefferlage 0.15 mm rechts, 1.40 mm hoch
 Streuwert 10.49, horizontal: 8.31, vertikal: 12.29




Serie 2:
 10.3 ↗ 9.0 ↖ 7.2 ↖ 9.7 ↓ 8.7 ↖
 10.1 ↗ 7.9 ↑ 9.3 → 9.7 ↖ 8.9 ↑

beste Teiler 502.3 (11.) 697.6 (16.) 1006.2 (19.)
 Trefferlage 0.67 mm links, 7.94 mm hoch
 Streuwert 10.96, horizontal: 9.29, vertikal: 12.40



Serie 3:
 8.2 ↖ 9.1 ↑ 9.6 ↖ 9.2 ↑ 8.3 ↖
 9.1 ↑ 10.7 * 10.5 * 10.8 * 9.8 →

beste Teiler 154.0 (29.) 198.0 (27.) 332.0 (28.)
 Trefferlage 0.11 mm links, 8.85 mm hoch
 Streuwert 7.47, horizontal: 6.06, vertikal: 8.66





Serie 4:
 7.1 ↖ 10.6 * 9.3 ← 9.8 ← 8.9 ↖
 8.2 ↑ 10.1 → 8.5 ↑ 10.3 → 10.5 *

beste Teiler 282.1 (32.) 376.1 (40.) 543.4 (39.)
 Trefferlage 2.49 mm links, 5.20 mm hoch
 Streuwert 10.87, horizontal: 11.13, vertikal: 10.61


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **364** (385.0)
 Serien: 90 93 87 94
 Zähler: 15 17 5 3 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 2701 (26), 2672 (5), 2494 (28)
 beste Teiler 195.3 (12.) 274.3 (1.) 354.1 (13.)
 Trefferlage 1.01 mm links, 0.47 mm hoch
 Streuwert 8.90, horizontal: 8.72, vertikal: 9.08




Serie 1:
 10.6 * 9.4 ← 9.6 ↖ 9.5 ↑ 7.6 ↑
 8.0 ↗ 9.7 ↘ 10.5 * 9.7 ↘ 10.4 *
 beste Teiler 274.3 (1.) 392.8 (8.) 434.5 (10.)
 Trefferlage 0.31 mm links, 6.03 mm hoch
 Streuwert 9.22, horizontal: 9.02, vertikal: 9.41



Serie 2:
 8.8 ↘ 10.7 * 10.5 * 10.5 * 9.6 ↖
 10.3 ↖ 9.9 ↑ 9.4 ↙ 8.8 ↙ 10.4 *
 beste Teiler 195.3 (12.) 354.1 (13.) 381.3 (14.)
 Trefferlage 4.44 mm links, 0.09 mm hoch
 Streuwert 6.72, horizontal: 4.75, vertikal: 8.24



Serie 3:
 9.4 ↓ 8.5 ← 9.7 ↘ 10.3 → 9.4 ↖
 7.6 → 10.1 ← 7.8 ↓ 9.7 ← 9.2 ↓
 beste Teiler 546.7 (24.) 669.5 (27.) 995.8 (29.)
 Trefferlage 0.38 mm rechts, 5.26 mm tief
 Streuwert 11.14, horizontal: 12.85, vertikal: 9.11





Serie 4:
 10.1 ↑ 10.5 * 9.8 ↓ 10.2 ↘ 9.8 →
 9.7 → 9.8 ↘ 8.7 ↘ 10.5 * 10.3 ↙
 beste Teiler 396.8 (39.) 400.7 (32.) 556.6 (40.)
 Trefferlage 0.30 mm rechts, 1.03 mm hoch
 Streuwert 6.67, horizontal: 6.51, vertikal: 6.83


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **359** (377.9)
 Serien: 90 87 90 92
 Zähler: 12 19 7 1 0 1 0 0 0 0
 Innenzehner: 5
 weiteste: 4080 (19), 2925 (7), 2278 (32)
 beste Teiler 176.0 (3.) 236.4 (31.) 273.6 (37.)
 Trefferlage 0.29 mm rechts, 5.25 mm tief
 Streuwert 9.45, horizontal: 8.54, vertikal: 10.28




Serie 1:
 8.8 → 10.5 * 10.7 * 8.6 ↓ 10.1 ←
 10.2 ↑ 7.3 ↘ 9.6 ↘ 8.5 ↘ 10.3 ↑
 beste Teiler 176.0 (3.) 378.2 (2.) 487.1 (10.)
 Trefferlage 4.77 mm rechts, 6.09 mm tief
 Streuwert 9.21, horizontal: 8.18, vertikal: 10.13



Serie 2:
 9.7 ↓ 9.5 ↘ 9.3 ← 9.8 ← 9.9 ↗
 9.2 ↘ 10.0 ↖ 8.4 ↙ 5.9 ↓ 10.2 ↗
 beste Teiler 601.9 (20.) 787.5 (17.) 862.3 (15.)
 Trefferlage 2.36 mm links, 9.57 mm tief
 Streuwert 10.49, horizontal: 7.97, vertikal: 12.51



Serie 3:
 8.5 ↓ 8.4 ↘ 9.4 ↖ 9.4 → 9.7 →
 9.3 ↖ 10.0 → 9.4 ← 10.1 ← 9.8 ↘
 beste Teiler 706.6 (29.) 723.5 (27.) 931.0 (30.)
 Trefferlage 0.10 mm rechts, 3.06 mm tief
 Streuwert 9.53, horizontal: 10.42, vertikal: 8.54



Serie 4:
 10.7 * 8.1 ↓ 9.6 ↑ 9.9 ← 9.8 ↓
 10.4 * 10.6 * 9.8 → 9.4 ↗ 9.1 ↖
 beste Teiler 236.4 (31.) 273.6 (37.) 462.0 (36.)
 Trefferlage 1.33 mm links, 2.28 mm tief
 Streuwert 8.15, horizontal: 6.63, vertikal: 9.44

Unterschrift des Schützen

Meyton Elektronik