





Ergebnis: **333** (349.0)
 Serien: 83 87 86 77
 Zähler: 6 12 16 3 2 0 1 0 0 0
 Innenzehner: 2
 weiteste: 5301 (31), 3868 (33), 3640 (5)
 beste Teiler 268.7 (17.) 399.4 (6.) 576.9 (22.)
 Trefferlage 1.61 mm rechts, 6.35 mm hoch
 Streuwert 13.75, horizontal: 13.86, vertikal: 13.65




Serie 1:
 8.5 → 8.2 ↘ 8.7 ← 9.5 → 6.4 ↘
 10.5 * 9.7 ↙ 8.3 ↖ 8.7 ↓ 9.8 ↖
 beste Teiler 399.4 (6.) 942.0 (10.) 980.6 (7.)
 Trefferlage 4.70 mm rechts, 2.81 mm tief
 Streuwert 13.67, horizontal: 15.59, vertikal: 11.43



Serie 2:
 8.6 → 10.0 ↑ 7.7 ↑ 9.1 ↘ 7.6 ↖
 8.0 ↖ 10.6 * 9.4 ↓ 9.0 ↗ 10.0 ↘
 beste Teiler 268.7 (17.) 731.0 (12.) 761.8 (20.)
 Trefferlage 1.92 mm rechts, 6.75 mm hoch
 Streuwert 11.85, horizontal: 8.43, vertikal: 14.49



Serie 3:
 10.1 → 10.2 ↘ 8.5 ↓ 9.6 ↗ 9.8 ↖
 8.8 ↖ 8.7 ↖ 8.5 ↗ 7.0 ↗ 9.1 ↗
 beste Teiler 576.9 (22.) 647.7 (21.) 901.3 (25.)
 Trefferlage 4.69 mm rechts, 6.62 mm hoch
 Streuwert 11.03, horizontal: 10.48, vertikal: 11.56





Serie 4:
 4.3 ↖ 9.2 ↗ 6.1 ↑ 9.3 ↘ 8.7 ↑
 8.5 ↗ 8.0 ↖ 9.4 ↖ 8.3 ↖ 8.6 ↑
 beste Teiler 1257.8 (38.) 1317.6 (34.) 1429.0 (32.)
 Trefferlage 4.85 mm links, 14.86 mm hoch
 Streuwert 15.81, horizontal: 18.46, vertikal: 12.61


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **340** (356.5)
 Serien: 85 84 86 85
 Zähler: 7 14 13 4 2 0 0 0 0 0
 Innenzehner: 2
 weiteste: 3664 (19), 3489 (10), 3132 (36)
 beste Teiler 161.3 (16.) 416.2 (31.) 493.5 (20.)
 Trefferlage 2.78 mm links, 2.85 mm tief
 Streuwert 12.78, horizontal: 13.95, vertikal: 11.48




Serie 1:
 9.9 ↓ 8.1 ↖ 9.2 ↘ 9.7 ↗ 10.3 ↘
 8.6 ↗ 7.9 ↖ 10.1 ↖ 9.6 ↘ 6.6 ↘
 beste Teiler 498.8 (5.) 719.0 (8.) 801.4 (1.)
 Trefferlage 1.60 mm rechts, 1.18 mm tief
 Streuwert 13.40, horizontal: 15.26, vertikal: 11.25



Serie 2:
 9.3 ↑ 8.0 ↖ 8.3 → 9.1 ↖ 8.6 ↖
 10.7 * 9.3 ↓ 7.3 ↓ 6.4 ← 10.3 ↓
 beste Teiler 161.3 (16.) 493.5 (20.) 1281.7 (17.)
 Trefferlage 5.80 mm links, 1.72 mm tief
 Streuwert 14.48, horizontal: 14.90, vertikal: 14.05





Serie 3:
 10.2 ↘ 8.5 ↖ 9.0 ↖ 8.1 → 8.9 ↓
 9.8 ↖ 8.9 → 9.7 ↘ 8.2 ← 9.4 ↘
 beste Teiler 579.0 (21.) 928.5 (26.) 1026.7 (28.)
 Trefferlage 0.87 mm links, 1.59 mm tief
 Streuwert 11.80, horizontal: 14.53, vertikal: 8.22




Serie 4:
 10.4 * 9.1 ↖ 10.2 ↑ 9.4 ↘ 9.4 ↓
 7.0 ↖ 8.5 ← 8.5 ← 7.9 ↓ 8.1 ↓
 beste Teiler 416.2 (31.) 638.1 (33.) 1209.1 (34.)
 Trefferlage 6.08 mm links, 6.91 mm tief
 Streuwert 11.94, horizontal: 11.41, vertikal: 12.46

Unterschrift des Schützen


Ergebnis: **338** (357.7)
 Serien: 88 88 80 82
 Zähler: 8 13 12 4 2 1 0 0 0 0
 Innenzehner: 1
 weiteste: 4342 (32), 3582 (22), 3362 (30)
 beste Teiler 409.4 (1.) 521.9 (31.) 593.0 (6.)
 Trefferlage 1.21 mm rechts, 3.62 mm tief
 Streuwert 12.80, horizontal: 14.22, vertikal: 11.20




Serie 1:
 10.4 * 10.2 → 9.4 → 8.9 → 7.6 →
 10.2 ↘ 8.9 ↙ 10.0 ← 9.7 ↘ 7.9 ↗
 beste Teiler 409.4 (1.) 593.0 (6.) 628.8 (2.)
 Trefferlage 4.24 mm rechts, 2.60 mm tief
 Streuwert 10.71, horizontal: 10.81, vertikal: 10.60



Serie 2:
 8.8 ← 9.4 ↖ 9.3 ↘ 8.7 ↘ 9.5 →
 9.8 ↗ 9.6 ↗ 9.1 ← 8.9 ← 10.0 ←
 beste Teiler 752.5 (20.) 957.4 (16.) 1086.2 (17.)
 Trefferlage 2.30 mm links, 1.19 mm tief
 Streuwert 9.92, horizontal: 11.92, vertikal: 7.39





Serie 3:
 10.2 ← 6.5 ↘ 9.9 ↖ 8.7 ↘ 10.1 →
 7.7 ↘ 8.7 ↓ 8.9 → 8.3 ← 6.7 ←
 beste Teiler 626.9 (21.) 651.2 (25.) 838.0 (23.)
 Trefferlage 0.75 mm rechts, 7.71 mm tief
 Streuwert 14.92, horizontal: 17.31, vertikal: 12.07




Serie 4:
 10.3 ↗ 5.5 ↙ 8.7 ↖ 9.3 ↑ 9.2 →
 9.0 ↘ 8.1 ← 7.7 ↘ 9.8 → 8.1 →
 beste Teiler 521.9 (31.) 910.0 (39.) 1292.1 (34.)
 Trefferlage 2.17 mm rechts, 3.00 mm tief
 Streuwert 15.76, horizontal: 17.10, vertikal: 14.29

Unterschrift des Schützen


Ergebnis: **339.9** (324)
 Serien: 82.1 85.4 85.2 87.2
 Zähler: 3 13 14 6 3 1 0 0 0 0
 Innenzehner: 1
 weiteste: 4225 (30), 3764 (16), 3756 (32)
 beste Teiler 467.5 (37.) 658.7 (38.) 750.5 (5.)
 Trefferlage 2.70 mm links, 0.65 mm hoch
 Streuwert 15.40, horizontal: 16.52, vertikal: 14.18




Serie 1:
 8.3 ↘ 9.3 ↑ 6.3 ↓ 7.8 ↓ 10.0 ↓
 8.2 ↘ 7.3 ↘ 7.5 ← 8.6 ↘ 8.8 ↑
 beste Teiler 750.5 (5.) 1297.4 (2.) 1721.4 (10.)
 Trefferlage 4.54 mm links, 0.38 mm hoch
 Streuwert 17.11, horizontal: 12.42, vertikal: 20.76



Serie 2:
 8.9 ↗ 9.7 ↘ 8.3 ↖ 9.3 ↖ 9.8 ↑
 6.2 ← 8.0 ↓ 8.4 ↗ 8.5 → 8.3 ↓
 beste Teiler 883.6 (15.) 1006.2 (12.) 1327.7 (14.)
 Trefferlage 1.81 mm links, 0.40 mm tief
 Streuwert 15.43, horizontal: 17.71, vertikal: 12.76





Serie 3:
 8.3 ↗ 9.4 ↖ 9.1 ← 9.3 ← 7.0 ↘
 9.1 ↙ 9.6 ↘ 7.8 ↘ 9.9 ↓ 5.7 ←
 beste Teiler 868.9 (29.) 1070.8 (27.) 1207.3 (22.)
 Trefferlage 4.67 mm links, 0.22 mm hoch
 Streuwert 16.02, horizontal: 19.70, vertikal: 11.18




Serie 4:
 8.0 ↑ 6.3 ↘ 9.0 ↖ 8.0 ↖ 8.9 ←
 7.6 → 10.4 * 10.1 → 9.9 ↑ 9.0 ↙
 beste Teiler 467.5 (37.) 658.7 (38.) 862.0 (39.)
 Trefferlage 0.19 mm rechts, 2.40 mm hoch
 Streuwert 15.11, horizontal: 17.57, vertikal: 12.16

Unterschrift des Schützen


Ergebnis: **344** (363.1)
 Serien: 89 82 86 87
 Zähler: 9 19 4 4 3 1 0 0 0 0
 Innenzehner: 4
 weiteste: 4252 (13), 3808 (16), 3478 (21)
 beste Teiler 283.0 (23.) 293.5 (19.) 413.1 (25.)
 Trefferlage 3.71 mm links, 1.42 mm tief
 Streuwert 12.53, horizontal: 11.03, vertikal: 13.87




Serie 1:
 9.7 ↘ 8.9 ← 7.3 ↓ 9.0 ↗ 9.9 ↓
 9.3 ↓ 10.3 ↓ 9.9 ↘ 9.4 ← 10.2 ←
 beste Teiler 506.9 (7.) 610.5 (10.) 827.5 (5.)
 Trefferlage 4.49 mm links, 2.36 mm tief
 Streuwert 9.74, horizontal: 7.67, vertikal: 11.44



Serie 2:
 9.9 ↗ 10.4 * 5.6 ↖ 9.4 → 7.6 ↓
 6.2 ↙ 9.8 ↙ 9.0 → 10.6 * 8.9 ↖
 beste Teiler 293.5 (19.) 415.7 (12.) 874.1 (11.)
 Trefferlage 4.08 mm links, 2.86 mm tief
 Streuwert 16.00, horizontal: 13.67, vertikal: 18.04



Serie 3:
 6.6 ↖ 9.6 ↓ 10.6 * 9.9 ↙ 10.4 *
 8.6 ↙ 9.0 ↑ 10.1 ↗ 9.0 ↙ 6.7 ↓
 beste Teiler 283.0 (23.) 413.1 (25.) 711.3 (28.)
 Trefferlage 4.98 mm links, 4.42 mm tief
 Streuwert 12.98, horizontal: 11.38, vertikal: 14.40





Serie 4:
 7.7 ↖ 9.0 ↓ 9.4 ↖ 8.3 → 7.9 ↖
 9.9 ↑ 9.7 ← 10.1 → 9.0 ↑ 10.3 →
 beste Teiler 515.0 (40.) 708.6 (38.) 812.5 (36.)
 Trefferlage 1.28 mm links, 3.95 mm hoch
 Streuwert 11.57, horizontal: 11.96, vertikal: 11.17


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **336** (352.4)
 Serien: 83 82 89 82
 Zähler: 4 15 16 3 2 0 0 0 0 0
 Innenzehner: 2
 weiteste: 3355 (32), 3293 (8), 2956 (17)
 beste Teiler 236.0 (26.) 398.7 (28.) 644.8 (27.)
 Trefferlage 3.61 mm links, 6.73 mm tief
 Streuwert 12.07, horizontal: 11.87, vertikal: 12.26




Serie 1:
 8.8 ↘ 9.0 ↖ 9.6 ↙ 9.0 ↘ 8.4 ←
 9.6 ↘ 9.3 ↘ 6.8 ↘ 8.8 ↙ 8.0 ↘
 beste Teiler 1050.9 (6.) 1067.0 (3.) 1317.3 (7.)
 Trefferlage 1.01 mm links, 12.27 mm tief
 Streuwert 10.56, horizontal: 12.60, vertikal: 8.02



Serie 2:
 8.8 ← 9.1 ← 9.1 ↖ 8.3 ↘ 9.1 ↖
 8.1 ↖ 7.3 ↘ 9.4 ← 7.4 ↘ 8.2 →
 beste Teiler 1259.9 (18.) 1492.7 (12.) 1502.3 (13.)
 Trefferlage 3.16 mm links, 6.25 mm tief
 Streuwert 14.43, horizontal: 14.82, vertikal: 14.02



Serie 3:
 8.2 ↘ 9.2 ↑ 9.3 ↘ 9.3 ↘ 8.5 ↘
 10.7 * 10.1 ↑ 10.5 * 8.6 ↘ 8.4 ↘
 beste Teiler 236.0 (26.) 398.7 (28.) 644.8 (27.)
 Trefferlage 2.99 mm rechts, 8.60 mm tief
 Streuwert 8.85, horizontal: 2.77, vertikal: 12.20





Serie 4:
 8.7 ← 6.8 ↖ 8.5 ↖ 8.0 ← 8.7 ←
 9.6 ↘ 7.9 ← 9.5 ↙ 9.8 ↘ 10.0 ←
 beste Teiler 738.4 (40.) 931.3 (39.) 1042.0 (36.)
 Trefferlage 13.27 mm links, 0.20 mm hoch
 Streuwert 10.35, horizontal: 8.02, vertikal: 12.24


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **335** (352.4)
 Serien: 85 80 84 86
 Zähler: 4 14 17 3 2 0 0 0 0 0
 Innenzehner: 2
 weiteste: 3664 (9), 3404 (18), 2960 (5)
 beste Teiler 336.3 (24.) 352.0 (39.) 671.4 (2.)
 Trefferlage 6.00 mm links, 1.04 mm hoch
 Streuwert 12.77, horizontal: 11.42, vertikal: 13.99




Serie 1:
 10.0 ↓ 10.1 ↖ 8.3 ↖ 9.6 → 7.3 ←
 9.1 ↓ 9.7 ↖ 8.9 → 6.4 ↓ 9.7 ↗
 beste Teiler 671.4 (2.) 782.1 (1.) 983.4 (7.)
 Trefferlage 1.92 mm links, 1.91 mm tief
 Streuwert 13.96, horizontal: 13.50, vertikal: 14.42



Serie 2:
 9.0 ↖ 8.2 ↓ 8.3 ↓ 8.5 ← 9.8 ↖
 7.4 ↖ 8.0 ↓ 6.7 ↖ 9.9 ↗ 8.3 ↗
 beste Teiler 836.4 (19.) 913.6 (15.) 1594.1 (11.)
 Trefferlage 8.36 mm links, 2.14 mm tief
 Streuwert 14.82, horizontal: 11.66, vertikal: 17.42



Serie 3:
 9.5 ↓ 8.6 ↗ 9.6 ↓ 10.5 * 8.4 ←
 8.9 ↗ 8.3 ← 9.0 ← 8.1 → 7.4 ↑
 beste Teiler 336.3 (24.) 1059.9 (23.) 1193.2 (21.)
 Trefferlage 7.02 mm links, 2.59 mm tief
 Streuwert 12.39, horizontal: 12.30, vertikal: 12.48





Serie 4:
 9.5 ↗ 8.1 ↖ 9.8 ↑ 8.4 ↑ 9.7 ↖
 8.5 ↖ 9.5 ↖ 8.6 ↖ 10.5 * 8.3 ↖
 beste Teiler 352.0 (39.) 924.8 (33.) 1040.8 (35.)
 Trefferlage 6.70 mm links, 10.82 mm hoch
 Streuwert 7.36, horizontal: 8.31, vertikal: 6.26


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **338** (357.0)
 Serien: 88 80 83 87
 Zähler: 9 13 8 7 3 0 0 0 0 0
 Innenzehner: 4
 weiteste: 3666 (26), 3549 (17), 3416 (13)
 beste Teiler 126.0 (3.) 202.0 (14.) 453.6 (36.)
 Trefferlage 4.91 mm links, 6.49 mm hoch
 Streuwert 12.09, horizontal: 12.21, vertikal: 11.97




Serie 1:
 9.6 ↘ 9.8 ← 10.8 * 10.4 * 8.7 ↓
 9.6 ↗ 9.1 ↑ 7.0 ↑ 10.2 ← 7.4 ←
 beste Teiler 126.0 (3.) 467.6 (4.) 638.5 (9.)
 Trefferlage 3.59 mm links, 5.18 mm hoch
 Streuwert 11.35, horizontal: 10.33, vertikal: 12.29



Serie 2:
 8.7 ↗ 8.7 ↘ 6.7 ← 10.7 * 10.2 ↓
 7.8 ↑ 6.5 ↘ 9.4 ↘ 8.3 ↘ 8.8 ←
 beste Teiler 202.0 (14.) 620.1 (15.) 1269.9 (18.)
 Trefferlage 7.86 mm links, 7.82 mm hoch
 Streuwert 13.81, horizontal: 15.02, vertikal: 12.48



Serie 3:
 9.7 → 7.8 ↑ 9.0 ↘ 9.2 ↘ 10.2 ↘
 6.4 ↖ 9.5 ↑ 7.7 ↖ 9.6 → 8.9 ↖
 beste Teiler 583.7 (25.) 1017.9 (21.) 1061.2 (29.)
 Trefferlage 5.44 mm links, 8.95 mm hoch
 Streuwert 12.10, horizontal: 14.20, vertikal: 9.54



Serie 4:
 8.2 ↘ 9.0 ↘ 8.6 ↘ 7.4 ↘ 7.7 ↓
 10.4 * 10.2 ↑ 9.1 ← 9.8 ↑ 10.2 ↖
 beste Teiler 453.6 (36.) 583.3 (40.) 639.3 (37.)
 Trefferlage 2.75 mm links, 4.03 mm hoch
 Streuwert 12.25, horizontal: 9.73, vertikal: 14.34

Unterschrift des Schützen

Meyton Elektronik