





Ergebnis:	<b>367</b>	(386.0)
Serien:	89 92 93 93	
Zähler:	14 21 4 0 1 0 0 0 0 0	
Innenzehner:	12	
weiteste:	1210 (6), 724 (28), 670 (10)	
beste Teiler	6.3 (23.) 47.4 (24.) 58.0 (35.)	
Trefferlage	0.53 mm links, 0.20 mm hoch	
Streuwert	2.79, horizontal: 3.51, vertikal: 1.81	




Serie 1:	9.7 ←	9.9 ↖	9.8 ↗	10.3 *	9.2 ←
	6.1 ←	9.2 →	10.5 *	10.7 *	8.3 ←
beste Teiler	58.8 (9.)	113.3 (8.)	154.1 (4.)		
Trefferlage	2.07 mm links, 0.39 mm hoch				
Streuwert	3.43, horizontal: 4.64, vertikal: 1.41				



Serie 2:	8.8 →	9.4 ↖	10.5 *	9.4 →	9.9 ↑
	10.3 *	9.3 ←	9.3 ↓	9.3 ←	10.0 ↖
beste Teiler	110.3 (13.)	153.4 (16.)	246.4 (20.)		
Trefferlage	0.70 mm links, 0.07 mm hoch				
Streuwert	2.60, horizontal: 3.08, vertikal: 2.01				



Serie 3:	9.5 →	9.1 ←	10.9 *	10.8 *	10.4 *
	9.4 →	10.1 ↗	8.1 ↘	9.4 →	9.9 ↙
beste Teiler	6.3 (23.)	47.4 (24.)	135.2 (25.)		
Trefferlage	1.14 mm rechts, 0.54 mm tief				
Streuwert	2.55, horizontal: 3.25, vertikal: 1.57				





Serie 4:	9.7 ↖	10.3 *	9.7 ↓	9.9 ↗	10.7 *
	9.2 →	9.2 ↖	10.6 *	8.6 ↖	10.6 *
beste Teiler	58.0 (35.)	89.0 (40.)	99.0 (38.)		
Trefferlage	0.50 mm links, 0.88 mm hoch				
Streuwert	2.29, horizontal: 2.46, vertikal: 2.10				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>368</b>	(386.7)
Serien:	91 90 93 94	
Zähler:	16 17 6 1 0 0 0 0 0 0	
Innenzehner:	12	
weiteste:	816 (15), 721 (13), 617 (4)	
beste Teiler	71.3 (25.) 81.0 (12.) 83.8 (39.)	
Trefferlage	0.83 mm rechts, 0.69 mm hoch	
Streuwert	2.52, horizontal: 2.97, vertikal: 1.97	




Serie 1:	9.6 ↗	10.3 *	10.0 ↘	8.5 →	9.5 ↖
	9.7 →	9.7 ↙	8.9 ↑	10.3 *	9.4 ↘
beste Teiler	158.6 (9.) 172.6 (2.) 230.7 (3.)				
Trefferlage	0.42 mm rechts, 1.11 mm hoch				
Streuwert	2.62, horizontal: 2.93, vertikal: 2.27				



Serie 2:	9.4 ←	10.6 *	8.1 ↗	9.8 →	7.7 →
	9.2 ←	9.7 ↘	10.5 *	10.2 *	9.2 ←
beste Teiler	81.0 (12.) 123.4 (18.) 200.4 (19.)				
Trefferlage	0.27 mm rechts, 0.22 mm hoch				
Streuwert	3.31, horizontal: 4.37, vertikal: 1.66				



Serie 3:	8.9 ↗	9.6 ↑	8.9 ↘	10.4 *	10.7 *
	10.2 *	9.5 →	10.1 ↑	9.9 ↗	10.4 *
beste Teiler	71.3 (25.) 135.4 (24.) 142.4 (30.)				
Trefferlage	0.76 mm rechts, 1.62 mm hoch				
Streuwert	1.88, horizontal: 2.28, vertikal: 1.38				





Serie 4:	10.3 *	10.6 *	9.3 →	9.6 ↓	10.1 ↗
	9.0 ↘	9.4 ↗	10.0 ↘	10.6 *	8.9 →
beste Teiler	83.8 (39.) 99.2 (32.) 158.1 (31.)				
Trefferlage	1.86 mm rechts, 0.18 mm tief				
Streuwert	2.03, horizontal: 1.88, vertikal: 2.16				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>363</b>	(377.0)
Serien:	90	91
Zähler:	15	15
Innenzehner:	8	2
weiteste:	0	0
beste Teiler	0	0
Trefferlage	0	0
Streuwert	0	0




Serie 1:	9.9 ↘	10.6 *	7.0 ↖	10.0 ↑	9.8 ↑
	9.2 ←	10.3 *	8.0 →	10.3 *	8.0 →
beste Teiler	90.6 (2.)	162.4 (7.)	172.7 (9.)		
Trefferlage	0.39 mm rechts, 0.91 mm hoch				
Streuwert	3.67, horizontal: 4.86, vertikal: 1.81				



Serie 2:	10.6 *	10.8 *	9.9 →	10.3 *	9.9 ↓
	10.6 *	8.3 ←	9.2 →	9.0 →	7.0 ↖
beste Teiler	41.9 (12.)	79.8 (11.)	90.5 (16.)		
Trefferlage	0.34 mm links, 0.34 mm hoch				
Streuwert	3.36, horizontal: 4.38, vertikal: 1.84				



Serie 3:	10.0 →	10.1 ↑	10.3 *	9.0 →	9.5 →
	8.1 ←	9.2 ←	9.0 ←	8.3 ←	9.5 ↓
beste Teiler	153.7 (23.)	217.7 (22.)	248.9 (21.)		
Trefferlage	1.25 mm links, 0.36 mm tief				
Streuwert	3.20, horizontal: 4.23, vertikal: 1.60				





Serie 4:	10.8 *	9.2 ↗	8.2 ↗	8.7 ↑	8.2 →
	10.5 *	9.6 ↘	10.2 *	9.9 ↑	10.0 ↖
beste Teiler	50.0 (31.)	124.8 (36.)	198.1 (38.)		
Trefferlage	2.01 mm rechts, 0.59 mm hoch				
Streuwert	2.68, horizontal: 2.67, vertikal: 2.68				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>374.1</b>	(358)
Serien:	91.7	94.6 93.3 94.5
Zähler:	13	14 11 2 0 0 0 0 0 0
Innenzehner:	8	
weiteste:	994 (4),	820 (3), 732 (20)
beste Teiler	42.0 (10.)	120.0 (12.) 130.3 (14.)
Trefferlage	2.02 mm rechts, 0.02 mm tief	
Streuwert	2.89, horizontal: 3.31, vertikal: 2.39	




Serie 1:	10.0 ↘	10.2 *	7.7 →	7.0 →	8.4 →
	10.2 *	10.0 ↗	9.1 →	8.3 ↘	10.8 *
beste Teiler	42.0 (10.)	179.3 (6.)	199.4 (2.)		
Trefferlage	3.48 mm rechts, 0.49 mm tief				
Streuwert	3.06, horizontal: 4.00, vertikal: 1.63				



Serie 2:	10.0 ↘	10.5 *	9.2 ↘	10.4 *	8.9 →
	8.7 ↘	10.2 *	9.2 ↓	9.5 ↓	8.0 ↑
beste Teiler	120.0 (12.)	130.3 (14.)	197.7 (17.)		
Trefferlage	1.86 mm rechts, 0.76 mm tief				
Streuwert	2.73, horizontal: 1.66, vertikal: 3.48				



Serie 3:	8.3 →	8.9 →	9.9 ↖	9.2 ↘	9.8 ↙
	8.6 →	10.2 *	8.4 →	10.1 ↓	9.9 ↓
beste Teiler	178.6 (27.)	219.4 (29.)	271.9 (30.)		
Trefferlage	2.50 mm rechts, 0.06 mm hoch				
Streuwert	2.73, horizontal: 3.32, vertikal: 1.96				





Serie 4:	9.2 ↖	8.8 →	9.5 ←	10.0 ↓	9.4 ↑
	10.3 *	9.5 ↘	8.8 →	9.1 ↖	9.9 ↑
beste Teiler	151.0 (36.)	227.1 (34.)	252.3 (40.)		
Trefferlage	0.24 mm rechts, 1.08 mm hoch				
Streuwert	2.78, horizontal: 3.41, vertikal: 1.98				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>359</b>	(376.4)
Serien:	90 90 89 90	
Zähler:	12 17 9 2 0 0 0 0 0 0	
Innenzehner:	9	
weiteste:	925 (3), 811 (28), 737 (15)	
beste Teiler	54.1 (32.) 128.3 (31.) 129.4 (7.)	
Trefferlage	0.63 mm rechts, 0.30 mm hoch	
Streuwert	3.11, horizontal: 3.95, vertikal: 1.93	




Serie 1:	9.7 ↗	10.0 ↓	7.3 ←	10.2 *	8.4 ←
	9.3 ↘	10.4 *	9.4 ↘	9.9 ↖	9.8 ↖
beste Teiler	129.4 (7.)	181.4 (4.)	238.6 (2.)		
Trefferlage	0.70 mm links, 0.25 mm tief				
Streuwert	3.23, horizontal: 4.09, vertikal: 2.03				



Serie 2:	9.4 ↗	9.1 ↗	10.0 ↑	8.1 →	8.0 ↘
	10.3 *	9.3 ←	9.9 ←	10.2 *	8.5 →
beste Teiler	162.3 (16.)	197.3 (19.)	245.5 (13.)		
Trefferlage	0.40 mm rechts, 1.53 mm hoch				
Streuwert	3.28, horizontal: 4.33, vertikal: 1.66				



Serie 3:	9.7 ←	9.9 ↗	8.3 →	9.8 ↘	9.6 ↓
	9.7 ←	9.2 →	7.7 →	10.2 *	10.2 *
beste Teiler	187.0 (29.)	197.2 (30.)	266.2 (22.)		
Trefferlage	2.00 mm rechts, 0.24 mm tief				
Streuwert	2.82, horizontal: 3.67, vertikal: 1.58				





Serie 4:	10.4 *	10.7 *	8.9 ↘	10.1 ↓	8.3 ↘
	8.3 →	9.4 →	9.5 ↑	10.4 *	8.9 ←
beste Teiler	54.1 (32.)	128.3 (31.)	138.7 (39.)		
Trefferlage	0.81 mm rechts, 0.16 mm hoch				
Streuwert	3.07, horizontal: 3.80, vertikal: 2.10				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **358** (374.9)  
 Serien: 86 94 91 87  
 Zähler: 10 20 8 2 0 0 0 0 0 0  
 Innenzehner: 6  
 weiteste: 791 (33), 766 (25), 728 (39)  
 beste Teiler 35.4 (24.) 81.8 (21.) 141.9 (3.)  
 Trefferlage 0.23 mm rechts, 0.20 mm tief  
 Streuwert 3.12, horizontal: 3.53, vertikal: 2.65




Serie 1:  
 9.1 ↓                      8.2 ↘                      10.4 \*                      8.7 ↙                      9.7 ↖  
 8.7 →                      9.2 ↘                      8.4 →                      8.3 ↓                      9.6 ↓  
 beste Teiler 141.9 (3.) 310.3 (5.) 327.9 (10.)  
 Trefferlage 1.47 mm rechts, 1.81 mm tief  
 Streuwert 3.36, horizontal: 3.73, vertikal: 2.95



Serie 2:  
 9.4 ↖                      10.3 \*                      9.2 ↖                      10.2 \*                      9.2 ↙  
 10.3 \*                      9.8 ↗                      9.2 →                      10.1 ↗                      9.6 ↘  
 beste Teiler 160.0 (12.) 175.1 (16.) 177.2 (14.)  
 Trefferlage 0.30 mm links, 0.13 mm hoch  
 Streuwert 2.41, horizontal: 2.99, vertikal: 1.64



Serie 3:  
 10.6 \*                      9.0 ↑                      9.8 ↖                      10.8 \*                      7.9 →  
 8.8 →                      10.0 ↓                      10.0 ↑                      10.0 ↑                      8.8 ↙  
 beste Teiler 35.4 (24.) 81.8 (21.) 239.5 (27.)  
 Trefferlage 0.47 mm rechts, 0.77 mm hoch  
 Streuwert 2.98, horizontal: 3.53, vertikal: 2.31





Serie 4:  
 9.8 ↗                      9.6 →                      7.8 ↖                      9.3 →                      9.5 ↓  
 9.0 ↖                      9.7 ↖                      9.0 ↖                      8.0 ↓                      9.9 ↗  
 beste Teiler 261.1 (40.) 298.1 (31.) 321.4 (37.)  
 Trefferlage 0.72 mm links, 0.09 mm hoch  
 Streuwert 3.53, horizontal: 3.93, vertikal: 3.08


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>357</b>	(374.4)
Serien:	84 90 93 90	
Zähler:	12 17 7 4 0 0 0 0 0 0	
Innenzehner:	7	
weiteste:	882 (39), 867 (8), 778 (7)	
beste Teiler	48.0 (27.) 101.5 (35.) 104.6 (25.)	
Trefferlage	1.60 mm rechts, 1.19 mm tief	
Streuwert	2.89, horizontal: 3.11, vertikal: 2.64	




Serie 1:	8.8 →	9.7 →	10.0 ↓	9.7 ↙	8.4 →
	8.4 ↘	7.8 ↘	7.5 →	9.0 ↗	9.2 ↙
beste Teiler	235.0 (3.)	303.9 (2.)	306.3 (4.)		
Trefferlage	2.42 mm rechts, 1.70 mm tief				
Streuwert	3.53, horizontal: 4.45, vertikal: 2.25				



Serie 2:	7.9 ↘	8.8 ↙	9.3 ↗	9.3 ↓	9.2 ↘
	10.2 *	9.5 ↘	10.0 ↗	9.2 ↖	10.4 *
beste Teiler	140.8 (20.)	183.8 (16.)	236.3 (18.)		
Trefferlage	1.05 mm rechts, 1.23 mm tief				
Streuwert	2.99, horizontal: 2.84, vertikal: 3.14				





Serie 3:	9.5 ↓	9.7 →	9.7 ↑	9.3 →	10.5 *
	9.7 ↓	10.8 *	8.3 →	10.1 ↑	10.4 *
beste Teiler	48.0 (27.)	104.6 (25.)	134.3 (30.)		
Trefferlage	1.34 mm rechts, 0.08 mm hoch				
Streuwert	2.24, horizontal: 2.39, vertikal: 2.07				




Serie 4:	9.3 ↘	9.9 ↗	9.3 →	8.9 ↙	10.5 *
	10.0 →	10.5 *	8.3 ↘	7.4 ↘	10.0 ↙
beste Teiler	101.5 (35.)	114.1 (37.)	229.5 (36.)		
Trefferlage	1.61 mm rechts, 1.91 mm tief				
Streuwert	2.78, horizontal: 2.67, vertikal: 2.89				

Unterschrift des Schützen


Ergebnis:	<b>362</b>	(377.4)
Serien:	92 92 88 90	
Zähler:	16 14 7 2 1 0 0 0 0 0	
Innenzehner:	13	
weiteste:	1072 (20), 881 (40), 814 (29)	
beste Teiler	62.6 (24.) 70.5 (3.) 103.3 (9.)	
Trefferlage	0.31 mm rechts, 1.51 mm hoch	
Streuwert	2.99, horizontal: 3.70, vertikal: 2.05	




Serie 1:	9.3 →	10.5 *	10.7 *	8.1 →	8.5 →
	10.3 *	9.5 ↖	8.9 ↗	10.5 *	10.0 →
beste Teiler	70.5 (3.) 103.3 (9.) 114.1 (2.)				
Trefferlage	1.86 mm rechts, 1.21 mm hoch				
Streuwert	2.39, horizontal: 3.06, vertikal: 1.42				



Serie 2:	9.5 ↗	10.2 *	10.4 *	10.0 ←	10.4 *
	10.3 *	9.2 ←	9.5 ↘	9.1 ↗	6.7 ←
beste Teiler	128.0 (15.) 149.2 (13.) 153.8 (16.)				
Trefferlage	1.28 mm links, 1.47 mm hoch				
Streuwert	2.98, horizontal: 3.92, vertikal: 1.54				



Serie 3:	8.9 ↖	8.2 ←	9.3 ↗	10.7 *	10.3 *
	9.1 ↘	10.2 *	9.9 →	7.7 ↗	8.2 →
beste Teiler	62.6 (24.) 173.2 (25.) 196.2 (27.)				
Trefferlage	0.09 mm rechts, 1.91 mm hoch				
Streuwert	3.38, horizontal: 4.14, vertikal: 2.39				



Serie 4:	9.3 →	10.0 ↑	9.5 ↗	10.2 *	9.1 ↘
	8.9 ↖	9.1 ↗	9.5 ↘	10.3 *	7.4 ↘
beste Teiler	154.3 (39.) 178.3 (34.) 247.2 (32.)				
Trefferlage	0.59 mm rechts, 1.45 mm hoch				
Streuwert	3.13, horizontal: 3.44, vertikal: 2.80				

Unterschrift des Schützen

Meyton Elektronik