





Ergebnis: **363** (382.5)
 Serien: 89 90 91 93
 Zähler: 11 22 6 1 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2530 (25), 2207 (27), 2060 (8)
 beste Teiler 214.8 (34.) 338.6 (14.) 347.0 (10.)
 Trefferlage 1.23 mm rechts, 3.44 mm tief
 Streuwert 8.42, horizontal: 9.04, vertikal: 7.74




Serie 1:
 9.5 ↗ 10.0 ↖ 9.8 ↙ 9.7 ↘ 8.7 ↘
 9.5 ↘ 8.9 ↗ 8.4 ↘ 9.5 ← 10.5 *
 beste Teiler 347.0 (10.) 759.3 (2.) 910.9 (3.)
 Trefferlage 2.38 mm rechts, 1.54 mm tief
 Streuwert 9.44, horizontal: 10.07, vertikal: 8.76



Serie 2:
 8.9 ↘ 8.7 ↘ 9.8 ↙ 10.5 * 10.4 *
 9.2 ↗ 9.1 ↖ 9.4 ↖ 9.2 ↓ 9.2 ↓
 beste Teiler 338.6 (14.) 424.0 (15.) 881.8 (13.)
 Trefferlage 1.15 mm links, 7.48 mm tief
 Streuwert 7.83, horizontal: 8.68, vertikal: 6.86



Serie 3:
 9.8 ↙ 9.2 ↖ 10.5 * 9.5 ↘ 7.8 ↘
 10.0 ↖ 8.2 ↘ 9.8 ↙ 10.3 → 10.4 *
 beste Teiler 357.5 (23.) 404.2 (30.) 540.6 (29.)
 Trefferlage 2.38 mm rechts, 6.06 mm tief
 Streuwert 8.54, horizontal: 10.67, vertikal: 5.65





Serie 4:
 9.0 ↖ 9.4 ↘ 9.5 ↙ 10.7 * 9.8 ↗
 9.6 ↘ 9.6 ↗ 10.3 ↗ 9.9 ↗ 10.3 ←
 beste Teiler 214.8 (34.) 482.1 (40.) 542.0 (38.)
 Trefferlage 1.33 mm rechts, 1.32 mm hoch
 Streuwert 7.17, horizontal: 7.38, vertikal: 6.96

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	365	(383.0)
Serien:	90	92 93 90
Zähler:	14	20 3 3 0 0 0 0 0 0
Innenzehner:	5	
weiteste:	3105 (32), 3100 (35), 2772 (36)	
beste Teiler	152.2 (31.)	301.1 (33.) 335.1 (38.)
Trefferlage	1.77 mm links, 0.51 mm hoch	
Streuwert	9.15, horizontal: 9.19, vertikal: 9.10	




Serie 1:

9.7 →	9.6 ↑	9.6 ↗	10.3 ↘	9.5 ↖
9.9 ↘	9.7 ←	9.0 →	9.4 ↑	8.8 ↘
beste Teiler	526.0 (4.)	860.1 (6.)	994.4 (7.)	
Trefferlage	0.36 mm rechts, 5.89 mm hoch			
Streuwert	7.40, horizontal: 9.00, vertikal: 5.34			




Serie 2:

10.3 ↓	10.1 ↖	10.1 ←	9.3 ↖	9.8 ↘
9.6 ↓	9.2 ↓	9.3 ↓	8.3 ↓	9.8 ↑
beste Teiler	526.2 (11.)	643.9 (12.)	654.3 (13.)	
Trefferlage	3.29 mm links, 3.68 mm tief			
Streuwert	7.89, horizontal: 5.10, vertikal: 9.93			



Serie 3:

9.8 →	10.0 ↑	10.1 ↓	9.8 ↓	8.9 ↑
10.5 *	9.5 ↖	9.9 ↗	10.1 ↖	9.0 ↖
beste Teiler	382.5 (26.)	654.1 (23.)	680.7 (29.)	
Trefferlage	2.92 mm links, 1.59 mm hoch			
Streuwert	7.28, horizontal: 6.64, vertikal: 7.86			





Serie 4:

10.8 *	7.1 ↗	10.6 *	10.0 ↑	7.1 ↗
7.5 →	10.2 ↓	10.5 *	9.9 ↗	10.4 *
beste Teiler	152.2 (31.)	301.1 (33.)	335.1 (38.)	
Trefferlage	1.23 mm links, 1.74 mm tief			
Streuwert	12.60, horizontal: 14.34, vertikal: 10.56			


Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **371** (390.6)
 Serien: 92 94 92 93
 Zähler: 15 21 4 0 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 1734 (24), 1657 (38), 1643 (23)
 beste Teiler 232.9 (28.) 298.8 (30.) 315.0 (36.)
 Trefferlage 1.78 mm rechts, 0.27 mm hoch
 Streuwert 7.37, horizontal: 7.51, vertikal: 7.23




Serie 1:
 10.0 ↘ 9.5 ↓ 8.9 → 9.2 ↗ 9.5 ↗
 9.2 ↘ 10.4 * 9.4 ↖ 9.2 ↗ 10.5 *
 beste Teiler 387.9 (10.) 446.4 (7.) 737.2 (1.)
 Trefferlage 4.09 mm rechts, 2.35 mm hoch
 Streuwert 8.05, horizontal: 7.71, vertikal: 8.38



Serie 2:
 9.7 ← 9.9 ↓ 10.3 ↓ 9.4 ↖ 9.8 ↖
 10.2 → 10.5 * 9.6 ↗ 10.5 * 9.5 ↗
 beste Teiler 364.4 (19.) 367.7 (17.) 498.8 (13.)
 Trefferlage 0.51 mm rechts, 2.13 mm hoch
 Streuwert 6.16, horizontal: 5.71, vertikal: 6.58



Serie 3:
 10.1 ↗ 9.6 → 8.9 → 8.8 ↖ 9.2 ↘
 9.9 ↗ 9.9 ↓ 10.7 * 10.5 * 10.6 *
 beste Teiler 232.9 (28.) 298.8 (30.) 385.0 (29.)
 Trefferlage 2.78 mm rechts, 0.58 mm hoch
 Streuwert 7.49, horizontal: 8.79, vertikal: 5.91





Serie 4:
 10.4 * 9.4 ← 9.5 ↑ 10.1 ↘ 10.0 ↘
 10.6 * 9.8 ↓ 8.9 ↖ 9.1 ↖ 9.4 ↘
 beste Teiler 315.0 (36.) 464.2 (31.) 702.8 (34.)
 Trefferlage 0.25 mm links, 3.98 mm tief
 Streuwert 7.43, horizontal: 7.84, vertikal: 7.00


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **378.1** (363)
 Serien: 93.5 94.7 93.6 96.3
 Zähler: 12 21 5 2 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 3033 (29), 2534 (25), 2288 (11)
 beste Teiler 285.4 (30.) 420.9 (7.) 454.7 (16.)
 Trefferlage 0.91 mm rechts, 0.87 mm hoch
 Streuwert 9.55, horizontal: 10.07, vertikal: 8.99




Serie 1:
 9.6 ↗ 9.0 ← 9.0 ← 9.3 ↘ 10.1 ↑
 8.7 → 10.4 * 8.6 → 8.6 ↑ 10.2 ←
 beste Teiler 420.9 (7.) 561.1 (10.) 643.4 (5.)
 Trefferlage 0.42 mm links, 2.44 mm hoch
 Streuwert 10.06, horizontal: 11.53, vertikal: 8.33



Serie 2:
 8.1 ↗ 9.8 ↑ 8.9 ↗ 9.7 → 10.2 ↗
 10.4 * 9.0 ↓ 9.4 → 9.0 ↗ 10.2 ↘
 beste Teiler 454.7 (16.) 611.1 (15.) 621.4 (20.)
 Trefferlage 6.48 mm rechts, 2.60 mm hoch
 Streuwert 8.34, horizontal: 7.78, vertikal: 8.86



Serie 3:
 9.7 ↓ 10.3 ↑ 9.9 ↑ 9.5 ↓ 7.8 ↗
 9.1 → 9.5 ↘ 10.0 ↑ 7.2 ← 10.6 *
 beste Teiler 285.4 (30.) 509.3 (22.) 728.8 (28.)
 Trefferlage 1.78 mm links, 1.10 mm hoch
 Streuwert 11.16, horizontal: 11.44, vertikal: 10.89





Serie 4:
 9.4 ↘ 9.7 ↑ 10.0 ↓ 9.7 → 9.0 ←
 9.1 ↓ 9.8 → 10.4 * 9.0 ↓ 10.2 ↗
 beste Teiler 473.7 (38.) 585.5 (40.) 781.7 (33.)
 Trefferlage 0.61 mm links, 2.66 mm tief
 Streuwert 8.12, horizontal: 8.25, vertikal: 7.99


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **357** (375.8)
 Serien: 90 85 87 95
 Zähler: 11 17 11 0 1 0 0 0 0 0
 Innenzehner: 6
 weiteste: 3223 (14), 2378 (26), 2162 (8)
 beste Teiler 2.0 (11.) 134.4 (31.) 300.2 (38.)
 Trefferlage 0.36 mm rechts, 3.81 mm tief
 Streuwert 9.65, horizontal: 9.51, vertikal: 9.79




Serie 1:
 9.0 ↙ 9.6 ↖ 10.6 * 9.3 ↓ 8.6 ↗
 10.0 ↖ 9.5 ↘ 8.2 ↗ 9.3 ↑ 9.6 ↓
 beste Teiler 318.5 (3.) 775.3 (6.) 1043.9 (2.)
 Trefferlage 1.02 mm links, 2.54 mm hoch
 Streuwert 9.85, horizontal: 8.26, vertikal: 11.23



Serie 2:
 10.9 * 10.0 → 8.7 → 6.9 ↓ 9.4 ↘
 8.4 → 8.7 ↓ 8.9 ← 9.9 ↘ 9.4 ←
 beste Teiler 2.0 (11.) 730.9 (12.) 879.8 (19.)
 Trefferlage 0.98 mm rechts, 6.22 mm tief
 Streuwert 11.59, horizontal: 12.11, vertikal: 11.05



Serie 3:
 8.9 ↗ 8.7 ↘ 9.5 ↗ 10.1 ↗ 8.5 ↓
 8.0 → 8.9 ↓ 9.7 ↖ 10.0 ↓ 9.6 →
 beste Teiler 697.2 (24.) 744.3 (29.) 967.2 (28.)
 Trefferlage 3.57 mm rechts, 6.12 mm tief
 Streuwert 9.84, horizontal: 10.42, vertikal: 9.23





Serie 4:
 10.8 * 9.4 ↖ 10.1 ↘ 9.4 ↖ 9.7 ←
 9.1 ↘ 10.4 * 10.6 * 9.0 ↓ 10.5 *
 beste Teiler 134.4 (31.) 300.2 (38.) 393.7 (40.)
 Trefferlage 2.09 mm links, 5.46 mm tief
 Streuwert 5.91, horizontal: 6.90, vertikal: 4.71


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **362** (381.6)
 Serien: 91 88 93 90
 Zähler: 15 16 5 4 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 2988 (34), 2745 (39), 2580 (10)
 beste Teiler 186.2 (8.) 219.5 (3.) 270.4 (32.)
 Trefferlage 2.64 mm rechts, 0.58 mm tief
 Streuwert 9.40, horizontal: 9.22, vertikal: 9.57




Serie 1:
 9.8 ↙ 10.5 * 10.7 * 9.4 ↗ 9.9 ↖
 9.4 ↘ 9.5 ↗ 10.7 * 9.9 ↗ 7.7 →
 beste Teiler 186.2 (8.) 219.5 (3.) 369.7 (2.)
 Trefferlage 2.95 mm rechts, 1.50 mm hoch
 Streuwert 8.31, horizontal: 9.48, vertikal: 6.95



Serie 2:
 8.3 → 9.7 ↖ 7.8 ↑ 9.2 ↘ 10.0 ↘
 8.8 → 9.1 ↗ 9.6 ↑ 10.4 * 9.6 ↙
 beste Teiler 474.8 (19.) 763.3 (15.) 1036.8 (12.)
 Trefferlage 5.43 mm rechts, 1.35 mm hoch
 Streuwert 10.29, horizontal: 10.03, vertikal: 10.53



Serie 3:
 10.3 ↗ 8.7 ↖ 9.8 ↘ 10.1 ↘ 8.4 →
 9.8 → 10.3 → 9.0 ↓ 10.2 ↙ 10.4 *
 beste Teiler 417.7 (30.) 540.7 (27.) 555.0 (21.)
 Trefferlage 2.76 mm rechts, 3.48 mm tief
 Streuwert 7.88, horizontal: 9.75, vertikal: 5.39





Serie 4:
 8.9 ↙ 10.6 * 9.7 ← 7.2 ↑ 9.4 ←
 10.5 * 10.3 ↘ 10.0 ↘ 7.5 ↘ 10.5 *
 beste Teiler 270.4 (32.) 340.7 (36.) 342.0 (40.)
 Trefferlage 0.55 mm links, 1.72 mm tief
 Streuwert 11.22, horizontal: 7.92, vertikal: 13.75

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	365	(380.2)
Serien:	94 92 90 89	
Zähler:	13 20 6 1 0 0 0 0 0 0	
Innenzehner:	7	
weiteste:	2625 (33), 2322 (30), 2304 (11)	
beste Teiler	209.2 (35.) 217.0 (14.) 269.6 (12.)	
Trefferlage	1.97 mm links, 0.10 mm hoch	
Streuwert	9.26, horizontal: 9.01, vertikal: 9.50	




Serie 1:

9.5 ↗	9.8 ↗	9.1 ↘	9.1 ↗	10.6 *
9.1 ↘	10.1 ↘	9.2 ←	10.5 *	10.2 ↖
beste Teiler	289.6 (5.) 338.4 (9.) 572.3 (10.)			
Trefferlage	0.39 mm links, 1.68 mm hoch			
Streuwert	8.00, horizontal: 9.23, vertikal: 6.54			




Serie 2:

8.1 ↙	10.6 *	9.0 ↙	10.7 *	10.6 *
8.8 ↗	9.4 →	10.1 ↘	9.3 ↓	9.3 ↗
beste Teiler	217.0 (14.) 269.6 (12.) 311.7 (15.)			
Trefferlage	0.43 mm links, 0.28 mm tief			
Streuwert	9.48, horizontal: 10.02, vertikal: 8.91			



Serie 3:

9.0 ↘	9.1 ↙	8.9 ↘	10.1 ↙	9.7 ↓
9.1 ↗	9.6 ↗	10.3 ↘	9.6 ↓	8.0 ↖
beste Teiler	543.1 (28.) 677.4 (24.) 964.5 (25.)			
Trefferlage	3.79 mm links, 0.82 mm tief			
Streuwert	9.85, horizontal: 6.62, vertikal: 12.26			





Serie 4:

9.1 ↗	8.5 ↗	7.7 ↓	10.5 *	10.7 *
9.4 ↙	9.8 →	9.0 ←	8.7 ←	10.3 ↘
beste Teiler	209.2 (35.) 350.0 (34.) 515.2 (40.)			
Trefferlage	3.26 mm links, 0.15 mm tief			
Streuwert	10.64, horizontal: 10.55, vertikal: 10.72			


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **354** (369.2)
 Serien: 88 88 89 89
 Zähler: 7 21 11 1 0 0 0 0 0 0
 Innenzehner: 1
 weiteste: 2434 (7), 2378 (30), 2214 (36)
 beste Teiler 337.2 (3.) 531.3 (23.) 534.7 (9.)
 Trefferlage 1.94 mm rechts, 2.04 mm tief
 Streuwert 10.32, horizontal: 10.14, vertikal: 10.50




Serie 1:
 9.5 ↗ 8.8 ↘ 10.5 * 9.8 ↙ 9.1 ↗
 8.4 ↘ 7.9 ↓ 8.5 → 10.3 ← 10.0 →
 beste Teiler 337.2 (3.) 534.7 (9.) 765.3 (10.)
 Trefferlage 3.43 mm rechts, 0.31 mm tief
 Streuwert 10.78, horizontal: 9.97, vertikal: 11.53



Serie 2:
 9.0 ↓ 10.2 ↘ 8.6 ↙ 8.6 ↓ 9.9 →
 8.9 ↘ 9.3 ← 9.3 ↓ 9.6 → 9.1 ↓
 beste Teiler 639.6 (12.) 802.3 (15.) 1069.7 (19.)
 Trefferlage 0.14 mm rechts, 8.23 mm tief
 Streuwert 8.53, horizontal: 8.49, vertikal: 8.56



Serie 3:
 9.3 ↑ 9.3 ↙ 10.3 → 9.1 ↙ 9.0 →
 8.8 → 10.0 ↓ 8.5 → 9.6 ↗ 8.0 →
 beste Teiler 531.3 (23.) 740.2 (27.) 1099.0 (29.)
 Trefferlage 5.84 mm rechts, 2.93 mm hoch
 Streuwert 10.12, horizontal: 11.29, vertikal: 8.81



Serie 4:
 9.1 → 9.2 ↙ 10.2 ↙ 9.2 ↘ 8.5 ↗
 8.2 ↙ 9.3 ← 9.0 ↘ 9.6 ↘ 9.7 ↘
 beste Teiler 605.8 (33.) 990.1 (40.) 1063.4 (39.)
 Trefferlage 1.65 mm links, 2.56 mm tief
 Streuwert 10.71, horizontal: 10.45, vertikal: 10.96

Unterschrift des Schützen

Meyton Elektronik