





Ergebnis: **378** (395.3)  
 Serien: 92 94 97 95  
 Zähler: 20 18 2 0 0 0 0 0 0 0  
 Innenzehner: 12  
 weiteste: 599 (7), 511 (9), 476 (20)  
 beste Teiler 46.2 (35.) 61.6 (30.) 100.0 (2.)  
 Trefferlage 0.83 mm rechts, 0.13 mm tief  
 Streuwert 2.04, horizontal: 2.15, vertikal: 1.92




Serie 1:  
 9.7 ↗ 10.6 \* 10.5 \* 9.5 → 9.3 →  
 10.2 \* 8.6 ↘ 10.4 \* 8.9 ↘ 9.6 →  
 beste Teiler 100.0 (2.) 108.3 (3.) 146.3 (8.)  
 Trefferlage 1.47 mm rechts, 0.05 mm hoch  
 Streuwert 2.32, horizontal: 2.00, vertikal: 2.61



Serie 2:  
 10.0 ↓ 10.1 ↓ 9.1 → 9.6 ↘ 10.0 →  
 9.9 ← 10.5 \* 9.7 ↓ 9.3 ↘ 9.0 →  
 beste Teiler 124.1 (17.) 202.7 (12.) 233.6 (11.)  
 Trefferlage 1.69 mm rechts, 1.19 mm tief  
 Streuwert 1.90, horizontal: 2.27, vertikal: 1.44



Serie 3:  
 10.0 ↘ 10.1 ↓ 9.2 ↘ 9.3 ← 10.4 \*  
 10.1 ← 10.0 → 9.7 → 10.1 ↗ 10.7 \*  
 beste Teiler 61.6 (30.) 139.1 (25.) 213.3 (29.)  
 Trefferlage 0.18 mm links, 0.30 mm hoch  
 Streuwert 2.00, horizontal: 2.42, vertikal: 1.48





Serie 4:  
 10.5 \* 9.6 ↗ 9.7 ↘ 10.5 \* 10.8 \*  
 10.4 \* 10.3 \* 9.8 ↓ 9.9 ↗ 9.7 →  
 beste Teiler 46.2 (35.) 104.4 (34.) 122.1 (31.)  
 Trefferlage 0.35 mm rechts, 0.29 mm hoch  
 Streuwert 1.68, horizontal: 1.56, vertikal: 1.79


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **370** (389.1)  
 Serien: 91 90 94 95  
 Zähler: 17 16 7 0 0 0 0 0 0  
 Innenzehner: 13  
 weiteste: 619 (20), 550 (10), 540 (24)  
 beste Teiler 42.1 (35.) 56.4 (2.) 97.0 (9.)  
 Trefferlage 0.21 mm links, 0.90 mm tief  
 Streuwert 2.39, horizontal: 2.83, vertikal: 1.86




Serie 1:  
 8.8 ↙ 10.7 \* 8.9 ↘ 10.1 ↑ 9.3 ↗  
 10.5 \* 9.9 ↘ 9.5 ← 10.6 \* 8.8 →  
 beste Teiler 56.4 (2.) 97.0 (9.) 123.0 (6.)  
 Trefferlage 0.74 mm rechts, 0.33 mm tief  
 Streuwert 2.62, horizontal: 3.19, vertikal: 1.88



Serie 2:  
 9.5 ↓ 10.3 \* 9.2 ↖ 9.7 ↓ 8.8 ↓  
 9.5 → 9.5 → 10.3 \* 9.0 ↘ 8.5 ←  
 beste Teiler 174.4 (12.) 175.9 (18.) 308.1 (14.)  
 Trefferlage 0.23 mm rechts, 1.50 mm tief  
 Streuwert 2.80, horizontal: 3.34, vertikal: 2.12



Serie 3:  
 10.1 ← 9.3 ↙ 10.5 \* 8.8 ← 10.1 ↓  
 10.5 \* 10.3 \* 9.7 → 9.7 ↓ 9.3 ↓  
 beste Teiler 108.4 (26.) 114.5 (23.) 154.0 (27.)  
 Trefferlage 0.56 mm links, 0.78 mm tief  
 Streuwert 2.21, horizontal: 2.40, vertikal: 2.01





Serie 4:  
 10.0 → 10.2 \* 9.3 ↙ 9.7 ↓ 10.8 \*  
 10.4 \* 8.9 ← 9.1 ← 10.5 \* 10.5 \*  
 beste Teiler 42.1 (35.) 115.4 (40.) 116.6 (39.)  
 Trefferlage 1.25 mm links, 0.98 mm tief  
 Streuwert 1.88, horizontal: 2.23, vertikal: 1.45


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>379</b>	(400.9)
Serien:	95 92 98 94	
Zähler:	22 15 3 0 0 0 0 0 0 0	
Innenzehner:	19	
weiteste:	575 (39), 555 (20), 516 (12)	
beste Teiler	5.3 (19.) 29.2 (32.) 30.2 (21.)	
Trefferlage	0.23 mm rechts, 0.00 mm	
Streuwert	1.98, horizontal: 2.27, vertikal: 1.64	




Serie 1:	9.8 ↑	10.6 *	9.9 ←	9.8 →	10.8 *
	9.3 ↙	9.8 ↘	10.2 *	10.3 *	10.4 *
beste Teiler	40.7 (5.)	81.5 (2.)	133.2 (10.)		
Trefferlage	0.64 mm links, 0.06 mm tief				
Streuwert	1.73, horizontal: 1.65, vertikal: 1.81				



Serie 2:	9.2 ↘	8.9 ↗	9.7 →	9.7 ↘	10.7 *
	9.3 ↘	10.0 ↘	10.5 *	10.9 *	8.7 →
beste Teiler	5.3 (19.)	59.0 (15.)	117.0 (18.)		
Trefferlage	1.97 mm rechts, 0.89 mm tief				
Streuwert	2.03, horizontal: 2.11, vertikal: 1.94				



Serie 3:	10.8 *	10.5 *	10.7 *	9.6 →	10.5 *
	10.8 *	9.5 →	10.7 *	10.1 ↖	10.3 *
beste Teiler	30.2 (21.)	48.0 (26.)	51.9 (23.)		
Trefferlage	0.33 mm rechts, 0.16 mm hoch				
Streuwert	1.34, horizontal: 1.75, vertikal: 0.73				





Serie 4:	9.4 ↖	10.8 *	9.8 ↖	10.2 *	10.2 *
	9.3 →	9.7 ↑	10.1 ↘	8.7 ↖	10.7 *
beste Teiler	29.2 (32.)	59.9 (40.)	181.4 (34.)		
Trefferlage	0.70 mm links, 0.77 mm hoch				
Streuwert	2.17, horizontal: 2.63, vertikal: 1.59				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **399.9** (384)  
 Serien: 100.1 100.3 101.3 98.2  
 Zähler: 28 8 4 0 0 0 0 0 0  
 Innenzehner: 20  
 weiteste: 638 (39), 588 (31), 521 (9)  
 beste Teiler 77.8 (25.) 93.2 (4.) 101.5 (1.)  
 Trefferlage 0.67 mm rechts, 0.31 mm tief  
 Streuwert 1.91, horizontal: 2.48, vertikal: 1.08




Serie 1:  
 10.5 \*                      10.2 \*                      10.0 ↓                      10.6 \*                      10.3 \*  
 10.5 \*                      10.0 ←                      8.9 →                      8.9 ←                      10.2 \*  
 beste Teiler 93.2 (4.) 101.5 (1.) 114.7 (6.)  
 Trefferlage 0.73 mm links, 0.46 mm tief  
 Streuwert 1.98, horizontal: 2.54, vertikal: 1.18



Serie 2:  
 10.1 ↓                      10.3 \*                      9.0 →                      10.2 \*                      9.5 ↗  
 10.5 \*                      10.1 ↖                      10.4 \*                      10.4 \*                      9.8 ↙  
 beste Teiler 103.4 (16.) 133.4 (19.) 143.2 (18.)  
 Trefferlage 0.81 mm rechts, 0.34 mm tief  
 Streuwert 1.80, horizontal: 2.12, vertikal: 1.42



Serie 3:  
 10.0 →                      9.5 →                      10.5 \*                      10.5 \*                      10.6 \*  
 10.0 →                      9.7 →                      10.4 \*                      10.2 \*                      9.9 ←  
 beste Teiler 77.8 (25.) 102.1 (23.) 110.0 (24.)  
 Trefferlage 1.34 mm rechts, 0.19 mm tief  
 Streuwert 1.32, horizontal: 1.79, vertikal: 0.52





Serie 4:  
 8.6 →                      10.5 \*                      9.8 ←                      10.0 →                      10.5 \*  
 10.4 \*                      10.1 ↓                      9.6 →                      8.4 →                      10.3 \*  
 beste Teiler 113.7 (32.) 121.0 (35.) 127.1 (36.)  
 Trefferlage 1.26 mm rechts, 0.23 mm tief  
 Streuwert 2.33, horizontal: 3.08, vertikal: 1.16


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **383** (402.9)  
 Serien: 95 98 93 97  
 Zähler: 25 13 2 0 0 0 0 0 0 0  
 Innenzehner: 21  
 weiteste: 577 (37), 555 (26), 485 (16)  
 beste Teiler 29.0 (39.) 47.2 (32.) 55.9 (17.)  
 Trefferlage 0.83 mm rechts, 0.43 mm tief  
 Streuwert 1.75, horizontal: 1.88, vertikal: 1.60




Serie 1:  
 9.7 → 9.8 ↙ 10.6 \* 10.5 \* 10.0 →  
 9.2 ↘ 9.7 ↓ 10.4 \* 10.4 \* 9.8 →  
 beste Teiler 78.6 (3.) 103.8 (4.) 127.2 (9.)  
 Trefferlage 0.43 mm rechts, 0.46 mm tief  
 Streuwert 1.88, horizontal: 1.99, vertikal: 1.77



Serie 2:  
 10.5 \* 10.5 \* 10.0 ↗ 9.4 ↗ 10.7 \*  
 9.0 → 10.7 \* 10.6 \* 10.4 \* 10.2 \*  
 beste Teiler 55.9 (17.) 60.9 (15.) 81.4 (18.)  
 Trefferlage 1.08 mm rechts, 0.27 mm hoch  
 Streuwert 1.51, horizontal: 1.70, vertikal: 1.29



Serie 3:  
 9.7 ↓ 10.7 \* 9.7 ↓ 10.4 \* 9.6 ↓  
 8.7 → 9.4 → 10.6 \* 9.7 ↗ 10.2 \*  
 beste Teiler 62.0 (22.) 83.7 (28.) 134.2 (24.)  
 Trefferlage 1.57 mm rechts, 1.16 mm tief  
 Streuwert 1.75, horizontal: 1.83, vertikal: 1.67





Serie 4:  
 9.9 → 10.8 \* 10.5 \* 10.0 → 10.6 \*  
 10.0 ↘ 8.6 ↙ 10.6 \* 10.8 \* 10.3 \*  
 beste Teiler 29.0 (39.) 47.2 (32.) 85.1 (38.)  
 Trefferlage 0.25 mm rechts, 0.39 mm tief  
 Streuwert 1.76, horizontal: 1.96, vertikal: 1.54


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **382** (400.1)  
 Serien: 92 97 95 98  
 Zähler: 23 16 1 0 0 0 0 0 0 0  
 Innenzehner: 15  
 weiteste: 572 (2), 500 (15), 490 (30)  
 beste Teiler 51.4 (39.) 67.0 (23.) 72.1 (33.)  
 Trefferlage 0.51 mm rechts, 0.21 mm tief  
 Streuwert 1.88, horizontal: 2.27, vertikal: 1.39




Serie 1:  
 10.6 \* 8.7 ← 9.7 → 10.3 \* 9.6 ↖  
 9.5 ↓ 9.5 → 9.8 ↑ 9.7 ↘ 10.0 ↗  
 beste Teiler 88.2 (1.) 153.5 (4.) 246.6 (10.)  
 Trefferlage 0.14 mm rechts, 0.06 mm tief  
 Streuwert 2.43, horizontal: 2.83, vertikal: 1.96



Serie 2:  
 10.0 ↙ 9.6 → 10.6 \* 9.9 ↘ 9.0 →  
 10.2 \* 10.2 \* 10.0 ↘ 10.0 ← 10.1 →  
 beste Teiler 92.4 (13.) 194.5 (16.) 200.4 (17.)  
 Trefferlage 1.28 mm rechts, 0.40 mm tief  
 Streuwert 1.75, horizontal: 2.31, vertikal: 0.89



Serie 3:  
 9.9 ↘ 9.8 ← 10.7 \* 10.1 ↘ 10.3 \*  
 9.5 ↘ 9.8 ↙ 10.0 ↓ 10.5 \* 9.0 →  
 beste Teiler 67.0 (23.) 112.2 (29.) 165.9 (25.)  
 Trefferlage 0.43 mm rechts, 0.79 mm tief  
 Streuwert 1.93, horizontal: 2.33, vertikal: 1.43





Serie 4:  
 10.4 \* 10.1 ↑ 10.7 \* 10.7 \* 10.6 \*  
 9.6 ← 10.3 \* 10.6 \* 10.7 \* 9.8 →  
 beste Teiler 51.4 (39.) 72.1 (33.) 73.4 (34.)  
 Trefferlage 0.20 mm rechts, 0.38 mm hoch  
 Streuwert 1.32, horizontal: 1.63, vertikal: 0.91


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **380** (399.2)  
 Serien: 95 98 92 95  
 Zähler: 22 16 2 0 0 0 0 0 0  
 Innenzehner: 18  
 weiteste: 592 (34), 584 (23), 451 (3)  
 beste Teiler 43.8 (30.) 61.2 (37.) 72.5 (35.)  
 Trefferlage 0.63 mm rechts, 0.55 mm tief  
 Streuwert 1.90, horizontal: 2.24, vertikal: 1.50




Serie 1:  
 10.4 \*                      10.5 \*                      9.1 →                      10.0 ↓                      10.5 \*  
 9.4 ↘                      9.2 ↙                      9.8 ↙                      9.7 →                      10.5 \*  
 beste Teiler 101.5 (2.) 107.5 (5.) 115.5 (10.)  
 Trefferlage 0.88 mm rechts, 1.00 mm tief  
 Streuwert 1.93, horizontal: 2.22, vertikal: 1.60



Serie 2:  
 10.1 ↘                      9.6 ←                      10.4 \*                      10.4 \*                      10.1 ↓  
 10.3 \*                      9.4 ←                      10.0 ←                      10.4 \*                      10.2 \*  
 beste Teiler 142.4 (19.) 142.8 (14.) 150.0 (13.)  
 Trefferlage 0.33 mm links, 0.46 mm tief  
 Streuwert 1.67, horizontal: 2.08, vertikal: 1.12



Serie 3:  
 9.6 ↙                      9.9 ↘                      8.6 →                      10.4 \*                      9.7 ↓  
 9.7 →                      9.9 →                      9.5 →                      10.3 \*                      10.8 \*  
 beste Teiler 43.8 (30.) 141.7 (24.) 162.0 (29.)  
 Trefferlage 1.32 mm rechts, 0.67 mm tief  
 Streuwert 2.05, horizontal: 2.51, vertikal: 1.46





Serie 4:  
 9.6 ↖                      10.3 \*                      10.6 \*                      8.6 →                      10.7 \*  
 9.6 ↓                      10.7 \*                      10.5 \*                      10.4 \*                      9.8 ↖  
 beste Teiler 61.2 (37.) 72.5 (35.) 98.4 (33.)  
 Trefferlage 0.65 mm rechts, 0.08 mm tief  
 Streuwert 1.97, horizontal: 2.11, vertikal: 1.81


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>381</b>	(399.3)
Serien:	96	94 95 96
Zähler:	22	17 1 0 0 0 0 0 0 0
Innenzehner:	16	
weiteste:	538	(40), 462 (30), 417 (14)
beste Teiler	47.0	(17.) 60.1 (11.) 77.2 (6.)
Trefferlage	0.28 mm	rechts, 0.45 mm tief
Streuwert	1.90,	horizontal: 2.27, vertikal: 1.44




Serie 1:	9.3 ↘	10.5 *	10.6 *	10.0 →	9.3 ↘
	10.6 *	9.9 ↓	9.8 ↖	10.5 *	10.2 *
beste Teiler	77.2	(6.) 96.6 (3.)	123.0 (9.)		
Trefferlage	0.92 mm	rechts, 0.66 mm tief			
Streuwert	1.67,	horizontal: 1.56, vertikal: 1.76			



Serie 2:	10.7 *	9.7 ↘	10.0 →	9.3 ↘	9.3 ↖
	9.5 ↑	10.8 *	9.9 ←	10.2 *	9.8 ↖
beste Teiler	47.0	(17.) 60.1 (11.)	198.0 (19.)		
Trefferlage	0.18 mm	links, 0.14 mm tief			
Streuwert	2.14,	horizontal: 2.40, vertikal: 1.84			



Serie 3:	9.3 ←	9.8 ↘	10.3 *	10.1 →	10.1 ↘
	10.3 *	10.5 *	9.9 ↙	9.6 ↘	9.1 →
beste Teiler	120.7	(27.) 151.5 (23.)	167.9 (26.)		
Trefferlage	0.55 mm	rechts, 0.59 mm tief			
Streuwert	2.01,	horizontal: 2.70, vertikal: 0.88			



Serie 4:	10.5 *	10.3 *	10.1 ↘	9.7 ↘	10.4 *
	10.1 ↘	9.8 →	10.5 *	10.2 *	8.8 ←
beste Teiler	106.0	(38.) 117.0 (31.)	134.4 (35.)		
Trefferlage	0.16 mm	links, 0.43 mm tief			
Streuwert	1.90,	horizontal: 2.39, vertikal: 1.22			

Unterschrift des Schützen

Meyton Elektronik