





Ergebnis:	370	(390.2)
Serien:	93 93 92 92	
Zähler:	17 17 5 1 0 0 0 0 0 0	
Innenzehner:	5	
weiteste:	2462 (23), 2064 (40), 1797 (7)	
beste Teiler	112.7 (8.) 150.5 (27.) 249.4 (31.)	
Trefferlage	4.77 mm links, 2.95 mm tief	
Streuwert	6.73, horizontal: 7.62, vertikal: 5.70	




Serie 1:	10.3 →	9.7 ↙	10.1 ↘	9.6 ↙	8.8 ↖
	10.2 ↗	8.7 ←	10.8 *	9.5 ↙	10.1 ↙
beste Teiler	112.7 (8.)	516.3 (1.)	613.3 (6.)		
Trefferlage	4.16 mm links, 2.96 mm tief				
Streuwert	6.99, horizontal: 8.27, vertikal: 5.41				



Serie 2:	10.3 ↓	9.0 ←	9.5 ←	9.5 ↙	10.3 ↘
	9.8 ↖	9.4 ←	10.3 ↑	9.7 ←	9.7 ←
beste Teiler	488.1 (18.)	503.5 (15.)	538.5 (11.)		
Trefferlage	6.67 mm links, 1.73 mm tief				
Streuwert	5.58, horizontal: 6.34, vertikal: 4.70				



Serie 3:	9.7 ↓	10.2 ↓	7.9 ←	10.5 *	9.8 ↗
	10.5 *	10.8 *	8.9 ←	10.0 ↖	9.8 ←
beste Teiler	150.5 (27.)	341.7 (26.)	380.8 (24.)		
Trefferlage	4.10 mm links, 2.34 mm tief				
Streuwert	7.60, horizontal: 9.23, vertikal: 5.50				





Serie 4:	10.6 *	8.8 ↙	9.8 ←	10.2 ↘	9.9 →
	10.1 ←	10.3 ↑	9.7 ↓	9.0 ↙	8.4 ↙
beste Teiler	249.4 (31.)	542.2 (37.)	581.7 (34.)		
Trefferlage	4.15 mm links, 4.77 mm tief				
Streuwert	7.28, horizontal: 7.23, vertikal: 7.33				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **359** (379.1)
 Serien: 85 89 96 89
 Zähler: 9 22 8 1 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 2421 (10), 2373 (37), 2199 (11)
 beste Teiler 136.4 (1.) 274.8 (28.) 346.3 (35.)
 Trefferlage 4.65 mm links, 4.02 mm tief
 Streuwert 8.15, horizontal: 7.46, vertikal: 8.79




Serie 1:
 10.8 * 9.8 ← 8.8 ← 9.6 ↓ 8.3 ↙
 9.5 ↓ 8.3 ↓ 9.3 ↓ 8.9 ← 7.9 ↓
 beste Teiler 136.4 (1.) 889.9 (2.) 1041.5 (4.)
 Trefferlage 8.01 mm links, 9.65 mm tief
 Streuwert 7.31, horizontal: 6.51, vertikal: 8.04



Serie 2:
 8.2 ↓ 9.6 ↘ 9.1 ↓ 9.9 → 9.5 ←
 9.3 ↙ 9.4 ↘ 9.7 ↗ 9.3 ↖ 9.7 ↑
 beste Teiler 802.0 (14.) 961.3 (18.) 976.6 (20.)
 Trefferlage 1.53 mm links, 3.97 mm tief
 Streuwert 9.19, horizontal: 8.83, vertikal: 9.53



Serie 3:
 9.1 ↓ 10.1 ↓ 9.9 → 10.5 * 9.8 ↖
 10.1 ↖ 9.6 ↙ 10.6 * 10.0 ↗ 10.0 ↖
 beste Teiler 274.8 (28.) 383.3 (24.) 644.8 (26.)
 Trefferlage 3.67 mm links, 2.27 mm tief
 Streuwert 5.45, horizontal: 4.55, vertikal: 6.23





Serie 4:
 9.8 ↓ 9.7 → 8.7 ↓ 9.3 ↑ 10.5 *
 10.3 ↙ 8.0 ← 9.6 ← 9.7 ← 8.9 ↖
 beste Teiler 346.3 (35.) 554.1 (36.) 883.3 (31.)
 Trefferlage 5.39 mm links, 0.21 mm tief
 Streuwert 8.97, horizontal: 8.66, vertikal: 9.26


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	365	(385.6)
Serien:	91 91 89 94	
Zähler:	12 21 7 0 0 0 0 0 0 0	
Innenzehner:	3	
weiteste:	2330 (29), 2019 (30), 1733 (39)	
beste Teiler	237.2 (32.) 373.5 (21.) 398.2 (38.)	
Trefferlage	2.28 mm links, 0.71 mm tief	
Streuwert	8.04, horizontal: 8.79, vertikal: 7.20	




Serie 1:	10.1 ↘	9.0 ↗	9.5 ↘	10.3 ↑	9.9 ↓
	9.9 ↓	9.9 ↓	9.8 ↗	9.8 ↓	8.9 ↑
beste Teiler	510.1 (4.) 684.7 (1.) 803.0 (7.)				
Trefferlage	2.32 mm rechts, 0.98 mm tief				
Streuwert	7.57, horizontal: 5.05, vertikal: 9.44				



Serie 2:	10.0 →	10.0 ↓	10.3 ↗	9.8 ↗	8.9 ←
	9.0 ←	9.9 ↖	9.8 ←	8.9 ↑	9.9 ←
beste Teiler	513.0 (13.) 728.3 (12.) 788.7 (11.)				
Trefferlage	4.38 mm links, 1.91 mm hoch				
Streuwert	7.37, horizontal: 8.59, vertikal: 5.90				



Serie 3:	10.5 *	9.3 ↖	9.4 ↖	9.9 ←	8.9 ←
	9.9 ←	9.7 ←	10.1 ↗	8.0 →	8.4 ←
beste Teiler	373.5 (21.) 680.5 (28.) 820.5 (26.)				
Trefferlage	5.65 mm links, 1.02 mm hoch				
Streuwert	9.18, horizontal: 12.53, vertikal: 3.41				





Serie 4:	9.4 ↗	10.7 *	10.0 ↗	9.9 ↓	9.0 ↓
	10.3 ↑	10.1 ↓	10.5 *	8.8 ↗	9.2 ↘
beste Teiler	237.2 (32.) 398.2 (38.) 523.2 (36.)				
Trefferlage	1.43 mm links, 4.82 mm tief				
Streuwert	6.93, horizontal: 6.07, vertikal: 7.70				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **380.5** (362)
 Serien: 95.0 92.9 99.1 93.5
 Zähler: 12 20 7 0 1 0 0 0 0 0
 Innenzehner: 5
 weiteste: 3590 (20), 2132 (31), 2085 (38)
 beste Teiler 177.2 (18.) 297.8 (32.) 317.0 (25.)
 Trefferlage 4.53 mm links, 2.03 mm tief
 Streuwert 8.75, horizontal: 8.56, vertikal: 8.94




Serie 1:
 9.1 ↘ 9.5 → 9.7 ↑ 9.5 ↓ 9.5 ↗
 9.2 ↓ 9.7 ← 9.7 ← 9.4 ↙ 9.7 ↖
 beste Teiler 982.9 (10.) 1028.1 (8.) 1029.7 (7.)
 Trefferlage 2.13 mm links, 2.44 mm tief
 Streuwert 8.45, horizontal: 8.17, vertikal: 8.72



Serie 2:
 8.9 ↖ 9.3 ↓ 9.6 ↓ 9.6 ↘ 9.6 ↗
 10.3 ↙ 8.4 ← 10.7 * 10.0 ↑ 6.5 ↗
 beste Teiler 177.2 (18.) 491.6 (16.) 778.6 (19.)
 Trefferlage 0.87 mm links, 0.99 mm hoch
 Streuwert 11.98, horizontal: 11.62, vertikal: 12.32



Serie 3:
 9.1 ← 10.5 * 9.5 ← 9.8 ↑ 10.6 *
 10.3 ← 9.0 ← 9.9 ↙ 10.4 * 10.0 ←
 beste Teiler 317.0 (25.) 330.5 (22.) 466.5 (29.)
 Trefferlage 6.68 mm links, 0.97 mm tief
 Streuwert 4.82, horizontal: 5.38, vertikal: 4.17





Serie 4:
 8.3 ↙ 10.6 * 9.2 ← 8.9 ↙ 8.9 ←
 8.7 ↙ 10.0 ↑ 8.3 ↓ 10.3 ↙ 10.3 ↖
 beste Teiler 297.8 (32.) 504.8 (40.) 522.9 (39.)
 Trefferlage 8.44 mm links, 5.72 mm tief
 Streuwert 7.67, horizontal: 6.59, vertikal: 8.62


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **356** (375.9)
 Serien: 89 91 86 90
 Zähler: 6 26 6 2 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 2608 (1), 2515 (25), 2220 (4)
 beste Teiler 291.2 (11.) 339.0 (5.) 446.8 (21.)
 Trefferlage 4.67 mm links, 3.25 mm hoch
 Streuwert 8.74, horizontal: 9.28, vertikal: 8.15




Serie 1:
 7.7 ↘ 9.6 ← 9.5 ↑ 8.2 ↗ 10.5 *
 9.7 ↓ 10.2 ↘ 9.9 ← 9.6 ↙ 9.2 ↘
 beste Teiler 339.0 (5.) 570.0 (7.) 845.6 (8.)
 Trefferlage 4.84 mm links, 1.76 mm hoch
 Streuwert 9.70, horizontal: 9.94, vertikal: 9.45



Serie 2:
 10.6 * 9.9 ↘ 9.7 ↙ 8.5 ← 10.0 ↓
 9.7 ↗ 9.4 ↗ 9.5 ↘ 9.7 ↑ 9.9 ↘
 beste Teiler 291.2 (11.) 793.7 (15.) 831.9 (12.)
 Trefferlage 3.28 mm links, 2.31 mm hoch
 Streuwert 7.46, horizontal: 8.34, vertikal: 6.47



Serie 3:
 10.4 * 9.2 ↘ 9.3 ↑ 9.8 ↑ 7.8 ↖
 9.5 ← 8.7 ← 9.1 ↗ 8.2 ↗ 8.9 ↑
 beste Teiler 446.8 (21.) 908.0 (24.) 1146.4 (26.)
 Trefferlage 4.25 mm links, 8.78 mm hoch
 Streuwert 9.32, horizontal: 11.34, vertikal: 6.72





Serie 4:
 9.2 ↘ 9.4 ↘ 9.3 ↖ 9.2 ↙ 8.9 ↙
 9.9 ↘ 9.1 ↗ 10.0 ↘ 9.3 ↖ 9.7 ↓
 beste Teiler 733.5 (38.) 877.4 (36.) 977.9 (40.)
 Trefferlage 6.33 mm links, 0.13 mm hoch
 Streuwert 8.20, horizontal: 8.43, vertikal: 7.96


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	362	(381.2)
Serien:	90 93 90 89	
Zähler:	12 20 6 2 0 0 0 0 0 0	
Innenzehner:	4	
weiteste:	2769 (38), 2486 (30), 2182 (25)	
beste Teiler	289.6 (3.) 317.7 (17.) 357.6 (15.)	
Trefferlage	4.69 mm links, 0.95 mm hoch	
Streuwert	8.47, horizontal: 7.47, vertikal: 9.37	




Serie 1:	9.6 ↘	8.7 ←	10.6 *	8.8 ↘	10.0 ←
	10.2 ↑	8.5 ↙	9.7 ←	9.7 ↓	9.7 ←
beste Teiler	289.6 (3.) 585.0 (6.) 782.5 (5.)				
Trefferlage	7.56 mm links, 0.54 mm tief				
Streuwert	7.39, horizontal: 5.98, vertikal: 8.57				



Serie 2:	8.5 ↘	9.3 ↗	10.0 ↘	9.3 ↙	10.5 *
	10.0 ↙	10.6 *	9.6 ←	9.3 ↓	9.7 ↑
beste Teiler	317.7 (17.) 357.6 (15.) 735.6 (13.)				
Trefferlage	1.08 mm links, 1.66 mm tief				
Streuwert	8.18, horizontal: 8.07, vertikal: 8.28				



Serie 3:	9.9 ↑	10.0 ↑	9.8 ↙	10.3 ↘	8.2 ↙
	9.5 ↙	10.1 ←	9.9 ↑	9.9 →	7.8 ↑
beste Teiler	505.8 (24.) 706.8 (27.) 751.2 (22.)				
Trefferlage	4.28 mm links, 2.30 mm hoch				
Streuwert	8.85, horizontal: 6.65, vertikal: 10.60				





Serie 4:	9.2 ↙	10.2 ↙	9.7 ←	8.9 ←	10.5 *
	9.6 ↘	9.9 ↙	7.5 ↑	9.0 ↘	9.0 ↘
beste Teiler	360.2 (35.) 605.8 (32.) 859.7 (37.)				
Trefferlage	5.85 mm links, 3.72 mm hoch				
Streuwert	9.38, horizontal: 8.42, vertikal: 10.25				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **358** (376.1)
 Serien: 91 87 90 90
 Zähler: 8 24 7 0 1 0 0 0 0 0
 Innenzehner: 1
 weiteste: 3210 (12), 2091 (25), 2066 (10)
 beste Teiler 326.6 (4.) 489.6 (29.) 565.0 (36.)
 Trefferlage 5.62 mm links, 1.61 mm hoch
 Streuwert 8.74, horizontal: 8.47, vertikal: 8.99




Serie 1:
 9.1 → 9.1 ↙ 8.5 ← 10.5 * 9.5 ↘
 9.8 ↗ 9.4 ↑ 10.2 ↑ 10.2 ↓ 8.4 ↖
 beste Teiler 326.6 (4.) 608.8 (9.) 637.7 (8.)
 Trefferlage 2.35 mm links, 3.31 mm hoch
 Streuwert 9.29, horizontal: 10.02, vertikal: 8.51



Serie 2:
 8.6 ↖ 6.9 ↙ 9.3 ← 9.6 ↘ 9.0 ↙
 9.5 ← 10.1 ↙ 9.7 ← 9.4 ↘ 9.4 ↘
 beste Teiler 676.7 (17.) 977.0 (18.) 1071.3 (14.)
 Trefferlage 9.97 mm links, 1.97 mm tief
 Streuwert 9.15, horizontal: 8.40, vertikal: 9.84



Serie 3:
 9.6 ↘ 9.7 ↙ 9.6 ↙ 10.0 ↘ 8.3 ↘
 9.3 ↘ 9.8 ↓ 9.1 ↘ 10.3 ↙ 8.5 ↑
 beste Teiler 489.6 (29.) 780.3 (24.) 930.7 (27.)
 Trefferlage 6.07 mm links, 2.39 mm hoch
 Streuwert 8.47, horizontal: 7.29, vertikal: 9.51





Serie 4:
 8.8 ↑ 9.5 ← 9.2 ← 10.1 ← 9.7 ↓
 10.2 ↘ 8.8 ↘ 9.7 ↗ 9.8 ↙ 9.9 →
 beste Teiler 565.0 (36.) 653.3 (34.) 870.7 (40.)
 Trefferlage 4.11 mm links, 2.72 mm hoch
 Streuwert 7.83, horizontal: 7.16, vertikal: 8.45


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **367** (385.1)
 Serien: 97 93 89 88
 Zähler: 16 16 7 1 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 2566 (33), 1850 (20), 1841 (31)
 beste Teiler 187.9 (10.) 295.3 (16.) 335.1 (35.)
 Trefferlage 4.46 mm links, 0.82 mm tief
 Streuwert 7.83, horizontal: 7.25, vertikal: 8.37




Serie 1:
 10.5 * 9.0 ↙ 10.2 ↖ 10.3 ↗ 9.5 ↘
 9.5 ↘ 10.0 ↘ 10.0 ↙ 10.0 ↖ 10.7 *
 beste Teiler 187.9 (10.) 383.9 (1.) 552.8 (4.)
 Trefferlage 4.32 mm links, 1.40 mm tief
 Streuwert 5.63, horizontal: 3.47, vertikal: 7.17



Serie 2:
 10.2 ↖ 9.8 ↖ 9.5 ↘ 9.6 ↗ 10.4 *
 10.6 * 9.4 ↘ 9.9 ↖ 10.2 ↘ 8.6 ↘
 beste Teiler 295.3 (16.) 453.4 (15.) 623.2 (11.)
 Trefferlage 3.88 mm links, 0.26 mm tief
 Streuwert 6.91, horizontal: 7.01, vertikal: 6.81



Serie 3:
 10.0 ↙ 9.4 ↖ 8.7 ↘ 8.8 ↓ 9.6 ↗
 10.0 ↓ 8.7 ↗ 9.8 ↘ 9.9 ↘ 9.4 ↗
 beste Teiler 751.0 (21.) 790.4 (26.) 805.4 (29.)
 Trefferlage 0.02 mm rechts, 0.32 mm hoch
 Streuwert 9.56, horizontal: 7.81, vertikal: 11.04



Serie 4:
 8.6 ↙ 10.2 ↘ 7.7 ↘ 9.2 ↖ 10.5 *
 8.8 ↘ 9.1 ↖ 8.9 ↘ 10.2 ↗ 9.7 ↖
 beste Teiler 335.1 (35.) 606.4 (32.) 607.6 (39.)
 Trefferlage 9.66 mm links, 1.97 mm tief
 Streuwert 8.16, horizontal: 7.26, vertikal: 8.96

Unterschrift des Schützen

Meyton Elektronik