





Ergebnis: **360** (376.8)
 Serien: 94 91 84 91
 Zähler: 16 13 8 2 0 1 0 0 0 0
 Innenzehner: 9
 weiteste: 4046 (26), 3105 (25), 2953 (17)
 beste Teiler 136.4 (35.) 160.1 (12.) 226.9 (39.)
 Trefferlage 3.69 mm links, 3.36 mm tief
 Streuwert 10.15, horizontal: 11.84, vertikal: 8.12




Serie 1:
 9.2 ↓ 9.1 ↓ 9.8 ← 9.9 ← 9.1 ↘
 10.4 * 10.4 * 10.1 ↘ 9.4 ← 10.3 ↘
 beste Teiler 426.6 (6.) 449.1 (7.) 499.6 (10.)
 Trefferlage 2.41 mm links, 5.55 mm tief
 Streuwert 6.27, horizontal: 6.88, vertikal: 5.60



Serie 2:
 10.3 ↗ 10.8 * 10.0 ↘ 9.5 ↑ 9.3 ↑
 9.7 ↑ 7.3 ← 10.1 ↘ 8.4 ← 9.5 ←
 beste Teiler 160.1 (12.) 537.5 (11.) 649.8 (18.)
 Trefferlage 3.38 mm links, 0.01 mm hoch
 Streuwert 10.20, horizontal: 10.27, vertikal: 10.13



Serie 3:
 8.5 ↓ 9.7 ↘ 9.2 ↓ 10.6 * 7.1 ←
 5.9 ↘ 10.4 * 8.1 ← 8.1 ← 10.4 *
 beste Teiler 269.1 (24.) 454.3 (30.) 474.2 (27.)
 Trefferlage 4.11 mm links, 8.08 mm tief
 Streuwert 14.02, horizontal: 18.63, vertikal: 6.81





Serie 4:
 9.6 ↘ 10.2 ↑ 8.8 ← 10.1 ↘ 10.8 *
 8.4 ↘ 10.4 * 8.7 ↘ 10.7 * 8.5 ←
 beste Teiler 136.4 (35.) 226.9 (39.) 472.4 (37.)
 Trefferlage 4.86 mm links, 0.15 mm hoch
 Streuwert 8.75, horizontal: 10.21, vertikal: 6.98


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **364** (382.6)
 Serien: 90 93 91 90
 Zähler: 12 22 5 0 1 0 0 0 0 0
 Innenzehner: 7
 weiteste: 3524 (37), 2219 (24), 2203 (35)
 beste Teiler 64.3 (1.) 233.1 (30.) 240.2 (22.)
 Trefferlage 0.53 mm rechts, 2.98 mm tief
 Streuwert 9.02, horizontal: 9.35, vertikal: 8.68




Serie 1:
 10.9 * 8.5 ↙ 9.9 ← 9.9 ↖ 9.8 ↓
 10.2 ↘ 9.7 ↙ 9.3 ↑ 8.7 ↓ 9.5 ←
 beste Teiler 64.3 (1.) 610.6 (6.) 812.7 (3.)
 Trefferlage 6.54 mm links, 2.79 mm tief
 Streuwert 6.96, horizontal: 4.03, vertikal: 8.98



Serie 2:
 10.6 * 10.7 * 10.1 ↖ 9.8 ↙ 9.8 →
 10.2 → 9.1 → 9.8 ↖ 9.6 ↘ 8.7 →
 beste Teiler 240.6 (12.) 309.6 (11.) 624.9 (16.)
 Trefferlage 2.85 mm rechts, 1.14 mm tief
 Streuwert 7.06, horizontal: 8.66, vertikal: 4.97



Serie 3:
 9.4 ↘ 10.7 * 9.9 ↖ 8.2 → 9.0 ↗
 9.3 ↙ 9.3 ↘ 9.7 ↓ 9.1 ↓ 10.7 *
 beste Teiler 233.1 (30.) 240.2 (22.) 863.8 (23.)
 Trefferlage 2.13 mm rechts, 4.89 mm tief
 Streuwert 8.78, horizontal: 9.28, vertikal: 8.26





Serie 4:
 10.5 * 10.0 ← 10.3 ↑ 9.2 → 8.2 →
 9.1 → 6.5 ↓ 10.5 * 9.2 ← 9.0 →
 beste Teiler 341.8 (38.) 345.8 (31.) 550.1 (33.)
 Trefferlage 3.67 mm rechts, 3.11 mm tief
 Streuwert 11.64, horizontal: 11.22, vertikal: 12.05


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **365** (381.8)
 Serien: 86 90 94 95
 Zähler: 15 17 6 2 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 3138 (27), 2737 (4), 2269 (7)
 beste Teiler 107.3 (34.) 193.8 (37.) 224.5 (23.)
 Trefferlage 2.70 mm links, 0.59 mm hoch
 Streuwert 9.30, horizontal: 8.97, vertikal: 9.61




Serie 1:
 8.3 ↗ 9.7 ← 10.1 ↖ 7.5 ↑ 9.0 ↗
 8.3 ← 8.1 ↖ 9.5 ↘ 8.5 ↓ 10.5 *
 beste Teiler 371.1 (10.) 695.9 (3.) 979.7 (2.)
 Trefferlage 5.38 mm links, 4.71 mm hoch
 Streuwert 11.94, horizontal: 10.24, vertikal: 13.42



Serie 2:
 9.9 ← 8.5 ↓ 9.0 ↘ 9.8 ↑ 9.6 ↗
 9.9 ← 9.1 ↓ 10.0 ← 8.5 → 10.6 *
 beste Teiler 287.5 (20.) 759.8 (18.) 832.1 (16.)
 Trefferlage 2.14 mm rechts, 2.46 mm tief
 Streuwert 9.23, horizontal: 9.32, vertikal: 9.14





Serie 3:
 9.9 ↑ 10.4 * 10.7 * 10.2 ↙ 9.9 ↑
 10.3 ↘ 7.0 ↗ 10.2 ↙ 9.9 ↘ 10.1 ←
 beste Teiler 224.5 (23.) 462.7 (22.) 543.0 (26.)
 Trefferlage 5.16 mm links, 0.38 mm tief
 Streuwert 7.89, horizontal: 6.49, vertikal: 9.07




Serie 4:
 9.4 ← 10.3 ↘ 10.0 ↓ 10.8 * 9.4 →
 9.5 ↑ 10.7 * 9.4 ↘ 9.1 ← 10.2 ↘
 beste Teiler 107.3 (34.) 193.8 (37.) 481.7 (32.)
 Trefferlage 2.41 mm links, 0.49 mm hoch
 Streuwert 7.00, horizontal: 8.62, vertikal: 4.89

Unterschrift des Schützen


Ergebnis: **389.4** (371)
 Serien: 96.2 98.1 96.8 98.3
 Zähler: 18 16 5 1 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 2523 (14), 2358 (2), 2300 (39)
 beste Teiler 149.0 (15.) 249.9 (37.) 287.5 (17.)
 Trefferlage 1.21 mm links, 1.44 mm tief
 Streuwert 8.03, horizontal: 8.57, vertikal: 7.46




Serie 1:
 9.9 ↑ 8.0 ↑ 9.9 ↓ 9.1 ← 9.6 ↘
 9.2 ↓ 10.4 * 10.3 ↘ 10.4 * 9.4 ↙
 beste Teiler 413.2 (7.) 430.0 (9.) 519.0 (8.)
 Trefferlage 3.62 mm links, 0.18 mm hoch
 Streuwert 8.56, horizontal: 5.56, vertikal: 10.75



Serie 2:
 9.5 ↙ 10.5 * 10.0 ↓ 7.8 → 10.8 *
 9.7 ← 10.6 * 10.2 ↘ 9.2 ↖ 9.8 →
 beste Teiler 149.0 (15.) 287.5 (17.) 333.0 (12.)
 Trefferlage 0.65 mm rechts, 2.26 mm tief
 Streuwert 8.24, horizontal: 10.83, vertikal: 4.31



Serie 3:
 10.1 ↙ 10.3 ↘ 8.9 ← 10.3 → 8.5 →
 9.7 ↙ 9.8 ← 9.6 → 10.2 ← 9.4 ↓
 beste Teiler 505.0 (24.) 534.1 (22.) 607.7 (29.)
 Trefferlage 0.73 mm links, 2.35 mm tief
 Streuwert 8.14, horizontal: 10.34, vertikal: 5.05





Serie 4:
 10.3 ↗ 9.4 ↗ 10.4 * 10.6 * 10.0 ↑
 9.7 ↓ 10.6 * 8.9 ↙ 8.1 ↙ 10.3 ↗
 beste Teiler 249.9 (37.) 307.9 (34.) 403.3 (33.)
 Trefferlage 1.16 mm links, 1.34 mm tief
 Streuwert 8.04, horizontal: 7.23, vertikal: 8.77


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **359** (376.0)
 Serien: 94 83 90 92
 Zähler: 14 19 4 0 1 2 0 0 0 0
 Innenzehner: 5
 weiteste: 4575 (15), 4100 (11), 3285 (28)
 beste Teiler 235.0 (8.) 343.5 (4.) 359.3 (10.)
 Trefferlage 0.87 mm links, 1.56 mm tief
 Streuwert 10.92, horizontal: 13.47, vertikal: 7.56




Serie 1:
 10.0 ↑ 9.2 → 8.9 ↙ 10.5 * 9.5 ↗
 10.1 ↗ 9.3 ↘ 10.7 * 9.9 ↘ 10.5 *
 beste Teiler 235.0 (8.) 343.5 (4.) 359.3 (10.)
 Trefferlage 0.53 mm links, 1.71 mm tief
 Streuwert 7.29, horizontal: 8.05, vertikal: 6.44



Serie 2:
 5.8 ↙ 10.1 ↙ 10.0 ↓ 9.1 → 5.2 ↙
 9.8 ↖ 9.4 → 9.2 ↑ 8.8 ↘ 9.6 ↘
 beste Teiler 685.3 (12.) 770.8 (13.) 930.6 (16.)
 Trefferlage 6.72 mm links, 4.40 mm tief
 Streuwert 15.44, horizontal: 19.77, vertikal: 9.26



Serie 3:
 9.9 → 9.9 ↑ 9.5 ↑ 10.5 * 9.1 ↗
 10.0 ↘ 9.2 ↘ 6.8 → 10.3 → 9.0 ↘
 beste Teiler 388.9 (24.) 554.6 (29.) 799.5 (26.)
 Trefferlage 7.50 mm rechts, 1.68 mm hoch
 Streuwert 9.21, horizontal: 10.67, vertikal: 7.47





Serie 4:
 9.6 ↙ 10.4 ↗ 9.4 ↓ 9.9 ↙ 10.1 ↓
 10.4 * 9.0 ← 8.7 ↙ 8.6 ↗ 10.1 ↖
 beste Teiler 448.8 (36.) 479.0 (32.) 642.8 (35.)
 Trefferlage 3.73 mm links, 1.82 mm tief
 Streuwert 8.24, horizontal: 9.58, vertikal: 6.62


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **354** (372.4)
 Serien: 93 91 87 83
 Zähler: 10 19 8 2 0 1 0 0 0 0
 Innenzehner: 3
 weiteste: 4174 (30), 2931 (34), 2497 (31)
 beste Teiler 384.3 (25.) 407.0 (20.) 462.4 (13.)
 Trefferlage 2.59 mm rechts, 0.55 mm tief
 Streuwert 10.63, horizontal: 11.53, vertikal: 9.65




Serie 1:
 8.6 ↘ 10.3 ↙ 10.1 ↖ 10.1 → 9.7 ↗
 9.6 ↗ 9.1 ← 10.0 ↘ 9.6 ↗ 9.0 ←
 beste Teiler 493.3 (2.) 647.9 (4.) 687.1 (3.)
 Trefferlage 0.25 mm links, 1.76 mm tief
 Streuwert 8.48, horizontal: 10.30, vertikal: 6.15



Serie 2:
 8.6 ↘ 9.7 ↓ 10.4 * 9.3 ↖ 9.1 →
 10.2 ↙ 8.8 ↗ 9.8 → 9.9 ↓ 10.4 *
 beste Teiler 407.0 (20.) 462.4 (13.) 609.6 (16.)
 Trefferlage 3.12 mm rechts, 4.10 mm tief
 Streuwert 7.88, horizontal: 8.58, vertikal: 7.11



Serie 3:
 9.5 ↑ 8.1 ↙ 9.0 ↘ 10.2 → 10.5 *
 9.1 ↙ 9.9 ↘ 10.0 ↓ 8.5 ↗ 5.7 ↗
 beste Teiler 384.3 (25.) 632.3 (24.) 763.0 (28.)
 Trefferlage 0.72 mm rechts, 3.40 mm hoch
 Streuwert 13.50, horizontal: 15.43, vertikal: 11.26





Serie 4:
 7.8 ↘ 9.9 ↑ 8.9 → 7.3 → 9.8 ↓
 8.9 ↘ 9.6 ↑ 9.0 ↘ 9.6 ↘ 8.8 ↓
 beste Teiler 868.6 (32.) 941.3 (35.) 1083.9 (39.)
 Trefferlage 6.77 mm rechts, 0.26 mm hoch
 Streuwert 11.83, horizontal: 11.20, vertikal: 12.43


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **370** (389.4)
 Serien: 93 93 91 93
 Zähler: 12 26 2 0 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 1927 (35), 1644 (22), 1479 (16)
 beste Teiler 106.7 (13.) 119.6 (40.) 159.4 (30.)
 Trefferlage 0.28 mm links, 0.72 mm hoch
 Streuwert 7.61, horizontal: 7.91, vertikal: 7.30




Serie 1:
 9.4 → 9.2 ↓ 9.8 → 10.7 * 10.4 *
 10.2 ↘ 9.9 ↗ 9.9 ↑ 9.1 → 9.5 ←
 beste Teiler 197.1 (4.) 444.1 (5.) 625.0 (6.)
 Trefferlage 3.26 mm rechts, 0.94 mm tief
 Streuwert 6.99, horizontal: 7.60, vertikal: 6.31



Serie 2:
 9.6 ↘ 9.9 → 10.8 * 9.9 ↑ 9.6 ←
 9.1 ↙ 10.1 ↓ 9.4 ↖ 9.7 ← 10.5 *
 beste Teiler 106.7 (13.) 340.8 (20.) 682.9 (17.)
 Trefferlage 2.70 mm links, 2.68 mm tief
 Streuwert 6.50, horizontal: 7.33, vertikal: 5.54



Serie 3:
 9.5 ↙ 8.9 → 9.3 ↑ 9.3 ← 10.1 ←
 9.1 ← 9.7 → 9.2 ↘ 9.9 → 10.8 *
 beste Teiler 159.4 (30.) 686.1 (25.) 854.9 (29.)
 Trefferlage 1.28 mm links, 2.41 mm hoch
 Streuwert 8.59, horizontal: 10.12, vertikal: 6.71





Serie 4:
 10.2 ↘ 9.2 ↑ 9.8 ↙ 10.1 ↘ 8.5 ↑
 9.3 ↖ 10.2 ↓ 9.2 ↘ 9.6 ↗ 10.8 *
 beste Teiler 119.6 (40.) 570.7 (37.) 604.0 (31.)
 Trefferlage 0.40 mm links, 4.11 mm hoch
 Streuwert 7.73, horizontal: 5.98, vertikal: 9.15


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **364** (381.5)
 Serien: 90 88 92 94
 Zähler: 13 20 6 0 1 0 0 0 0 0
 Innenzehner: 8
 weiteste: 3794 (17), 2201 (11), 2045 (21)
 beste Teiler 211.1 (22.) 278.8 (35.) 294.0 (37.)
 Trefferlage 0.13 mm rechts, 1.32 mm hoch
 Streuwert 9.47, horizontal: 9.54, vertikal: 9.41




Serie 1:
 10.5 * 9.4 ↑ 9.6 ↗ 9.8 ← 10.1 ↙
 8.6 ↙ 9.7 ↑ 8.4 ↖ 9.2 ↑ 9.9 ↑
 beste Teiler 327.0 (1.) 642.4 (5.) 880.0 (10.)
 Trefferlage 3.79 mm links, 4.59 mm hoch
 Streuwert 8.17, horizontal: 8.99, vertikal: 7.26



Serie 2:
 8.2 ↓ 9.4 ↑ 10.1 ↓ 9.8 ↑ 9.0 ↖
 9.9 ↖ 6.2 ↗ 10.5 * 9.0 ↘ 9.3 →
 beste Teiler 350.7 (18.) 686.4 (13.) 801.9 (16.)
 Trefferlage 2.83 mm rechts, 3.11 mm hoch
 Streuwert 12.42, horizontal: 11.92, vertikal: 12.90



Serie 3:
 8.4 ↑ 10.7 * 8.4 → 10.0 → 10.6 *
 9.0 ↘ 10.6 * 9.9 ↙ 8.8 ↘ 10.5 *
 beste Teiler 211.1 (22.) 294.9 (25.) 311.1 (27.)
 Trefferlage 5.05 mm rechts, 0.39 mm tief
 Streuwert 8.47, horizontal: 8.83, vertikal: 8.09



Serie 4:
 10.0 ↑ 10.0 ↑ 9.4 ↖ 9.9 ↓ 10.6 *
 9.1 ↓ 10.6 * 9.3 ↙ 9.8 ← 9.3 ↓
 beste Teiler 278.8 (35.) 294.0 (37.) 795.3 (31.)
 Trefferlage 3.56 mm links, 1.99 mm tief
 Streuwert 6.86, horizontal: 5.09, vertikal: 8.26

Unterschrift des Schützen

Meyton Elektronik