





Ergebnis: **363** (384.0)
 Serien: 87 89 93 94
 Zähler: 12 22 3 3 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 2811 (9), 2415 (6), 2414 (15)
 beste Teiler 231.3 (22.) 239.3 (34.) 303.2 (21.)
 Trefferlage 1.10 mm rechts, 4.66 mm hoch
 Streuwert 8.09, horizontal: 7.75, vertikal: 8.42




Serie 1:
 8.9 ↘ 9.9 ↗ 10.0 ↘ 9.1 ↖ 9.2 ↗
 7.9 ↗ 9.5 ↑ 9.1 ↑ 7.4 ↑ 10.4 *
 beste Teiler 471.6 (10.) 793.6 (3.) 806.8 (2.)
 Trefferlage 0.56 mm rechts, 7.19 mm hoch
 Streuwert 10.66, horizontal: 8.45, vertikal: 12.47



Serie 2:
 10.3 ↖ 10.1 ← 9.5 ↗ 9.9 → 7.9 ↘
 9.4 ↑ 9.8 ↓ 9.8 ↗ 8.8 ↖ 9.5 ↗
 beste Teiler 492.0 (11.) 686.5 (12.) 805.3 (14.)
 Trefferlage 1.06 mm rechts, 5.87 mm hoch
 Streuwert 8.46, horizontal: 8.04, vertikal: 8.87



Serie 3:
 10.6 * 10.7 * 10.1 ↑ 8.8 ↑ 9.4 ←
 9.3 ← 9.8 ↖ 9.8 ↑ 10.2 → 9.4 ←
 beste Teiler 231.3 (22.) 303.2 (21.) 607.2 (29.)
 Trefferlage 2.54 mm links, 4.06 mm hoch
 Streuwert 6.71, horizontal: 7.32, vertikal: 6.02





Serie 4:
 9.8 → 9.8 → 9.8 ↗ 10.7 * 10.5 *
 10.3 ↗ 10.2 ↖ 9.6 ↗ 9.0 → 9.8 ↘
 beste Teiler 239.3 (34.) 349.2 (35.) 525.5 (36.)
 Trefferlage 5.34 mm rechts, 1.50 mm hoch
 Streuwert 5.10, horizontal: 5.97, vertikal: 4.04


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **357** (374.4)
 Serien: 88 92 88 89
 Zähler: 12 15 11 2 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 2980 (23), 2564 (4), 2358 (28)
 beste Teiler 169.8 (27.) 179.0 (21.) 263.5 (16.)
 Trefferlage 1.33 mm links, 4.99 mm hoch
 Streuwert 9.78, horizontal: 9.27, vertikal: 10.27




Serie 1:
 9.6 ↗ 8.3 ↘ 8.3 ↑ 7.7 ↑ 10.2 ↑
 9.1 ↗ 8.6 ↑ 10.0 ↘ 10.2 ↘ 9.6 ↘
 beste Teiler 592.1 (5.) 596.6 (9.) 753.1 (8.)
 Trefferlage 1.01 mm links, 9.13 mm hoch
 Streuwert 9.60, horizontal: 5.88, vertikal: 12.23



Serie 2:
 8.9 ↘ 8.2 ↘ 10.6 * 9.8 ↘ 10.3 ↑
 10.6 * 9.8 ← 9.9 ↗ 10.0 ↓ 9.2 →
 beste Teiler 263.5 (16.) 291.4 (13.) 515.8 (15.)
 Trefferlage 3.36 mm links, 0.99 mm tief
 Streuwert 8.11, horizontal: 7.49, vertikal: 8.69





Serie 3:
 10.7 * 10.1 ↘ 7.2 ↘ 10.1 ↘ 9.3 ↑
 8.4 ↗ 10.7 * 8.0 ↗ 8.7 ← 8.7 ↘
 beste Teiler 169.8 (27.) 179.0 (21.) 681.8 (22.)
 Trefferlage 1.86 mm links, 7.37 mm hoch
 Streuwert 11.09, horizontal: 11.99, vertikal: 10.10




Serie 4:
 9.7 ↑ 9.9 ↓ 9.8 → 9.4 ↗ 8.1 ↗
 10.3 ← 9.5 ↗ 9.3 ↑ 8.1 ← 9.5 ↘
 beste Teiler 525.7 (36.) 815.8 (32.) 917.2 (33.)
 Trefferlage 0.89 mm rechts, 4.47 mm hoch
 Streuwert 9.79, horizontal: 11.29, vertikal: 8.01

Unterschrift des Schützen


Ergebnis: **363** (379.5)
 Serien: 92 89 93 89
 Zähler: 11 22 6 1 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2798 (6), 2391 (38), 2347 (17)
 beste Teiler 262.4 (18.) 281.3 (8.) 322.8 (24.)
 Trefferlage 0.52 mm links, 3.73 mm hoch
 Streuwert 9.04, horizontal: 9.76, vertikal: 8.26




Serie 1:
 9.2 ← 9.8 ↖ 9.3 ↑ 10.0 ↖ 9.2 ↖
 7.5 ↖ 10.5 * 10.6 * 9.9 ↗ 10.2 ↗
 beste Teiler 281.3 (8.) 363.6 (7.) 572.5 (10.)
 Trefferlage 5.13 mm links, 5.16 mm hoch
 Streuwert 7.74, horizontal: 8.65, vertikal: 6.71



Serie 2:
 8.4 ↖ 9.3 ↗ 10.2 ↗ 8.7 ↗ 9.5 ↖
 9.1 ↑ 8.0 ↖ 10.6 * 9.1 ↖ 9.0 ↖
 beste Teiler 262.4 (18.) 627.6 (13.) 1169.5 (15.)
 Trefferlage 1.38 mm links, 8.22 mm hoch
 Streuwert 9.48, horizontal: 10.57, vertikal: 8.26



Serie 3:
 9.4 ↖ 9.3 ↖ 10.1 ↗ 10.5 * 10.4 *
 8.8 ↑ 9.2 ↗ 9.2 ↘ 9.9 ↓ 10.5 *
 beste Teiler 322.8 (24.) 388.0 (30.) 458.0 (25.)
 Trefferlage 0.00 mm , 0.16 mm hoch
 Streuwert 8.12, horizontal: 7.37, vertikal: 8.81





Serie 4:
 9.6 ↗ 9.9 ↗ 8.4 ↗ 9.7 ↘ 9.4 ←
 9.2 ↓ 9.9 ↑ 8.0 → 10.3 ↗ 9.7 ←
 beste Teiler 493.2 (39.) 866.7 (37.) 876.3 (32.)
 Trefferlage 4.43 mm rechts, 1.38 mm hoch
 Streuwert 9.47, horizontal: 10.95, vertikal: 7.71


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **389.2** (374)
 Serien: 100.0 94.6 97.4 97.2
 Zähler: 19 16 5 0 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 2352 (33), 2309 (20), 2109 (1)
 beste Teiler 95.0 (29.) 194.2 (11.) 306.8 (4.)
 Trefferlage 0.39 mm links, 3.78 mm hoch
 Streuwert 7.67, horizontal: 7.14, vertikal: 8.17




Serie 1:
 8.3 → 10.3 ↘ 9.8 → 10.6 * 10.1 ↖
 10.2 ← 9.7 ↑ 10.5 * 10.4 * 10.1 ←
 beste Teiler 306.8 (4.) 328.3 (8.) 467.6 (9.)
 Trefferlage 1.86 mm rechts, 1.25 mm hoch
 Streuwert 6.57, horizontal: 8.07, vertikal: 4.59



Serie 2:
 10.7 * 9.3 ↘ 9.0 ← 8.3 ↗ 9.9 ↖
 9.2 ↑ 10.4 * 9.6 ↖ 10.1 ↖ 8.1 ↘
 beste Teiler 194.2 (11.) 439.8 (17.) 674.0 (19.)
 Trefferlage 4.60 mm links, 7.18 mm hoch
 Streuwert 7.83, horizontal: 7.23, vertikal: 8.39



Serie 3:
 9.4 ↑ 9.7 → 8.5 ↗ 9.1 ↑ 10.1 ↖
 9.4 ↑ 9.6 ↘ 10.5 * 10.8 * 10.3 ↗
 beste Teiler 95.0 (29.) 366.3 (28.) 510.9 (30.)
 Trefferlage 1.76 mm rechts, 5.96 mm hoch
 Streuwert 6.72, horizontal: 4.92, vertikal: 8.13





Serie 4:
 9.4 → 9.9 ↑ 8.0 ↓ 10.0 ↑ 10.4 *
 9.4 ↘ 10.4 * 10.3 ↘ 9.1 ← 10.3 →
 beste Teiler 457.0 (37.) 461.6 (35.) 551.9 (38.)
 Trefferlage 0.60 mm links, 0.74 mm hoch
 Streuwert 8.51, horizontal: 6.98, vertikal: 9.80


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **361** (379.6)
 Serien: 91 95 85 90
 Zähler: 15 14 9 1 1 0 0 0 0 0
 Innenzehner: 5
 weiteste: 3758 (26), 2652 (21), 2183 (13)
 beste Teiler 198.1 (28.) 249.3 (5.) 252.8 (39.)
 Trefferlage 3.62 mm links, 1.04 mm hoch
 Streuwert 9.46, horizontal: 7.79, vertikal: 10.88




Serie 1:
 9.8 ↙ 9.1 ↘ 10.3 ↘ 8.4 ↘ 10.6 *
 10.5 * 8.8 ↘ 9.6 ↗ 8.7 ↓ 10.3 ↘
 beste Teiler 249.3 (5.) 331.3 (6.) 485.7 (10.)
 Trefferlage 3.76 mm links, 0.42 mm hoch
 Streuwert 8.82, horizontal: 7.30, vertikal: 10.12



Serie 2:
 9.3 ↘ 9.7 ↘ 8.2 ↑ 10.2 ↗ 10.0 ↗
 9.8 ↗ 10.0 ↘ 10.4 ↗ 10.0 ↙ 10.0 →
 beste Teiler 476.3 (18.) 567.8 (14.) 729.5 (19.)
 Trefferlage 2.04 mm links, 2.64 mm hoch
 Streuwert 7.46, horizontal: 6.08, vertikal: 8.62



Serie 3:
 7.6 ↗ 8.9 ↘ 9.3 ← 9.8 ↘ 9.2 →
 6.3 ↗ 10.0 ↘ 10.7 * 8.4 ↘ 9.6 ↗
 beste Teiler 198.1 (28.) 774.9 (27.) 931.3 (24.)
 Trefferlage 4.73 mm links, 1.37 mm hoch
 Streuwert 13.34, horizontal: 11.58, vertikal: 14.89





Serie 4:
 9.3 ↓ 8.9 ↘ 9.7 ← 8.9 ↘ 10.4 *
 10.1 ↗ 9.8 ↗ 9.9 ↘ 10.6 * 8.5 ↓
 beste Teiler 252.8 (39.) 434.2 (35.) 718.2 (36.)
 Trefferlage 3.94 mm links, 0.25 mm tief
 Streuwert 8.47, horizontal: 5.87, vertikal: 10.45


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **355** (377.5)
 Serien: 91 91 83 90
 Zähler: 10 19 8 2 1 0 0 0 0 0
 Innenzehner: 6
 weiteste: 3419 (29), 2805 (19), 2497 (39)
 beste Teiler 89.5 (18.) 91.2 (33.) 222.0 (15.)
 Trefferlage 0.86 mm rechts, 5.14 mm hoch
 Streuwert 9.35, horizontal: 7.61, vertikal: 10.81




Serie 1:
 9.6 ↗ 8.0 ↘ 9.8 ← 10.0 ↘ 10.4 *
 9.5 ↘ 9.3 ↑ 9.3 ↗ 9.6 → 9.6 ↘
 beste Teiler 410.5 (5.) 787.2 (4.) 930.2 (3.)
 Trefferlage 1.44 mm links, 7.74 mm hoch
 Streuwert 7.28, horizontal: 8.80, vertikal: 5.36



Serie 2:
 10.1 ↑ 10.1 ← 10.2 ← 9.0 ↑ 10.7 *
 9.4 ↘ 8.6 ↓ 10.8 * 7.4 ↑ 8.9 ↓
 beste Teiler 89.5 (18.) 222.0 (15.) 632.1 (13.)
 Trefferlage 1.09 mm links, 0.60 mm hoch
 Streuwert 10.29, horizontal: 4.84, vertikal: 13.72



Serie 3:
 8.9 ↘ 8.3 ↓ 9.8 → 10.5 * 8.8 ↑
 9.4 → 8.8 ↑ 8.7 ↑ 6.7 ↑ 9.9 ↑
 beste Teiler 351.7 (24.) 870.7 (30.) 935.7 (23.)
 Trefferlage 2.07 mm rechts, 8.06 mm hoch
 Streuwert 11.60, horizontal: 6.54, vertikal: 15.05





Serie 4:
 9.6 → 9.9 ← 10.8 * 9.9 → 9.9 ↘
 9.7 ↑ 9.5 ↑ 10.4 * 7.8 → 9.9 ↗
 beste Teiler 91.2 (33.) 409.2 (38.) 836.6 (40.)
 Trefferlage 3.90 mm rechts, 4.14 mm hoch
 Streuwert 7.31, horizontal: 9.24, vertikal: 4.64


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **366** (382.7)
 Serien: 93 93 85 95
 Zähler: 16 17 5 1 1 0 0 0 0 0
 Innenzehner: 8
 weiteste: 3466 (21), 2804 (30), 2330 (23)
 beste Teiler 96.0 (25.) 174.6 (31.) 321.2 (40.)
 Trefferlage 0.12 mm links, 2.81 mm hoch
 Streuwert 9.22, horizontal: 7.35, vertikal: 10.77




Serie 1:
 10.0 → 10.1 → 9.5 ↓ 9.2 ↘ 9.5 →
 10.5 * 10.5 * 9.7 ↖ 9.0 → 8.9 ←
 beste Teiler 340.2 (6.) 365.1 (7.) 707.7 (2.)
 Trefferlage 2.12 mm rechts, 1.88 mm tief
 Streuwert 8.07, horizontal: 9.21, vertikal: 6.74



Serie 2:
 9.8 ← 9.1 ↑ 9.1 ↓ 9.1 ↗ 10.4 *
 10.3 ↑ 9.5 ↓ 9.3 ↑ 9.9 ↑ 10.5 *
 beste Teiler 348.8 (20.) 452.9 (15.) 546.4 (16.)
 Trefferlage 0.63 mm links, 3.23 mm hoch
 Streuwert 7.68, horizontal: 4.53, vertikal: 9.87



Serie 3:
 6.6 ↑ 9.7 ↑ 8.0 ↑ 9.2 ↗ 10.8 *
 10.2 ↗ 8.9 ↑ 10.5 * 8.7 ↑ 7.4 ↘
 beste Teiler 96.0 (25.) 337.1 (28.) 614.5 (26.)
 Trefferlage 0.44 mm rechts, 8.89 mm hoch
 Streuwert 12.18, horizontal: 8.62, vertikal: 14.91





Serie 4:
 10.7 * 9.3 ← 10.3 ← 8.3 ↗ 10.3 ←
 10.1 ↑ 10.3 ↗ 9.7 ← 9.3 ↓ 10.5 *
 beste Teiler 174.6 (31.) 321.2 (40.) 506.4 (35.)
 Trefferlage 2.42 mm links, 1.00 mm hoch
 Streuwert 7.43, horizontal: 6.49, vertikal: 8.26


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **362** (382.3)
 Serien: 93 92 88 89
 Zähler: 11 20 9 0 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2363 (26), 1988 (33), 1971 (23)
 beste Teiler 230.5 (1.) 298.0 (8.) 302.0 (38.)
 Trefferlage 1.81 mm links, 1.00 mm hoch
 Streuwert 8.70, horizontal: 7.77, vertikal: 9.53




Serie 1:
 10.7 * 9.1 ↗ 8.8 ↙ 9.3 ↘ 9.7 ↘
 9.9 ↗ 10.0 ← 10.6 * 9.1 ← 10.0 ↖
 beste Teiler 230.5 (1.) 298.0 (8.) 733.5 (10.)
 Trefferlage 0.90 mm rechts, 0.98 mm hoch
 Streuwert 8.17, horizontal: 9.36, vertikal: 6.77



Serie 2:
 8.8 ↓ 10.0 ↓ 8.7 ↗ 9.3 ↑ 9.7 ↓
 9.6 ↘ 10.1 ↑ 10.4 * 10.4 * 9.1 ↓
 beste Teiler 425.6 (18.) 471.6 (19.) 666.4 (17.)
 Trefferlage 0.10 mm rechts, 0.59 mm tief
 Streuwert 8.73, horizontal: 4.33, vertikal: 11.56



Serie 3:
 9.8 ← 10.5 * 8.5 ↗ 9.6 ↘ 9.8 ↑
 8.0 ↙ 9.7 ← 9.2 ↑ 9.7 ↗ 8.7 ↑
 beste Teiler 345.9 (22.) 890.6 (21.) 959.0 (25.)
 Trefferlage 2.69 mm links, 4.72 mm hoch
 Streuwert 9.60, horizontal: 8.32, vertikal: 10.73



Serie 4:
 9.8 ↙ 10.1 ↙ 8.5 ↙ 8.9 ↘ 9.9 ↙
 8.6 ↘ 9.8 ↙ 10.6 * 9.8 ↘ 9.5 →
 beste Teiler 302.0 (38.) 688.1 (32.) 818.4 (35.)
 Trefferlage 5.55 mm links, 1.09 mm tief
 Streuwert 8.17, horizontal: 7.58, vertikal: 8.71

Unterschrift des Schützen

Meyton Elektronik