





Ergebnis: **353** (370.3)  
 Serien: 90 87 86 90  
 Zähler: 10 17 9 4 0 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 2851 (2), 2639 (28), 2560 (13)  
 beste Teiler 139.8 (17.) 219.2 (8.) 287.3 (5.)  
 Trefferlage 3.79 mm rechts, 0.18 mm hoch  
 Streuwert 10.70, horizontal: 9.74, vertikal: 11.58




Serie 1:  
 10.1 ↗ 7.4 ↗ 8.2 ↗ 9.1 ↑ 10.6 \*  
 9.9 ← 9.9 ← 10.7 \* 9.4 ↓ 9.3 ↘  
 beste Teiler 219.2 (8.) 287.3 (5.) 681.2 (1.)  
 Trefferlage 3.38 mm rechts, 2.07 mm hoch  
 Streuwert 10.21, horizontal: 10.05, vertikal: 10.36



Serie 2:  
 10.3 ↑ 9.4 ↙ 7.8 ↓ 8.3 ↗ 8.8 →  
 8.3 → 10.8 \* 10.0 ← 9.8 ↙ 8.7 →  
 beste Teiler 139.8 (17.) 558.3 (11.) 795.6 (18.)  
 Trefferlage 3.77 mm rechts, 1.24 mm tief  
 Streuwert 11.46, horizontal: 12.10, vertikal: 10.77





Serie 3:  
 9.2 ↓ 8.5 ↓ 8.3 ↑ 9.0 → 9.4 ↗  
 9.5 ↘ 10.6 \* 7.7 ↙ 8.0 ↗ 9.2 ↗  
 beste Teiler 312.8 (27.) 1172.1 (26.) 1217.6 (25.)  
 Trefferlage 2.81 mm rechts, 0.15 mm hoch  
 Streuwert 12.73, horizontal: 9.83, vertikal: 15.08




Serie 4:  
 10.2 ↗ 7.9 ↓ 10.4 \* 9.7 ↑ 9.0 ↗  
 9.1 → 8.1 → 9.9 → 9.8 ↓ 10.0 ↑  
 beste Teiler 461.6 (33.) 635.8 (31.) 762.5 (40.)  
 Trefferlage 5.19 mm rechts, 0.22 mm tief  
 Streuwert 9.66, horizontal: 7.95, vertikal: 11.11

Unterschrift des Schützen


Ergebnis: **354** (372.6)  
 Serien: 88 89 86 91  
 Zähler: 11 16 10 2 1 0 0 0 0 0  
 Innenzehner: 8  
 weiteste: 3965 (13), 2711 (8), 2408 (29)  
 beste Teiler 279.9 (15.) 290.8 (37.) 295.4 (2.)  
 Trefferlage 1.79 mm rechts, 0.56 mm hoch  
 Streuwert 10.84, horizontal: 11.22, vertikal: 10.43




Serie 1:  
 8.2 ↘ 10.6 \* 9.4 ↑ 9.9 ↓ 8.1 ←  
 10.4 \* 8.3 ↗ 7.6 ↗ 9.9 ↓ 10.4 \*  
 beste Teiler 295.4 (2.) 433.8 (6.) 448.8 (10.)  
 Trefferlage 2.39 mm rechts, 0.41 mm tief  
 Streuwert 11.69, horizontal: 12.71, vertikal: 10.57



Serie 2:  
 9.2 → 9.6 ↘ 6.0 ↗ 10.2 ← 10.6 \*  
 9.6 ↘ 10.1 ↑ 9.5 ↙ 8.7 ← 9.3 →  
 beste Teiler 279.9 (15.) 609.4 (14.) 646.1 (17.)  
 Trefferlage 1.98 mm rechts, 1.80 mm hoch  
 Streuwert 12.09, horizontal: 12.69, vertikal: 11.47





Serie 3:  
 8.9 ↑ 9.8 ↓ 8.7 ↗ 10.4 \* 9.5 →  
 8.3 ↓ 9.1 ↗ 9.5 ← 7.9 ↗ 9.7 ↙  
 beste Teiler 466.2 (24.) 932.0 (22.) 963.2 (30.)  
 Trefferlage 5.31 mm rechts, 1.06 mm hoch  
 Streuwert 10.62, horizontal: 9.22, vertikal: 11.85




Serie 4:  
 10.5 \* 10.3 ↑ 10.5 \* 9.2 ↑ 8.4 →  
 8.5 ↙ 10.6 \* 8.9 ↙ 9.0 ↘ 9.3 ←  
 beste Teiler 290.8 (37.) 358.4 (33.) 361.9 (31.)  
 Trefferlage 2.49 mm links, 0.19 mm tief  
 Streuwert 9.70, horizontal: 10.19, vertikal: 9.19

Unterschrift des Schützen


Ergebnis: **347** (367.1)  
 Serien: 86 84 88 89  
 Zähler: 6 20 10 3 1 0 0 0 0 0  
 Innenzehner: 2  
 weiteste: 3446 (1), 3170 (2), 2538 (35)  
 beste Teiler 179.1 (4.) 327.5 (10.) 509.8 (38.)  
 Trefferlage 0.08 mm links, 0.02 mm hoch  
 Streuwert 11.36, horizontal: 11.16, vertikal: 11.56




Serie 1:  
 6.6 ↗ 7.0 ↑ 9.4 ↑ 10.7 \* 8.6 ↘  
 8.8 ← 10.2 ↘ 9.4 ↗ 9.8 ↘ 10.5 \*  
 beste Teiler 179.1 (4.) 327.5 (10.) 601.7 (7.)  
 Trefferlage 1.93 mm rechts, 8.19 mm hoch  
 Streuwert 12.01, horizontal: 10.14, vertikal: 13.63



Serie 2:  
 9.6 ↓ 7.8 ↘ 9.4 ↑ 9.0 ↘ 8.9 ↘  
 8.9 ↘ 8.6 ↘ 9.9 ↓ 8.5 ↓ 9.6 →  
 beste Teiler 813.6 (18.) 1060.4 (11.) 1085.6 (20.)  
 Trefferlage 2.60 mm rechts, 5.87 mm tief  
 Streuwert 11.01, horizontal: 10.15, vertikal: 11.80



Serie 3:  
 8.6 → 9.0 → 9.4 ← 8.7 ← 9.3 ↘  
 9.9 ↗ 9.9 ↓ 9.4 ↑ 9.6 ↘ 9.1 ↘  
 beste Teiler 859.9 (26.) 862.9 (27.) 1081.9 (29.)  
 Trefferlage 1.98 mm links, 1.00 mm tief  
 Streuwert 10.16, horizontal: 11.74, vertikal: 8.28





Serie 4:  
 10.3 ↓ 8.4 ← 9.4 ← 9.6 ↗ 7.8 ↘  
 10.1 ← 9.2 ↗ 10.3 → 9.8 ↘ 8.1 ↘  
 beste Teiler 509.8 (38.) 535.2 (31.) 694.3 (36.)  
 Trefferlage 2.87 mm links, 1.20 mm tief  
 Streuwert 10.96, horizontal: 13.07, vertikal: 8.34


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **358.5** (342)  
 Serien: 92.8 93.1 84.4 88.2  
 Zähler: 8 13 12 7 0 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 3152 (40), 2852 (24), 2689 (29)  
 beste Teiler 160.5 (20.) 206.8 (1.) 233.3 (36.)  
 Trefferlage 3.57 mm rechts, 3.49 mm tief  
 Streuwert 12.16, horizontal: 12.56, vertikal: 11.74




Serie 1:  
 10.7 \*                      8.1 ←                      9.3 ↗                      8.5 ←                      9.2 →  
 10.0 ↓                      10.3 ↑                      9.2 ←                      8.5 ↑                      9.0 ↑  
 beste Teiler 206.8 (1.) 505.0 (7.) 724.3 (6.)  
 Trefferlage 2.09 mm links, 3.39 mm hoch  
 Streuwert 10.63, horizontal: 12.64, vertikal: 8.13



Serie 2:  
 8.6 →                      9.5 ↑                      8.9 →                      8.9 →                      8.0 ↓  
 9.3 ↑                      9.9 ↘                      9.1 ↙                      10.1 ↙                      10.8 \*  
 beste Teiler 160.5 (20.) 703.2 (19.) 813.1 (17.)  
 Trefferlage 5.38 mm rechts, 0.94 mm tief  
 Streuwert 9.98, horizontal: 9.69, vertikal: 10.26



Serie 3:  
 7.9 ↓                      9.1 ↙                      9.0 ↙                      7.4 ↓                      8.4 ↓  
 9.1 →                      7.7 ↓                      7.8 →                      7.6 ↓                      10.4 \*  
 beste Teiler 410.0 (30.) 1446.9 (22.) 1499.2 (26.)  
 Trefferlage 0.98 mm rechts, 14.33 mm tief  
 Streuwert 11.78, horizontal: 13.59, vertikal: 9.65





Serie 4:  
 8.9 ↑                      8.0 →                      7.9 ↓                      8.5 ↗                      9.3 ←  
 10.7 \*                      9.4 →                      8.0 ↓                      10.5 \*                      7.0 →  
 beste Teiler 233.3 (36.) 324.3 (39.) 1240.2 (37.)  
 Trefferlage 10.03 mm rechts, 2.09 mm tief  
 Streuwert 12.11, horizontal: 12.35, vertikal: 11.86


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **336** (352.0)  
 Serien: 88 82 87 79  
 Zähler: 7 13 13 4 2 1 0 0 0 0  
 Innenzehner: 2  
 weiteste: 4118 (31), 3802 (20), 3599 (39)  
 beste Teiler 320.6 (36.) 410.0 (16.) 557.7 (7.)  
 Trefferlage 5.30 mm rechts, 5.61 mm tief  
 Streuwert 12.81, horizontal: 13.80, vertikal: 11.73




Serie 1:  
 8.9 ↙ 9.7 → 9.8 ↘ 9.6 ↖ 10.1 ↘  
 9.5 ↙ 10.3 ↓ 8.8 → 9.4 ↖ 7.9 ↓  
 beste Teiler 557.7 (7.) 709.3 (5.) 912.0 (3.)  
 Trefferlage 1.63 mm links, 4.47 mm tief  
 Streuwert 9.55, horizontal: 9.55, vertikal: 9.55



Serie 2:  
 8.5 ↘ 7.2 ↓ 8.3 ↘ 8.4 ↓ 10.0 ↑  
 10.4 \* 8.1 ↓ 8.3 ↘ 9.1 ↓ 6.2 ↙  
 beste Teiler 410.0 (16.) 728.9 (15.) 1496.5 (19.)  
 Trefferlage 3.80 mm rechts, 14.81 mm tief  
 Streuwert 11.82, horizontal: 12.05, vertikal: 11.58



Serie 3:  
 8.4 ↘ 8.4 ↖ 8.4 → 9.3 ↓ 9.7 →  
 8.0 → 9.0 ↘ 9.1 ↙ 10.1 ↖ 9.1 ↓  
 beste Teiler 712.2 (29.) 990.6 (25.) 1338.7 (24.)  
 Trefferlage 5.26 mm rechts, 1.93 mm tief  
 Streuwert 11.85, horizontal: 12.51, vertikal: 11.15





Serie 4:  
 5.8 → 7.5 → 9.6 ↘ 8.6 ↓ 10.0 ↘  
 10.6 \* 8.8 ↙ 7.4 → 6.5 → 9.2 →  
 beste Teiler 320.6 (36.) 799.0 (35.) 1086.1 (33.)  
 Trefferlage 13.78 mm rechts, 1.23 mm tief  
 Streuwert 14.34, horizontal: 17.22, vertikal: 10.70


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **348** (364.3)  
 Serien: 87 90 87 84  
 Zähler: 5 23 7 5 0 0 0 0 0 0  
 Innenzehner: 3  
 weiteste: 3024 (21), 2746 (9), 2731 (12)  
 beste Teiler 326.8 (11.) 384.3 (25.) 472.7 (1.)  
 Trefferlage 0.54 mm rechts, 0.08 mm tief  
 Streuwert 11.50, horizontal: 11.31, vertikal: 11.68




Serie 1:  
 10.4 \*                      9.6 ↘                      9.0 ↓                      9.1 →                      9.4 →  
 9.0 ↘                      8.8 →                      9.3 ↓                      7.5 ↖                      8.7 ↖  
 beste Teiler 472.7 (1.) 1063.7 (2.) 1247.9 (5.)  
 Trefferlage 3.28 mm rechts, 2.01 mm tief  
 Streuwert 11.54, horizontal: 11.50, vertikal: 11.57



Serie 2:  
 10.5 \*                      7.5 ↑                      9.1 ↑                      10.1 ←                      10.1 ←  
 9.3 ↙                      9.3 ↘                      9.6 ↖                      9.4 ↑                      8.7 ↓  
 beste Teiler 326.8 (11.) 670.2 (15.) 676.1 (14.)  
 Trefferlage 1.34 mm links, 1.86 mm hoch  
 Streuwert 10.44, horizontal: 7.20, vertikal: 12.88





Serie 3:  
 7.2 ↙                      9.9 ↘                      9.3 ←                      9.4 →                      10.5 \*  
 7.7 ↑                      9.3 ↖                      9.2 ↑                      9.1 ↓                      9.8 →  
 beste Teiler 384.3 (25.) 858.4 (22.) 955.7 (30.)  
 Trefferlage 0.18 mm rechts, 1.33 mm hoch  
 Streuwert 12.22, horizontal: 11.90, vertikal: 12.53




Serie 4:  
 9.9 ↓                      8.3 ←                      9.4 ↑                      9.1 ←                      8.7 ↗  
 9.4 ↑                      8.3 ↘                      8.4 ←                      7.8 →                      9.2 ↓  
 beste Teiler 809.1 (31.) 1242.2 (33.) 1273.7 (36.)  
 Trefferlage 0.04 mm rechts, 1.50 mm tief  
 Streuwert 12.99, horizontal: 14.70, vertikal: 11.02

Unterschrift des Schützen


Ergebnis: **319** (339.0)  
 Serien: 86 76 80 77  
 Zähler: 5 10 14 4 5 1 1 0 0 0  
 Innenzehner: 2  
 weiteste: 5257 (20), 4361 (3), 3539 (13)  
 beste Teiler 256.9 (10.) 470.7 (7.) 629.9 (8.)  
 Trefferlage 2.10 mm links, 4.38 mm hoch  
 Streuwert 15.74, horizontal: 18.53, vertikal: 12.33




Serie 1:  
 8.3 ↖                      7.6 →                      5.5 ←                      9.1 ↘                      8.2 →  
 10.1 ↑                      10.4 \*                      10.2 ↘                      9.7 ↓                      10.6 \*  
 beste Teiler 256.9 (10.) 470.7 (7.) 629.9 (8.)  
 Trefferlage 2.34 mm links, 1.15 mm tief  
 Streuwert 14.72, horizontal: 19.13, vertikal: 8.24



Serie 2:  
 10.2 ↑                      8.6 ↙                      6.5 →                      8.7 ↘                      8.6 ↘  
 8.1 →                      6.7 ↑                      9.6 →                      9.5 ↘                      4.4 ←  
 beste Teiler 637.6 (11.) 1059.7 (18.) 1162.1 (19.)  
 Trefferlage 1.73 mm links, 7.68 mm hoch  
 Streuwert 18.86, horizontal: 24.47, vertikal: 10.60



Serie 3:  
 9.8 ↘                      8.4 ↑                      9.3 ↙                      9.4 →                      9.9 ↘  
 8.6 →                      8.3 ↘                      6.9 ↙                      7.7 ↑                      7.6 ↑  
 beste Teiler 830.4 (25.) 898.4 (21.) 1278.6 (24.)  
 Trefferlage 1.05 mm rechts, 3.00 mm hoch  
 Streuwert 14.97, horizontal: 13.33, vertikal: 16.45





Serie 4:  
 9.6 →                      8.9 ←                      6.8 ↘                      6.7 ↑                      7.8 ←  
 8.3 ↑                      8.4 ←                      9.2 ↑                      8.4 ↙                      8.4 →  
 beste Teiler 1046.6 (31.) 1413.1 (38.) 1602.8 (32.)  
 Trefferlage 5.38 mm links, 8.01 mm hoch  
 Streuwert 15.29, horizontal: 17.95, vertikal: 12.05


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **351** (368.3)  
 Serien: 87 90 91 83  
 Zähler: 10 19 7 2 1 0 1 0 0 0  
 Innenzehner: 5  
 weiteste: 5003 (35), 3306 (6), 3169 (7)  
 beste Teiler 252.3 (1.) 329.8 (19.) 330.7 (18.)  
 Trefferlage 2.18 mm links, 2.78 mm tief  
 Streuwert 11.67, horizontal: 13.63, vertikal: 9.29




Serie 1:  
 10.6 \*                      9.9 ↗                      9.2 ↘                      9.5 →                      9.2 ↘  
    6.8 ↙                      7.0 ←                      9.2 ↓                      9.3 ←                      10.4 \*  
 beste Teiler 252.3 (1.) 456.1 (10.) 870.8 (2.)  
 Trefferlage 4.18 mm links, 5.13 mm tief  
 Streuwert 12.10, horizontal: 14.81, vertikal: 8.58



Serie 2:  
 8.8 ↓                      10.0 →                      10.0 ↗                      9.3 ↗                      9.1 ↓  
    9.5 ←                      7.0 ←                      10.5 \*                      10.5 \*                      8.4 ↓  
 beste Teiler 329.8 (19.) 330.7 (18.) 760.6 (12.)  
 Trefferlage 0.81 mm links, 4.41 mm tief  
 Streuwert 11.00, horizontal: 12.38, vertikal: 9.41



Serie 3:  
 9.7 ←                      10.5 \*                      10.1 ↑                      9.8 ↗                      10.3 →  
    8.9 ↘                      9.8 →                      9.8 ↙                      9.5 →                      8.8 ↓  
 beste Teiler 364.7 (22.) 500.5 (25.) 641.2 (23.)  
 Trefferlage 0.81 mm rechts, 0.91 mm hoch  
 Streuwert 7.94, horizontal: 7.59, vertikal: 8.28



Serie 4:  
 10.2 ↘                      9.5 ↓                      9.4 ↗                      8.7 ↑                      4.7 ←  
    8.7 ↗                      8.5 ←                      9.2 ↓                      9.0 ↓                      9.0 ←  
 beste Teiler 590.4 (31.) 1163.6 (32.) 1256.5 (33.)  
 Trefferlage 4.57 mm links, 2.52 mm tief  
 Streuwert 15.35, horizontal: 18.77, vertikal: 10.92

Unterschrift des Schützen