





Ergebnis:	366	(381.3)
Serien:	90 95 91 90	
Zähler:	19 10 10 0 1 0 0 0 0 0	
Innenzehner:	15	
weiteste:	1042 (34), 728 (26), 704 (40)	
beste Teiler	47.4 (36.) 67.1 (12.) 79.0 (3.)	
Trefferlage	0.39 mm rechts, 1.00 mm tief	
Streuwert	2.95, horizontal: 3.77, vertikal: 1.78	




Serie 1:	9.7 ←	8.2 →	10.6 *	8.8 →	9.9 ↓
	10.0 ←	8.6 ↓	9.3 →	10.0 ←	9.3 ↓
beste Teiler	79.0 (3.)	237.5 (6.)	242.8 (9.)		
Trefferlage	1.09 mm rechts, 1.65 mm tief				
Streuwert	2.73, horizontal: 3.40, vertikal: 1.81				



Serie 2:	10.2 *	10.7 *	8.2 →	10.4 *	10.2 *
	10.2 *	9.1 ←	9.1 →	9.6 ✓	10.4 *
beste Teiler	67.1 (12.)	137.7 (20.)	144.8 (14.)		
Trefferlage	0.71 mm rechts, 0.63 mm tief				
Streuwert	2.48, horizontal: 3.36, vertikal: 1.00				



Serie 3:	8.6 →	9.8 ↗	10.1 ↓	10.1 ↓	10.3 *
	8.0 ↙	8.6 ←	10.2 *	10.4 *	8.7 ↓
beste Teiler	137.2 (29.)	171.0 (25.)	194.5 (28.)		
Trefferlage	0.08 mm links, 1.32 mm tief				
Streuwert	3.01, horizontal: 3.59, vertikal: 2.28				





Serie 4:	9.1 ↓	8.3 →	9.0 →	6.8 ←	10.4 *
	10.8 *	10.4 *	10.5 *	10.6 *	8.1 ←
beste Teiler	47.4 (36.)	97.9 (39.)	114.0 (38.)		
Trefferlage	0.15 mm links, 0.40 mm tief				
Streuwert	3.72, horizontal: 4.96, vertikal: 1.77				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	366	(382.7)
Serien:	91 91 90 94	
Zähler:	17 14 7 2 0 0 0 0 0 0	
Innenzehner:	14	
weiteste:	931 (27), 796 (26), 703 (4)	
beste Teiler	93.8 (29.) 101.1 (34.) 132.2 (5.)	
Trefferlage	0.29 mm rechts, 0.46 mm hoch	
Streuwert	2.85, horizontal: 3.34, vertikal: 2.25	




Serie 1:	8.7 ↘	10.1 ↗	10.1 →	8.1 ↘	10.4 *
	8.6 ↘	9.7 →	9.9 ↘	9.5 →	10.3 *
beste Teiler	132.2 (5.)	157.0 (10.)	209.8 (3.)		
Trefferlage	0.89 mm rechts, 1.04 mm hoch				
Streuwert	2.80, horizontal: 2.65, vertikal: 2.95				



Serie 2:	8.5 →	8.9 →	10.2 *	9.4 ↑	10.3 *
	9.3 ↘	9.2 ←	10.3 *	9.7 ↑	9.8 ↘
beste Teiler	173.4 (15.)	173.5 (18.)	200.2 (13.)		
Trefferlage	0.38 mm rechts, 0.50 mm hoch				
Streuwert	2.77, horizontal: 3.17, vertikal: 2.29				



Serie 3:	10.2 *	9.1 ←	9.3 →	10.3 *	10.4 *
	7.8 →	7.2 ←	10.2 *	10.6 *	8.6 ←
beste Teiler	93.8 (29.)	143.4 (25.)	164.8 (24.)		
Trefferlage	0.34 mm links, 0.55 mm hoch				
Streuwert	3.60, horizontal: 4.87, vertikal: 1.48				





Serie 4:	9.6 →	9.2 ←	9.8 ↑	10.5 *	8.6 →
	10.0 ↓	9.5 ↑	10.3 *	10.2 *	10.3 *
beste Teiler	101.1 (34.)	164.5 (38.)	173.1 (40.)		
Trefferlage	0.22 mm rechts, 0.24 mm tief				
Streuwert	2.40, horizontal: 2.60, vertikal: 2.19				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **341** (358.2)
 Serien: 86 87 81 87
 Zähler: 5 18 12 3 2 0 0 0 0 0
 Innenzehner: 3
 weiteste: 1109 (29), 1031 (21), 936 (13)
 beste Teiler 38.0 (3.) 127.1 (38.) 193.5 (24.)
 Trefferlage 0.04 mm rechts, 0.81 mm tief
 Streuwert 3.91, horizontal: 4.82, vertikal: 2.71




Serie 1:
 8.6 ↙ 8.7 ↘ 10.8 * 9.3 ↓ 8.0 ←
 8.6 ↘ 9.0 → 9.0 ↘ 8.6 ← 9.5 ↘
 beste Teiler 38.0 (3.) 365.0 (10.) 413.8 (4.)
 Trefferlage 0.78 mm links, 1.37 mm tief
 Streuwert 3.70, horizontal: 4.40, vertikal: 2.83



Serie 2:
 9.6 ← 9.7 ← 7.2 → 9.6 ← 9.4 ←
 9.9 → 10.0 ↘ 8.9 → 8.0 ← 9.4 ↑
 beste Teiler 246.4 (17.) 269.1 (16.) 316.3 (12.)
 Trefferlage 0.20 mm links, 0.04 mm hoch
 Streuwert 3.69, horizontal: 4.92, vertikal: 1.72



Serie 3:
 6.8 → 9.4 ← 7.7 ↘ 10.2 * 9.7 ←
 7.6 ↘ 10.1 ↓ 8.9 → 6.5 → 9.5 ↓
 beste Teiler 193.5 (24.) 215.4 (27.) 311.6 (25.)
 Trefferlage 2.55 mm rechts, 0.41 mm tief
 Streuwert 4.53, horizontal: 5.44, vertikal: 3.38





Serie 4:
 9.1 ↙ 8.2 ↘ 9.7 ↓ 8.2 ↘ 8.2 ←
 9.4 ↘ 8.4 ← 10.4 * 9.2 → 9.2 ↓
 beste Teiler 127.1 (38.) 320.8 (33.) 378.7 (36.)
 Trefferlage 1.38 mm links, 1.54 mm tief
 Streuwert 3.54, horizontal: 4.19, vertikal: 2.75


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **376.8** (360)
 Serien: 92.6 96.1 94.5 93.6
 Zähler: 11 19 9 1 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 939 (26), 693 (20), 689 (15)
 beste Teiler 19.2 (11.) 94.0 (6.) 99.7 (14.)
 Trefferlage 0.20 mm links, 0.28 mm tief
 Streuwert 3.06, horizontal: 3.23, vertikal: 2.88




Serie 1:
 9.9 ↘ 9.1 ↘ 8.5 ← 8.5 ↙ 9.2 ←
 10.6 * 8.7 → 9.4 ↑ 8.9 ↗ 9.8 ↘
 beste Teiler 94.0 (6.) 265.8 (1.) 295.4 (10.)
 Trefferlage 0.19 mm rechts, 0.79 mm tief
 Streuwert 3.33, horizontal: 3.84, vertikal: 2.73



Serie 2:
 10.9 * 9.3 ↗ 9.4 ↘ 10.6 * 8.2 ↖
 10.0 → 9.1 ↘ 10.2 * 10.2 * 8.2 ↘
 beste Teiler 19.2 (11.) 99.7 (14.) 179.0 (19.)
 Trefferlage 0.23 mm links, 0.82 mm hoch
 Streuwert 2.94, horizontal: 2.80, vertikal: 3.07



Serie 3:
 10.0 ↘ 9.9 ↓ 9.6 ↖ 9.0 ← 10.3 *
 7.2 ↖ 9.9 ↑ 10.0 ↘ 9.4 ↘ 9.2 ↖
 beste Teiler 164.2 (25.) 246.8 (21.) 249.7 (28.)
 Trefferlage 0.91 mm links, 0.14 mm hoch
 Streuwert 3.15, horizontal: 3.21, vertikal: 3.09





Serie 4:
 8.9 → 10.0 ↙ 9.9 ↙ 10.0 ↘ 9.3 ↙
 8.6 ↘ 8.4 ↙ 9.6 ↘ 9.3 ↑ 9.6 ↖
 beste Teiler 230.1 (34.) 239.7 (32.) 270.8 (33.)
 Trefferlage 0.12 mm rechts, 1.30 mm tief
 Streuwert 3.00, horizontal: 3.40, vertikal: 2.54


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	361	(380.6)
Serien:	92 91 89 89	
Zähler:	16 13 7 4 0 0 0 0 0 0	
Innenzehner:	13	
weiteste:	853 (11), 828 (2), 815 (25)	
beste Teiler	17.0 (7.) 31.7 (18.) 88.2 (26.)	
Trefferlage	0.01 mm links, 0.64 mm hoch	
Streuwert	3.02, horizontal: 3.40, vertikal: 2.58	




Serie 1:	10.3 *	7.6 ↖	9.9 ↖	9.2 ↘	8.2 →
	10.2 *	10.9 *	9.5 ↓	10.1 ↘	10.6 *
beste Teiler	17.0 (7.)	100.4 (10.)	160.0 (1.)		
Trefferlage	0.23 mm rechts, 0.11 mm hoch				
Streuwert	3.02, horizontal: 3.67, vertikal: 2.17				



Serie 2:	7.5 ↘	8.9 →	10.1 ←	9.9 ↓	9.6 ↖
	10.4 *	10.3 *	10.8 *	8.7 ↖	10.0 →
beste Teiler	31.7 (18.)	137.6 (16.)	157.8 (17.)		
Trefferlage	0.54 mm rechts, 0.01 mm tief				
Streuwert	2.99, horizontal: 3.51, vertikal: 2.36				



Serie 3:	8.5 →	9.9 ↖	8.6 ↗	9.8 ↑	7.7 ↖
	10.6 *	10.5 *	9.2 ↓	10.4 *	9.3 ↖
beste Teiler	88.2 (26.)	116.3 (27.)	143.3 (29.)		
Trefferlage	0.46 mm links, 1.04 mm hoch				
Streuwert	3.18, horizontal: 3.63, vertikal: 2.65				





Serie 4:	10.3 *	8.8 ←	9.6 ↘	10.2 *	9.3 ↗
	9.6 ↗	10.2 *	8.2 ↖	7.9 ↑	9.3 ↖
beste Teiler	165.1 (31.)	180.0 (34.)	192.4 (37.)		
Trefferlage	0.37 mm links, 1.43 mm hoch				
Streuwert	3.18, horizontal: 3.20, vertikal: 3.15				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **357** (374.4)
 Serien: 88 91 86 92
 Zähler: 10 19 9 2 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 973 (38), 786 (23), 715 (8)
 beste Teiler 14.2 (19.) 18.6 (35.) 115.9 (5.)
 Trefferlage 0.90 mm links, 0.20 mm tief
 Streuwert 3.18, horizontal: 3.95, vertikal: 2.16




Serie 1:
 9.2 → 9.8 ← 8.5 ← 8.2 ↘ 10.5 *
 9.5 ↘ 10.1 ↘ 8.1 ← 9.8 ↓ 8.4 ↙
 beste Teiler 115.9 (5.) 220.3 (7.) 290.0 (2.)
 Trefferlage 2.30 mm links, 0.89 mm tief
 Streuwert 3.05, horizontal: 3.37, vertikal: 2.70



Serie 2:
 10.2 * 9.9 ↘ 9.8 ↙ 10.1 ↑ 8.2 ↙
 8.5 ↘ 9.0 ↘ 9.3 ← 10.9 * 9.2 ←
 beste Teiler 14.2 (19.) 198.8 (11.) 219.4 (14.)
 Trefferlage 1.55 mm links, 0.73 mm tief
 Streuwert 2.80, horizontal: 3.19, vertikal: 2.36



Serie 3:
 9.2 ↗ 8.9 ↗ 7.8 → 9.4 ↘ 9.5 ↘
 8.5 → 9.5 → 8.5 → 9.8 ← 10.3 *
 beste Teiler 172.1 (30.) 281.5 (29.) 366.6 (27.)
 Trefferlage 2.42 mm rechts, 0.52 mm hoch
 Streuwert 3.11, horizontal: 3.95, vertikal: 1.93





Serie 4:
 9.9 ↘ 10.2 * 9.8 ← 9.0 ← 10.9 *
 9.1 → 9.0 ← 7.1 ← 10.4 * 10.4 *
 beste Teiler 18.6 (35.) 142.5 (39.) 150.7 (40.)
 Trefferlage 2.18 mm links, 0.28 mm hoch
 Streuwert 2.77, horizontal: 3.68, vertikal: 1.37


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **360** (377.9)
 Serien: 87 92 88 93
 Zähler: 13 16 9 2 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 988 (13), 959 (21), 719 (18)
 beste Teiler 29.1 (12.) 87.9 (3.) 98.4 (14.)
 Trefferlage 0.37 mm rechts, 0.26 mm tief
 Streuwert 3.12, horizontal: 3.75, vertikal: 2.34




Serie 1:
 9.5 → 9.5 → 10.6 * 8.7 ← 9.4 ↗
 8.3 ↙ 9.1 ← 9.4 ↑ 8.9 → 8.4 ↘
 beste Teiler 87.9 (3.) 360.0 (1.) 374.9 (2.)
 Trefferlage 0.28 mm links, 0.69 mm hoch
 Streuwert 3.49, horizontal: 4.20, vertikal: 2.59



Serie 2:
 9.9 ↘ 10.8 * 7.0 → 10.6 * 9.9 ←
 10.4 * 10.0 ↓ 8.1 ← 10.4 * 9.9 →
 beste Teiler 29.1 (12.) 98.4 (14.) 134.1 (16.)
 Trefferlage 0.41 mm rechts, 0.67 mm tief
 Streuwert 3.12, horizontal: 4.23, vertikal: 1.25





Serie 3:
 7.1 ↘ 10.2 * 9.8 → 9.8 ← 8.5 ↓
 10.0 ↗ 10.0 ↗ 8.6 → 8.5 ↘ 9.4 ↑
 beste Teiler 190.5 (22.) 231.2 (26.) 240.8 (27.)
 Trefferlage 2.44 mm rechts, 0.87 mm tief
 Streuwert 3.18, horizontal: 3.29, vertikal: 3.06




Serie 4:
 9.7 ← 10.5 * 8.6 ↘ 10.0 → 10.2 *
 10.5 * 9.4 ↘ 9.3 ← 9.3 ↙ 9.7 ←
 beste Teiler 108.7 (36.) 119.9 (32.) 195.4 (35.)
 Trefferlage 1.08 mm links, 0.21 mm tief
 Streuwert 2.38, horizontal: 2.63, vertikal: 2.09

Unterschrift des Schützen


Ergebnis: **355** (372.4)
 Serien: 86 96 84 89
 Zähler: 13 13 11 2 1 0 0 0 0 0
 Innenzehner: 8
 weiteste: 1221 (23), 783 (22), 773 (24)
 beste Teiler 95.0 (34.) 95.2 (14.) 115.5 (11.)
 Trefferlage 0.73 mm links, 0.12 mm tief
 Streuwert 3.34, horizontal: 4.21, vertikal: 2.15




Serie 1:
 8.8 ↖ 8.4 → 8.0 ↖ 9.3 ← 9.7 ↘
 8.5 ← 10.1 ↗ 10.0 → 8.6 ← 8.9 ↘
 beste Teiler 225.8 (7.) 234.4 (8.) 317.5 (5.)
 Trefferlage 1.59 mm links, 0.28 mm hoch
 Streuwert 3.62, horizontal: 4.87, vertikal: 1.59



Serie 2:
 10.5 * 9.5 ↗ 9.3 ↘ 10.6 * 10.2 *
 9.0 ← 10.3 * 10.2 * 10.0 ← 9.4 ↑
 beste Teiler 95.2 (14.) 115.5 (11.) 165.5 (17.)
 Trefferlage 0.83 mm links, 0.44 mm hoch
 Streuwert 2.06, horizontal: 2.28, vertikal: 1.81



Serie 3:
 10.0 ← 7.8 ↘ 6.1 ↘ 7.9 ↖ 8.9 ↘
 9.7 ↘ 10.3 * 8.7 ↘ 10.5 * 9.7 ←
 beste Teiler 119.4 (29.) 162.1 (27.) 233.3 (21.)
 Trefferlage 1.49 mm rechts, 1.98 mm tief
 Streuwert 4.06, horizontal: 5.23, vertikal: 2.36



Serie 4:
 8.9 ↖ 8.7 ↖ 9.9 ↘ 10.6 * 8.4 ↖
 9.5 → 9.0 ← 9.2 → 9.3 ← 10.0 ↖
 beste Teiler 95.0 (34.) 235.5 (40.) 260.8 (33.)
 Trefferlage 2.00 mm links, 0.73 mm hoch
 Streuwert 2.79, horizontal: 3.49, vertikal: 1.85

Unterschrift des Schützen

Meyton Elektronik