





Ergebnis: **379** (398.1)
 Serien: 95 99 94 91
 Zähler: 23 13 4 0 0 0 0 0 0
 Innenzehner: 17
 weiteste: 617 (27), 560 (23), 527 (32)
 beste Teiler 40.2 (12.) 40.2 (39.) 70.2 (16.)
 Trefferlage 0.71 mm rechts, 0.32 mm hoch
 Streuwert 1.98, horizontal: 2.08, vertikal: 1.88




Serie 1:
 10.6 * 10.2 * 10.3 * 9.5 ↙ 9.7 ↗
 9.9 ↘ 10.6 * 10.6 * 9.6 ↘ 9.4 ↖
 beste Teiler 76.0 (8.) 78.9 (7.) 87.2 (1.)
 Trefferlage 0.46 mm rechts, 0.14 mm tief
 Streuwert 1.87, horizontal: 1.90, vertikal: 1.84



Serie 2:
 10.3 * 10.8 * 10.2 * 10.0 ↘ 10.3 *
 10.7 * 10.0 ↖ 10.4 * 10.1 ↗ 9.2 ↑
 beste Teiler 40.2 (12.) 70.2 (16.) 144.2 (18.)
 Trefferlage 0.08 mm links, 0.58 mm hoch
 Streuwert 1.58, horizontal: 1.11, vertikal: 1.94



Serie 3:
 9.7 ↗ 9.9 ↗ 8.7 → 10.3 * 10.1 ↗
 10.1 ↓ 8.5 ↖ 10.4 * 10.2 * 10.1 ↘
 beste Teiler 129.2 (28.) 165.1 (24.) 200.1 (29.)
 Trefferlage 0.83 mm rechts, 0.62 mm hoch
 Streuwert 2.34, horizontal: 2.93, vertikal: 1.53





Serie 4:
 9.7 → 8.8 ↘ 8.9 ↗ 9.6 → 10.5 *
 9.6 ↗ 10.4 * 9.5 ↗ 10.8 * 9.9 ↙
 beste Teiler 40.2 (39.) 121.4 (35.) 134.1 (37.)
 Trefferlage 1.63 mm rechts, 0.23 mm hoch
 Streuwert 2.12, horizontal: 1.90, vertikal: 2.31


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **380** (396.3)
 Serien: 95 95 97 93
 Zähler: 25 12 2 0 1 0 0 0 0 0
 Innenzehner: 16
 weiteste: 1001 (32), 555 (19), 503 (36)
 beste Teiler 43.9 (31.) 69.0 (28.) 88.3 (11.)
 Trefferlage 0.97 mm rechts, 0.71 mm hoch
 Streuwert 2.04, horizontal: 2.35, vertikal: 1.66




Serie 1:
 10.1 ↗ 9.3 ↑ 10.2 * 10.1 → 9.3 ↗
 10.0 ↗ 10.1 ↓ 9.9 ↘ 9.8 ↑ 9.7 ↘
 beste Teiler 192.0 (3.) 201.4 (4.) 210.1 (1.)
 Trefferlage 0.52 mm rechts, 1.22 mm hoch
 Streuwert 1.88, horizontal: 1.62, vertikal: 2.11



Serie 2:
 10.6 * 10.6 * 10.1 ↗ 9.2 ↑ 9.7 ↗
 10.3 * 10.4 * 9.6 ← 8.7 → 10.2 *
 beste Teiler 88.3 (11.) 91.2 (12.) 131.7 (17.)
 Trefferlage 1.02 mm rechts, 0.83 mm hoch
 Streuwert 1.94, horizontal: 2.33, vertikal: 1.44



Serie 3:
 9.9 ↘ 10.0 ↗ 10.3 * 10.3 * 10.3 *
 9.3 ↘ 10.3 * 10.7 * 9.9 ↘ 10.4 *
 beste Teiler 69.0 (28.) 138.2 (30.) 158.3 (23.)
 Trefferlage 0.17 mm links, 0.16 mm hoch
 Streuwert 1.65, horizontal: 1.47, vertikal: 1.82





Serie 4:
 10.8 * 6.9 → 10.2 * 10.4 * 10.1 ↗
 8.9 → 9.3 ↗ 10.1 → 10.1 ↑ 10.2 *
 beste Teiler 43.9 (31.) 147.1 (34.) 179.2 (33.)
 Trefferlage 2.51 mm rechts, 0.64 mm hoch
 Streuwert 2.33, horizontal: 3.07, vertikal: 1.20


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **379** (397.6)
 Serien: 92 95 95 97
 Zähler: 20 19 1 0 0 0 0 0 0 0
 Innenzehner: 13
 weiteste: 568 (4), 467 (10), 461 (5)
 beste Teiler 48.6 (30.) 54.5 (29.) 56.0 (39.)
 Trefferlage 0.40 mm links, 0.28 mm hoch
 Streuwert 1.99, horizontal: 2.15, vertikal: 1.83




Serie 1:
 10.5 * 10.0 → 9.5 ↗ 8.7 ↗ 9.1 ↗
 9.9 ↘ 10.0 ↙ 9.6 ↘ 9.9 ↘ 9.1 ↘
 beste Teiler 102.1 (1.) 245.8 (2.) 246.0 (7.)
 Trefferlage 0.17 mm rechts, 1.66 mm hoch
 Streuwert 2.34, horizontal: 2.69, vertikal: 1.94



Serie 2:
 10.1 ← 9.5 ↘ 9.1 ← 10.2 * 9.4 ↗
 10.1 ↑ 9.3 ← 10.0 ↙ 9.4 → 10.5 *
 beste Teiler 112.5 (20.) 190.0 (14.) 201.3 (11.)
 Trefferlage 1.48 mm links, 0.24 mm hoch
 Streuwert 2.09, horizontal: 2.37, vertikal: 1.76





Serie 3:
 10.7 * 9.9 ↓ 9.8 ↘ 9.9 ↘ 9.5 →
 9.6 → 10.1 → 10.1 ↙ 10.7 * 10.8 *
 beste Teiler 48.6 (30.) 54.5 (29.) 62.8 (21.)
 Trefferlage 0.23 mm rechts, 0.34 mm tief
 Streuwert 1.74, horizontal: 1.91, vertikal: 1.55




Serie 4:
 10.2 * 10.4 * 9.7 ↓ 10.5 * 10.4 *
 9.9 ↙ 10.5 * 9.9 ↙ 10.7 * 10.4 *
 beste Teiler 56.0 (39.) 121.1 (34.) 125.7 (37.)
 Trefferlage 0.56 mm links, 0.44 mm tief
 Streuwert 1.30, horizontal: 1.16, vertikal: 1.42

Unterschrift des Schützen


Ergebnis: **401.6** (385)
 Serien: 100.0 98.9 101.4 101.3
 Zähler: 25 15 0 0 0 0 0 0 0 0
 Innenzehner: 18
 weiteste: 487 (20), 454 (4), 439 (27)
 beste Teiler 81.1 (21.) 90.4 (38.) 94.6 (40.)
 Trefferlage 0.42 mm links, 0.32 mm tief
 Streuwert 1.75, horizontal: 1.93, vertikal: 1.55




Serie 1:
 10.5 * 10.1 → 10.2 * 9.1 ↗ 10.3 *
 9.8 ↘ 9.4 ↖ 10.3 * 9.8 ↖ 10.5 *
 beste Teiler 101.5 (10.) 114.7 (1.) 154.7 (8.)
 Trefferlage 0.07 mm rechts, 0.48 mm hoch
 Streuwert 1.90, horizontal: 2.23, vertikal: 1.51



Serie 2:
 10.1 → 10.2 * 10.2 * 9.6 → 9.8 ↘
 9.6 ↙ 10.0 ↘ 10.0 ↖ 10.4 * 9.0 ↓
 beste Teiler 132.2 (19.) 190.9 (13.) 192.0 (12.)
 Trefferlage 0.21 mm links, 0.85 mm tief
 Streuwert 2.00, horizontal: 2.19, vertikal: 1.78



Serie 3:
 10.6 * 10.5 * 10.5 * 9.6 ← 10.0 →
 9.7 ↙ 9.2 ← 10.4 * 10.5 * 10.4 *
 beste Teiler 81.1 (21.) 112.0 (23.) 114.2 (22.)
 Trefferlage 1.42 mm links, 0.12 mm tief
 Streuwert 1.41, horizontal: 1.73, vertikal: 0.99





Serie 4:
 10.1 ↙ 10.2 * 10.5 * 9.7 ↓ 9.7 →
 10.1 ↑ 9.9 ↓ 10.6 * 9.9 ↖ 10.6 *
 beste Teiler 90.4 (38.) 94.6 (40.) 104.0 (33.)
 Trefferlage 0.13 mm links, 0.81 mm tief
 Streuwert 1.51, horizontal: 1.38, vertikal: 1.62


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **378** (393.5)
 Serien: 92 95 96 95
 Zähler: 21 16 3 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 620 (19), 579 (36), 558 (15)
 beste Teiler 74.8 (35.) 107.2 (28.) 147.6 (20.)
 Trefferlage 0.02 mm links, 0.94 mm hoch
 Streuwert 2.08, horizontal: 2.10, vertikal: 2.07




Serie 1:
 9.6 ↙ 9.6 → 10.0 ↘ 9.4 → 9.7 →
 9.3 → 9.7 → 10.0 ↗ 9.6 ↗ 9.8 ↘
 beste Teiler 244.9 (3.) 249.9 (8.) 289.7 (10.)
 Trefferlage 1.59 mm rechts, 0.69 mm hoch
 Streuwert 2.10, horizontal: 2.57, vertikal: 1.49



Serie 2:
 10.2 * 10.0 ↑ 10.1 ← 10.1 ↘ 8.7 ↘
 9.8 ↑ 10.3 * 10.1 ← 8.5 ↑ 10.4 *
 beste Teiler 147.6 (20.) 172.7 (17.) 191.8 (11.)
 Trefferlage 0.45 mm links, 1.37 mm hoch
 Streuwert 2.18, horizontal: 1.57, vertikal: 2.65



Serie 3:
 9.8 ↙ 10.3 * 9.3 ↗ 9.7 ↗ 10.1 ↑
 10.0 → 10.0 ↑ 10.5 * 10.3 * 9.6 ↘
 beste Teiler 107.2 (28.) 155.3 (22.) 175.7 (29.)
 Trefferlage 0.02 mm rechts, 1.01 mm hoch
 Streuwert 1.82, horizontal: 1.59, vertikal: 2.03





Serie 4:
 9.6 ↘ 10.2 * 10.0 ↙ 9.4 ↘ 10.7 *
 8.6 ↘ 9.9 ↘ 10.2 * 10.2 * 10.2 *
 beste Teiler 74.8 (35.) 177.4 (38.) 185.0 (40.)
 Trefferlage 1.25 mm links, 0.68 mm hoch
 Streuwert 1.93, horizontal: 1.62, vertikal: 2.20


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **376** (391.1)
 Serien: 90 95 96 95
 Zähler: 19 18 3 0 0 0 0 0 0
 Innenzehner: 15
 weiteste: 615 (6), 600 (1), 543 (9)
 beste Teiler 74.3 (39.) 80.6 (25.) 107.0 (15.)
 Trefferlage 0.49 mm rechts, 1.37 mm hoch
 Streuwert 2.13, horizontal: 2.20, vertikal: 2.06




Serie 1:
 8.6 ↑ 9.3 ↙ 10.4 * 9.0 → 10.4 *
 8.5 ↘ 9.9 → 9.0 → 8.8 ↘ 10.4 *
 beste Teiler 128.2 (5.) 134.9 (10.) 150.8 (3.)
 Trefferlage 0.22 mm rechts, 1.41 mm hoch
 Streuwert 2.99, horizontal: 3.31, vertikal: 2.64



Serie 2:
 9.4 ↗ 9.9 → 10.5 * 10.1 ↗ 10.5 *
 10.3 * 9.4 ↗ 10.3 * 9.7 → 9.6 ↑
 beste Teiler 107.0 (15.) 114.4 (13.) 170.4 (16.)
 Trefferlage 1.41 mm rechts, 1.17 mm hoch
 Streuwert 1.44, horizontal: 1.29, vertikal: 1.58





Serie 3:
 10.0 ↘ 10.4 * 9.2 ↑ 10.4 * 10.6 *
 9.9 ↓ 10.0 ↗ 9.6 → 10.2 * 9.7 ↑
 beste Teiler 80.6 (25.) 128.5 (24.) 148.6 (22.)
 Trefferlage 0.79 mm rechts, 0.67 mm hoch
 Streuwert 1.76, horizontal: 1.22, vertikal: 2.17




Serie 4:
 9.3 ↘ 10.2 * 10.2 * 9.1 ↘ 9.2 ↗
 10.1 ↘ 10.3 * 9.0 ↑ 10.7 * 9.0 ↘
 beste Teiler 74.3 (39.) 158.0 (37.) 176.3 (33.)
 Trefferlage 0.45 mm links, 2.22 mm hoch
 Streuwert 1.96, horizontal: 2.18, vertikal: 1.70

Unterschrift des Schützen


Ergebnis: **385** (398.4)
 Serien: 97 96 97 95
 Zähler: 26 13 1 0 0 0 0 0 0
 Innenzehner: 17
 weiteste: 572 (29), 488 (33), 470 (1)
 beste Teiler 57.4 (5.) 80.0 (21.) 99.1 (28.)
 Trefferlage 0.17 mm rechts, 0.27 mm tief
 Streuwert 1.97, horizontal: 1.76, vertikal: 2.16




Serie 1:
 9.1 ↑ 9.2 ↘ 10.1 ↘ 9.4 ↘ 10.7 *
 10.1 ↘ 10.5 * 10.3 * 10.0 → 10.2 *
 beste Teiler 57.4 (5.) 111.8 (7.) 152.0 (8.)
 Trefferlage 0.41 mm links, 0.69 mm hoch
 Streuwert 2.00, horizontal: 1.98, vertikal: 2.02



Serie 2:
 9.9 ↙ 9.5 ↓ 10.5 * 10.0 ↑ 10.2 *
 10.3 * 9.3 → 10.2 * 9.3 ↗ 10.3 *
 beste Teiler 121.4 (13.) 156.2 (20.) 172.7 (16.)
 Trefferlage 0.84 mm rechts, 0.27 mm hoch
 Streuwert 1.90, horizontal: 1.91, vertikal: 1.90



Serie 3:
 10.6 * 9.5 ↗ 10.3 * 10.0 ↘ 10.1 ↑
 10.4 * 10.0 ↑ 10.6 * 8.7 ↓ 10.1 ↓
 beste Teiler 80.0 (21.) 99.1 (28.) 135.6 (26.)
 Trefferlage 0.23 mm rechts, 0.54 mm tief
 Streuwert 1.95, horizontal: 1.70, vertikal: 2.18





Serie 4:
 10.1 ← 9.4 ↓ 9.0 ↓ 10.2 * 10.2 *
 9.7 ↓ 10.5 * 9.5 ↓ 10.5 * 9.9 ↘
 beste Teiler 105.4 (37.) 123.0 (39.) 179.6 (34.)
 Trefferlage 0.03 mm rechts, 1.50 mm tief
 Streuwert 1.84, horizontal: 1.44, vertikal: 2.18


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **379** (397.8)
 Serien: 97 93 95 94
 Zähler: 20 19 1 0 0 0 0 0 0
 Innenzehner: 13
 weiteste: 565 (13), 474 (22), 432 (28)
 beste Teiler 60.0 (1.) 73.4 (25.) 93.6 (38.)
 Trefferlage 0.25 mm rechts, 0.44 mm hoch
 Streuwert 1.93, horizontal: 1.88, vertikal: 1.98




Serie 1:
 10.7 * 9.6 ↘ 10.5 * 10.2 * 9.6 ↘
 10.4 * 10.1 ↖ 10.2 * 9.4 ← 10.1 ←
 beste Teiler 60.0 (1.) 102.9 (3.) 135.7 (6.)
 Trefferlage 0.51 mm links, 0.18 mm tief
 Streuwert 1.72, horizontal: 1.98, vertikal: 1.40



Serie 2:
 9.8 ↘ 10.1 ← 8.7 ↑ 10.5 * 9.6 ↑
 9.8 ↗ 9.9 ↗ 9.7 ↘ 10.1 ← 10.1 ↘
 beste Teiler 101.4 (14.) 213.8 (20.) 215.2 (12.)
 Trefferlage 0.22 mm links, 1.52 mm hoch
 Streuwert 1.96, horizontal: 1.87, vertikal: 2.04



Serie 3:
 10.1 ↑ 9.1 ↑ 10.2 * 10.2 * 10.7 *
 9.9 → 9.8 ↘ 9.2 ↘ 10.0 ↘ 9.5 →
 beste Teiler 73.4 (25.) 187.6 (23.) 189.4 (24.)
 Trefferlage 1.18 mm rechts, 0.72 mm hoch
 Streuwert 1.96, horizontal: 2.02, vertikal: 1.90



Serie 4:
 9.9 ↘ 10.4 * 10.2 * 9.9 ↑ 9.7 ↓
 9.8 ↑ 9.5 ↘ 10.6 * 9.8 ↗ 10.2 *
 beste Teiler 93.6 (38.) 129.6 (32.) 197.2 (33.)
 Trefferlage 0.58 mm rechts, 0.29 mm tief
 Streuwert 1.82, horizontal: 1.32, vertikal: 2.21

Unterschrift des Schützen

Meyton Elektronik