





Ergebnis: **364** (382.4)
 Serien: 90 90 91 93
 Zähler: 10 24 6 0 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 742 (16), 674 (8), 624 (21)
 beste Teiler 60.8 (24.) 92.5 (2.) 123.0 (38.)
 Trefferlage 1.55 mm rechts, 0.73 mm tief
 Streuwert 2.44, horizontal: 3.00, vertikal: 1.70




Serie 1:
 9.0 → 10.6 * 10.0 → 9.4 ↘ 9.8 ↗
 9.3 ← 8.7 → 8.3 ↘ 9.9 ↘ 9.4 ↗
 beste Teiler 92.5 (2.) 227.5 (3.) 265.0 (9.)
 Trefferlage 2.43 mm rechts, 0.66 mm tief
 Streuwert 2.43, horizontal: 3.03, vertikal: 1.62



Serie 2:
 9.8 → 9.9 ↗ 8.9 ↘ 9.1 ← 9.6 ↘
 8.0 → 9.6 ← 10.0 → 10.1 → 9.4 ↙
 beste Teiler 218.1 (19.) 242.9 (18.) 271.9 (12.)
 Trefferlage 1.39 mm rechts, 0.88 mm tief
 Streuwert 2.78, horizontal: 3.65, vertikal: 1.48



Serie 3:
 8.5 ↘ 9.0 → 8.5 ↘ 10.7 * 9.1 ↘
 9.8 → 10.1 ↑ 9.9 ← 9.6 ↘ 10.3 *
 beste Teiler 60.8 (24.) 169.8 (30.) 217.6 (27.)
 Trefferlage 1.96 mm rechts, 1.04 mm tief
 Streuwert 2.45, horizontal: 2.85, vertikal: 1.97





Serie 4:
 9.3 ↘ 10.1 ↘ 9.8 ↘ 9.7 → 9.7 ↖
 10.3 * 9.4 → 10.5 * 9.8 ↙ 9.5 ↖
 beste Teiler 123.0 (38.) 172.0 (36.) 216.5 (32.)
 Trefferlage 0.43 mm rechts, 0.36 mm tief
 Streuwert 2.18, horizontal: 2.43, vertikal: 1.89


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **365** (384.1)
 Serien: 92 90 95 88
 Zähler: 14 19 6 0 1 0 0 0 0 0
 Innenzehner: 9
 weiteste: 1036 (31), 698 (29), 631 (14)
 beste Teiler 5.8 (26.) 57.6 (13.) 115.6 (28.)
 Trefferlage 0.08 mm rechts, 1.21 mm hoch
 Streuwert 2.65, horizontal: 3.32, vertikal: 1.75




Serie 1:
 10.1 ↙ 8.4 → 9.9 ↘ 10.1 ↘ 10.0 ↗
 9.7 → 9.7 → 9.7 ← 9.4 → 9.6 ↗
 beste Teiler 205.3 (1.) 209.9 (4.) 229.7 (5.)
 Trefferlage 1.32 mm rechts, 0.19 mm hoch
 Streuwert 2.36, horizontal: 2.99, vertikal: 1.49



Serie 2:
 9.7 ↗ 9.5 → 10.7 * 8.4 ↖ 10.4 *
 9.7 ↗ 8.7 ↖ 9.8 ↖ 9.0 → 9.2 →
 beste Teiler 57.6 (13.) 138.3 (15.) 278.0 (18.)
 Trefferlage 0.44 mm rechts, 1.05 mm hoch
 Streuwert 2.85, horizontal: 3.65, vertikal: 1.73





Serie 3:
 10.4 * 10.4 * 10.1 ↑ 9.8 ↗ 10.2 *
 10.9 * 9.8 ↗ 10.5 * 8.2 ↖ 9.3 ↑
 beste Teiler 5.8 (26.) 115.6 (28.) 136.2 (21.)
 Trefferlage 0.00 mm , 1.41 mm hoch
 Streuwert 2.06, horizontal: 2.27, vertikal: 1.82



Serie 4:
 6.8 ↖ 10.3 * 9.0 ↑ 8.7 → 9.7 ↑
 10.0 ↗ 9.3 ← 8.9 ← 10.2 * 9.9 ↖
 beste Teiler 159.7 (32.) 184.3 (39.) 228.4 (36.)
 Trefferlage 1.45 mm links, 2.19 mm hoch
 Streuwert 3.03, horizontal: 3.99, vertikal: 1.56


Unterschrift des Schützen

Ergebnis:	365	(383.0)
Serien:	87 95 93 90	
Zähler:	16 16 5 3 0 0 0 0 0 0	
Innenzehner:	11	
weiteste:	987 (6), 874 (3), 766 (36)	
beste Teiler	30.0 (16.) 32.2 (1.) 105.2 (8.)	
Trefferlage	1.58 mm links, 0.68 mm tief	
Streuwert	2.65, horizontal: 3.08, vertikal: 2.14	




Serie 1:

10.8 *	8.7 ←	7.5 ↓	9.6 →	9.9 ↖
7.0 ←	8.4 ↖	10.5 *	9.9 ↙	10.2 *
beste Teiler	32.2 (1.)	105.2 (8.)	193.5 (10.)	
Trefferlage	2.35 mm links, 0.85 mm tief			
Streuwert	3.45, horizontal: 3.93, vertikal: 2.88			




Serie 2:

8.4 →	10.2 *	9.9 ←	9.7 ↑	9.2 ↙
10.8 *	10.0 ↙	10.5 *	10.1 ↘	10.1 ↘
beste Teiler	30.0 (16.)	122.1 (18.)	194.4 (12.)	
Trefferlage	0.31 mm links, 0.27 mm hoch			
Streuwert	2.32, horizontal: 2.78, vertikal: 1.74			



Serie 3:

10.4 *	9.8 →	9.7 ↓	9.7 ↓	10.0 ↖
10.1 ↓	8.1 ←	10.2 *	9.4 ←	9.4 ↓
beste Teiler	136.5 (21.)	188.8 (28.)	210.6 (26.)	
Trefferlage	1.23 mm links, 1.15 mm tief			
Streuwert	2.29, horizontal: 2.67, vertikal: 1.84			





Serie 4:


8.8 ←	10.2 *	9.2 ↘	9.8 ←	9.9 ↙
7.9 ←	10.2 *	9.5 ↓	10.2 *	9.1 ↖
beste Teiler	180.0 (32.)	183.6 (37.)	192.4 (39.)	
Trefferlage	2.42 mm links, 1.01 mm tief			
Streuwert	2.36, horizontal: 2.72, vertikal: 1.92			

Unterschrift des Schützen


Ergebnis: **383.2** (368)
 Serien: 91.9 95.8 98.4 97.1
 Zähler: 15 20 4 0 1 0 0 0 0 0
 Innenzehner: 9
 weiteste: 1087 (9), 674 (3), 562 (8)
 beste Teiler 67.6 (38.) 106.4 (24.) 140.6 (28.)
 Trefferlage 0.63 mm links, 0.32 mm hoch
 Streuwert 2.73, horizontal: 3.50, vertikal: 1.64




Serie 1:
 9.8 ↙ 9.9 ↓ 8.3 ← 9.1 ↖ 10.3 *
 10.2 * 9.5 ← 8.7 ← 6.6 ← 9.5 ↖
 beste Teiler 160.0 (5.) 189.6 (6.) 267.9 (2.)
 Trefferlage 3.36 mm links, 0.20 mm tief
 Streuwert 2.89, horizontal: 3.62, vertikal: 1.88



Serie 2:
 9.4 ↙ 9.1 ← 10.2 * 9.1 ← 9.6 ←
 9.2 ↘ 9.4 ↖ 10.0 ↗ 10.3 * 9.5 ↖
 beste Teiler 172.4 (19.) 182.1 (13.) 229.4 (18.)
 Trefferlage 2.34 mm links, 0.57 mm hoch
 Streuwert 1.97, horizontal: 2.32, vertikal: 1.55



Serie 3:
 10.1 ↗ 9.7 → 10.2 * 10.5 * 9.2 →
 9.0 → 10.0 ↗ 10.4 * 9.5 ↗ 9.8 ↓
 beste Teiler 106.4 (24.) 140.6 (28.) 178.4 (23.)
 Trefferlage 1.35 mm rechts, 0.76 mm hoch
 Streuwert 1.91, horizontal: 2.29, vertikal: 1.43





Serie 4:
 9.6 → 8.8 ↗ 10.0 ↗ 10.1 ↗ 9.9 ↙
 10.2 * 8.8 ↘ 10.7 * 10.0 ↖ 9.0 ↘
 beste Teiler 67.6 (38.) 199.2 (36.) 217.0 (34.)
 Trefferlage 1.80 mm rechts, 0.17 mm hoch
 Streuwert 2.20, horizontal: 2.58, vertikal: 1.74


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	374	(394.0)
Serien:	94 93 90 97	
Zähler:	18 19 2 1 0 0 0 0 0 0	
Innenzehner:	16	
weiteste:	787 (12), 550 (27), 513 (23)	
beste Teiler	42.5 (37.) 46.6 (26.) 78.3 (32.)	
Trefferlage	0.67 mm rechts, 0.71 mm hoch	
Streuwert	2.16, horizontal: 2.60, vertikal: 1.60	




Serie 1:	9.4 ↖	10.3 *	9.8 ↖	9.9 ↖	9.8 →
	9.8 →	10.2 *	9.6 ↖	10.5 *	10.0 ↗
beste Teiler	102.3 (9.)	167.4 (2.)	184.3 (7.)		
Trefferlage	0.31 mm links, 0.98 mm hoch				
Streuwert	1.81, horizontal: 1.96, vertikal: 1.64				



Serie 2:	9.5 ←	7.8 →	10.2 *	9.9 ↘	10.2 *
	10.1 ↘	10.3 *	9.5 ↖	10.4 *	9.6 ↑
beste Teiler	148.6 (19.)	162.5 (17.)	184.7 (13.)		
Trefferlage	0.56 mm rechts, 0.11 mm hoch				
Streuwert	2.57, horizontal: 3.30, vertikal: 1.54				



Serie 3:	9.9 ↘	9.9 ←	8.9 →	10.6 *	9.5 ↑
	10.8 *	8.8 →	9.2 ↗	9.1 →	9.6 →
beste Teiler	46.6 (26.)	90.1 (24.)	251.3 (21.)		
Trefferlage	1.93 mm rechts, 1.09 mm hoch				
Streuwert	2.20, horizontal: 2.59, vertikal: 1.74				





Serie 4:	10.3 *	10.6 *	10.5 *	9.4 ↘	10.4 *
	9.2 ↑	10.8 *	10.5 *	9.0 →	10.2 *
beste Teiler	42.5 (37.)	78.3 (32.)	116.7 (38.)		
Trefferlage	0.51 mm rechts, 0.64 mm hoch				
Streuwert	1.91, horizontal: 2.23, vertikal: 1.51				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **367** (384.0)
 Serien: 91 93 90 93
 Zähler: 14 19 7 0 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 643 (18), 605 (29), 581 (32)
 beste Teiler 58.1 (38.) 61.0 (20.) 93.1 (37.)
 Trefferlage 1.00 mm links, 0.88 mm hoch
 Streuwert 2.50, horizontal: 2.45, vertikal: 2.54




Serie 1:
 8.8 ↙ 9.2 ↓ 10.1 ↓ 8.8 ↙ 10.2 *
 9.9 ↗ 9.7 ↙ 10.0 ↙ 9.2 ↗ 9.3 ↑
 beste Teiler 191.8 (5.) 206.5 (3.) 244.2 (8.)
 Trefferlage 0.54 mm links, 0.64 mm tief
 Streuwert 2.71, horizontal: 2.39, vertikal: 3.00



Serie 2:
 10.1 ↙ 10.2 * 10.1 ↑ 8.9 ↖ 9.5 ↑
 9.5 ↘ 9.1 ↘ 8.4 ↙ 10.2 * 10.7 *
 beste Teiler 61.0 (20.) 187.2 (12.) 196.5 (19.)
 Trefferlage 1.35 mm links, 1.40 mm hoch
 Streuwert 2.29, horizontal: 2.34, vertikal: 2.23



Serie 3:
 9.6 ↘ 9.8 ↘ 10.5 * 9.4 ↗ 9.0 ↖
 9.4 ↖ 8.7 ↘ 9.1 ↖ 8.5 ↑ 10.2 *
 beste Teiler 120.8 (23.) 176.6 (30.) 290.0 (22.)
 Trefferlage 1.81 mm links, 2.41 mm hoch
 Streuwert 2.07, horizontal: 2.00, vertikal: 2.13





Serie 4:
 9.1 ↑ 8.6 ← 9.2 → 9.5 ↗ 9.4 ↙
 10.3 * 10.6 * 10.7 * 10.6 * 9.9 →
 beste Teiler 58.1 (38.) 93.1 (37.) 97.6 (39.)
 Trefferlage 0.32 mm links, 0.35 mm hoch
 Streuwert 2.54, horizontal: 3.04, vertikal: 1.92


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **375** (389.0)
 Serien: 91 95 95 94
 Zähler: 21 14 4 1 0 0 0 0 0 0
 Innenzehner: 13
 weiteste: 802 (35), 732 (40), 660 (26)
 beste Teiler 71.8 (9.) 73.1 (18.) 89.9 (7.)
 Trefferlage 0.33 mm rechts, 0.39 mm hoch
 Streuwert 2.52, horizontal: 2.90, vertikal: 2.06




Serie 1:
 9.1 ← 9.8 ← 9.4 ← 9.7 → 9.3 ↓
 8.8 ↙ 10.6 * 9.2 ↗ 10.7 * 9.2 →
 beste Teiler 71.8 (9.) 89.9 (7.) 287.1 (2.)
 Trefferlage 0.22 mm links, 0.19 mm tief
 Streuwert 2.78, horizontal: 3.42, vertikal: 1.96



Serie 2:
 10.0 ↓ 8.5 ↗ 10.0 ← 10.1 ↘ 9.5 →
 10.2 * 9.2 ↙ 10.7 * 9.8 → 10.4 *
 beste Teiler 73.1 (18.) 148.7 (20.) 200.8 (16.)
 Trefferlage 0.39 mm rechts, 0.71 mm hoch
 Streuwert 2.31, horizontal: 2.43, vertikal: 2.19



Serie 3:
 10.1 ↗ 10.1 ↗ 10.5 * 9.7 ↑ 10.0 ↓
 8.3 ← 10.0 ↘ 10.2 * 9.6 → 9.0 ↘
 beste Teiler 104.6 (23.) 199.7 (28.) 210.6 (22.)
 Trefferlage 0.34 mm links, 0.67 mm hoch
 Streuwert 2.44, horizontal: 2.80, vertikal: 2.02





Serie 4:
 10.0 ↗ 10.2 * 10.4 * 10.3 * 7.7 →
 10.2 * 10.2 * 10.6 * 9.7 ↗ 8.0 ↗
 beste Teiler 91.4 (38.) 135.0 (33.) 172.6 (34.)
 Trefferlage 1.51 mm rechts, 0.39 mm hoch
 Streuwert 2.63, horizontal: 2.95, vertikal: 2.27


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	369	(385.2)
Serien:	93 92 93 91	
Zähler:	18 16 3 3 0 0 0 0 0 0	
Innenzehner:	12	
weiteste:	869 (7), 763 (38), 755 (29)	
beste Teiler	88.0 (40.) 96.1 (9.) 118.8 (35.)	
Trefferlage	0.52 mm rechts, 1.00 mm hoch	
Streuwert	2.60, horizontal: 2.83, vertikal: 2.35	




Serie 1:				
	10.4 *	9.4 ↗	10.1 ↘	9.7 ↘
	10.5 *	7.5 →	10.1 ↘	10.6 *
beste Teiler	96.1 (9.)	123.0 (6.)	130.8 (1.)	
Trefferlage	1.16 mm rechts, 0.59 mm hoch			
Streuwert	2.66, horizontal: 3.02, vertikal: 2.24			



Serie 2:				
	9.6 ↖	10.3 *	8.4 ↗	10.4 *
	8.8 →	9.7 ↗	10.2 *	9.0 ↑
beste Teiler	139.6 (14.)	168.4 (12.)	177.5 (20.)	
Trefferlage	1.23 mm rechts, 2.08 mm hoch			
Streuwert	2.01, horizontal: 2.10, vertikal: 1.92			



Serie 3:				
	10.0 →	10.0 ↑	9.8 ↑	9.0 ↘
	9.2 →	10.3 *	9.0 →	7.9 ←
beste Teiler	167.9 (27.)	202.7 (30.)	217.4 (25.)	
Trefferlage	0.47 mm rechts, 0.24 mm hoch			
Streuwert	2.90, horizontal: 3.55, vertikal: 2.06			



Serie 4:				
	9.5 ↑	10.3 *	9.8 ↖	10.2 *
	9.2 ←	9.5 →	7.9 ↑	8.8 ↖
beste Teiler	88.0 (40.)	118.8 (35.)	173.6 (32.)	
Trefferlage	0.74 mm links, 1.10 mm hoch			
Streuwert	2.71, horizontal: 2.40, vertikal: 2.99			

Unterschrift des Schützen

Meyton Elektronik