





Ergebnis: **379** (396.6)
 Serien: 96 93 96 94
 Zähler: 21 17 2 0 0 0 0 0 0 0
 Innenzehner: 13
 weiteste: 621 (15), 553 (6), 477 (32)
 beste Teiler 37.6 (25.) 73.0 (17.) 90.6 (7.)
 Trefferlage 0.44 mm rechts, 0.17 mm hoch
 Streuwert 2.07, horizontal: 2.27, vertikal: 1.85




Serie 1:
 10.0 ↗ 10.0 ↖ 10.3 * 9.5 ↘ 10.4 *
 8.7 → 10.6 * 9.7 ↓ 10.0 → 10.3 *
 beste Teiler 90.6 (7.) 127.2 (5.) 166.9 (10.)
 Trefferlage 0.89 mm rechts, 0.44 mm tief
 Streuwert 1.98, horizontal: 2.40, vertikal: 1.44



Serie 2:
 10.6 * 9.4 ↖ 9.7 ↗ 9.4 → 8.5 ↘
 9.9 ↓ 10.7 * 9.1 ↖ 10.6 * 10.1 →
 beste Teiler 73.0 (17.) 97.9 (19.) 98.9 (11.)
 Trefferlage 0.41 mm rechts, 0.05 mm tief
 Streuwert 2.51, horizontal: 2.83, vertikal: 2.15



Serie 3:
 9.9 ↗ 9.7 ↓ 10.0 ↖ 9.8 ↖ 10.8 *
 10.4 * 9.7 → 10.5 * 10.1 ↓ 10.1 ↑
 beste Teiler 37.6 (25.) 114.6 (28.) 147.2 (26.)
 Trefferlage 0.01 mm links, 0.01 mm hoch
 Streuwert 1.73, horizontal: 1.53, vertikal: 1.91





Serie 4:
 9.5 ↗ 9.0 ← 9.8 ↑ 10.4 * 10.5 *
 9.3 → 10.2 * 9.4 ↖ 9.9 ↗ 10.1 →
 beste Teiler 102.9 (35.) 142.4 (34.) 182.7 (37.)
 Trefferlage 0.46 mm rechts, 1.18 mm hoch
 Streuwert 2.08, horizontal: 2.42, vertikal: 1.68


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	380	(400.2)
Serien:	92 96 97 95	
Zähler:	24 12 4 0 0 0 0 0 0 0	
Innenzehner:	19	
weiteste:	711 (34), 574 (7), 565 (35)	
beste Teiler	27.0 (24.) 37.3 (36.) 60.4 (18.)	
Trefferlage	0.07 mm rechts, 0.11 mm hoch	
Streuwert	2.05, horizontal: 2.38, vertikal: 1.65	




Serie 1:	10.3 *	10.3 *	9.2 ↗	9.9 ↖	8.9 ↘
	9.7 →	8.7 ↖	10.5 *	10.1 ↗	9.6 ↑
beste Teiler	111.1 (8.) 154.3 (2.) 157.0 (1.)				
Trefferlage	0.38 mm rechts, 0.45 mm hoch				
Streuwert	2.50, horizontal: 2.93, vertikal: 1.98				



Serie 2:	9.9 →	10.4 *	10.6 *	9.4 ↖	9.8 ↖
	10.6 *	9.0 ↘	10.7 *	10.0 ↘	10.6 *
beste Teiler	60.4 (18.) 89.8 (20.) 97.1 (13.)				
Trefferlage	0.17 mm rechts, 0.32 mm hoch				
Streuwert	1.87, horizontal: 2.34, vertikal: 1.24				





Serie 3:	10.6 *	9.8 ↘	10.6 *	10.8 *	9.6 ↖
	10.6 *	10.2 *	9.6 ↗	10.4 *	10.5 *
beste Teiler	27.0 (24.) 79.3 (26.) 89.6 (23.)				
Trefferlage	0.43 mm links, 0.67 mm tief				
Streuwert	1.38, horizontal: 1.60, vertikal: 1.12				




Serie 4:	10.1 ↖	10.3 *	10.1 ↑	8.1 ↖	8.7 →
	10.8 *	10.7 *	9.9 ↘	10.5 *	10.1 ↓
beste Teiler	37.3 (36.) 68.4 (37.) 125.0 (39.)				
Trefferlage	0.17 mm rechts, 0.35 mm hoch				
Streuwert	2.43, horizontal: 2.75, vertikal: 2.05				

Unterschrift des Schützen


Ergebnis:	370	(387.4)
Serien:	91 94 95 90	
Zähler:	18 16 4 2 0 0 0 0 0 0	
Innenzehner:	11	
weiteste:	948 (40), 912 (10), 697 (6)	
beste Teiler	81.5 (30.) 88.6 (25.) 88.8 (22.)	
Trefferlage	0.68 mm rechts, 0.06 mm tief	
Streuwert	2.62, horizontal: 3.19, vertikal: 1.89	




Serie 1:	10.0 ↑	10.0 ↖	9.9 ↙	9.7 ↑	9.1 ↙
	8.2 ↘	9.2 ↖	10.3 *	10.4 *	7.3 →
beste Teiler	129.5 (9.)	172.9 (8.)	229.0 (1.)		
Trefferlage	0.01 mm rechts, 0.33 mm tief				
Streuwert	3.37, horizontal: 4.10, vertikal: 2.45				



Serie 2:	10.1 ↘	10.0 ↙	9.5 ↘	10.4 *	10.1 ↓
	9.2 ↗	8.8 →	9.5 ↓	10.3 *	9.5 →
beste Teiler	130.6 (14.)	151.3 (19.)	202.6 (11.)		
Trefferlage	1.45 mm rechts, 0.68 mm tief				
Streuwert	2.11, horizontal: 2.29, vertikal: 1.91				



Serie 3:	9.8 ↗	10.6 *	10.0 ↖	9.9 ↗	10.6 *
	9.7 →	8.9 →	10.0 ↓	10.2 *	10.6 *
beste Teiler	81.5 (30.)	88.6 (25.)	88.8 (22.)		
Trefferlage	1.26 mm rechts, 0.09 mm hoch				
Streuwert	1.68, horizontal: 1.93, vertikal: 1.39				





Serie 4:	10.2 *	10.4 *	8.9 ↗	9.5 →	9.3 ↗
	10.5 *	9.9 ↙	9.9 ↓	9.8 ↖	7.2 ↖
beste Teiler	117.6 (36.)	137.9 (32.)	178.7 (31.)		
Trefferlage	0.02 mm links, 0.67 mm hoch				
Streuwert	3.09, horizontal: 4.04, vertikal: 1.66				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **393.6** (375)
 Serien: 98.7 97.6 98.7 98.6
 Zähler: 18 19 3 0 0 0 0 0 0 0
 Innenzehner: 15
 weiteste: 722 (6), 512 (29), 508 (11)
 beste Teiler 37.4 (13.) 64.4 (32.) 87.4 (9.)
 Trefferlage 0.32 mm rechts, 0.14 mm hoch
 Streuwert 2.22, horizontal: 2.40, vertikal: 2.03




Serie 1:
 9.5 ↗ 10.3 * 9.4 ↓ 10.3 * 10.1 ↓
 8.1 ↘ 10.4 * 10.3 * 10.6 * 9.7 ↘
 beste Teiler 87.4 (9.) 128.1 (7.) 160.4 (8.)
 Trefferlage 1.53 mm rechts, 1.12 mm tief
 Streuwert 1.97, horizontal: 1.82, vertikal: 2.10



Serie 2:
 8.9 ↗ 10.4 * 10.8 * 9.7 → 10.0 →
 9.7 ↘ 9.9 ↗ 9.2 → 9.6 ↑ 9.4 →
 beste Teiler 37.4 (13.) 128.8 (12.) 230.4 (15.)
 Trefferlage 1.69 mm rechts, 1.26 mm hoch
 Streuwert 1.81, horizontal: 2.10, vertikal: 1.46



Serie 3:
 10.5 * 10.6 * 9.8 → 9.8 ↓ 9.5 ↑
 9.2 ← 9.8 ← 10.4 * 8.9 ↘ 10.2 *
 beste Teiler 99.9 (22.) 120.9 (21.) 149.2 (28.)
 Trefferlage 0.89 mm links, 0.51 mm hoch
 Streuwert 2.12, horizontal: 2.29, vertikal: 1.95





Serie 4:
 9.4 ↗ 10.7 * 10.2 * 9.0 ← 9.6 ↘
 9.5 ↑ 9.6 ↘ 10.2 * 10.3 * 10.1 ↘
 beste Teiler 64.4 (32.) 151.4 (39.) 180.2 (38.)
 Trefferlage 1.04 mm links, 0.09 mm tief
 Streuwert 2.08, horizontal: 2.11, vertikal: 2.05


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	374	(390.4)
Serien:	93 93 92 96	
Zähler:	20 14 6 0 0 0 0 0 0 0	
Innenzehner:	13	
weiteste:	717 (2), 704 (7), 649 (19)	
beste Teiler	7.2 (32.) 32.0 (28.) 47.4 (20.)	
Trefferlage	0.50 mm links, 0.32 mm hoch	
Streuwert	2.49, horizontal: 3.05, vertikal: 1.76	




Serie 1:	10.5 *	8.1 ←	10.1 ↑	10.7 *	9.3 ↖
	10.1 ↑	8.1 ↘	8.7 →	10.6 *	10.4 *
beste Teiler	75.2 (4.) 99.5 (9.) 103.1 (1.)				
Trefferlage	0.13 mm rechts, 0.44 mm hoch				
Streuwert	3.02, horizontal: 3.57, vertikal: 2.33				



Serie 2:	9.6 →	9.7 ↘	10.2 *	10.2 *	9.2 →
	9.8 ↖	10.1 ↓	9.9 ↑	8.4 ←	10.8 *
beste Teiler	47.4 (20.) 178.0 (14.) 182.8 (13.)				
Trefferlage	0.20 mm rechts, 0.17 mm tief				
Streuwert	2.44, horizontal: 3.06, vertikal: 1.61				



Serie 3:	10.6 *	9.2 ↖	8.7 ↖	9.4 →	9.4 ←
	9.3 →	10.4 *	10.8 *	9.6 ↙	9.5 ↘
beste Teiler	32.0 (28.) 100.4 (21.) 147.3 (27.)				
Trefferlage	1.14 mm links, 0.52 mm hoch				
Streuwert	2.49, horizontal: 3.22, vertikal: 1.42				





Serie 4:	10.1 ↘	10.9 *	9.4 ←	10.4 *	10.0 ↙
	10.1 ←	9.3 →	8.5 ↘	10.3 *	10.0 ↙
beste Teiler	7.2 (32.) 130.6 (34.) 154.7 (39.)				
Trefferlage	1.22 mm links, 0.48 mm hoch				
Streuwert	2.11, horizontal: 2.43, vertikal: 1.73				

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	372	(391.1)
Serien:	96 93 93 90	
Zähler:	16 20 4 0 0 0 0 0 0 0	
Innenzehner:	13	
weiteste:	721 (3), 548 (33), 526 (31)	
beste Teiler	8.4 (1.) 37.2 (23.) 43.1 (16.)	
Trefferlage	0.25 mm links, 0.19 mm hoch	
Streuwert	2.38, horizontal: 2.58, vertikal: 2.16	




Serie 1:

10.9 *	10.5 *	8.1 ↖	9.5 ↙	10.2 *
10.3 *	10.6 *	10.5 *	9.9 ←	10.1 ↙
beste Teiler	8.4 (1.) 83.9 (7.) 106.2 (2.)			
Trefferlage	0.77 mm links, 0.17 mm hoch			
Streuwert	2.12, horizontal: 2.22, vertikal: 2.01			




Serie 2:

10.2 *	8.9 ↗	9.3 ↓	9.4 →	9.5 ←
10.8 *	10.5 *	10.0 ↘	9.1 ↑	9.7 ↖
beste Teiler	43.1 (16.) 101.6 (17.) 189.2 (11.)			
Trefferlage	0.24 mm links, 0.47 mm hoch			
Streuwert	2.49, horizontal: 2.15, vertikal: 2.79			



Serie 3:

9.4 →	10.4 *	10.8 *	10.5 *	9.7 →
9.4 ←	9.6 ↘	9.8 ↙	9.1 ↙	9.6 →
beste Teiler	37.2 (23.) 120.7 (24.) 145.1 (22.)			
Trefferlage	0.51 mm rechts, 0.67 mm tief			
Streuwert	2.20, horizontal: 2.83, vertikal: 1.29			





Serie 4:

8.8 ←	9.7 ↗	8.8 ↖	10.3 *	9.4 ↗
9.5 ↘	9.1 ↗	9.2 ↙	9.9 ↗	10.1 ↗
beste Teiler	159.6 (34.) 215.0 (40.) 260.6 (39.)			
Trefferlage	0.50 mm links, 0.82 mm hoch			
Streuwert	2.79, horizontal: 3.19, vertikal: 2.32			


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **368** (386.0)
 Serien: 87 94 96 91
 Zähler: 16 17 6 1 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 915 (9), 650 (4), 632 (2)
 beste Teiler 64.7 (3.) 97.8 (36.) 115.7 (19.)
 Trefferlage 0.62 mm links, 0.13 mm hoch
 Streuwert 2.65, horizontal: 2.99, vertikal: 2.25




Serie 1:
 10.2 * 8.4 ← 10.7 * 8.4 ← 8.8 →
 9.5 ↗ 9.7 ↘ 9.9 ↘ 7.3 ← 9.5 →
 beste Teiler 64.7 (3.) 180.3 (1.) 258.1 (8.)
 Trefferlage 1.16 mm links, 0.85 mm hoch
 Streuwert 3.51, horizontal: 4.63, vertikal: 1.80



Serie 2:
 10.5 * 8.7 ↓ 8.6 ↖ 9.5 ↘ 10.4 *
 10.3 * 10.0 → 9.5 ↓ 10.5 * 10.1 ↖
 beste Teiler 115.7 (19.) 123.1 (11.) 150.7 (15.)
 Trefferlage 0.53 mm links, 0.60 mm tief
 Streuwert 2.42, horizontal: 2.27, vertikal: 2.55



Serie 3:
 10.5 * 10.0 ↓ 10.0 ↖ 9.5 ↑ 9.8 ↖
 9.0 → 10.2 * 9.4 → 10.5 * 10.1 →
 beste Teiler 119.5 (21.) 122.7 (29.) 188.9 (27.)
 Trefferlage 1.00 mm rechts, 0.25 mm hoch
 Streuwert 1.97, horizontal: 2.20, vertikal: 1.71





Serie 4:
 9.5 ↖ 9.3 ↖ 9.9 ↖ 9.8 ↑ 9.8 ←
 10.6 * 8.6 ↓ 9.4 ← 9.1 ← 10.5 *
 beste Teiler 97.8 (36.) 117.5 (40.) 258.9 (33.)
 Trefferlage 1.82 mm links, 0.05 mm hoch
 Streuwert 2.29, horizontal: 1.55, vertikal: 2.84


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	375	(392.2)
Serien:	91 91 96 97	
Zähler:	20 15 5 0 0 0 0 0 0 0	
Innenzehner:	11	
weiteste:	599 (6), 592 (5), 563 (11)	
beste Teiler	54.6 (40.) 86.3 (32.) 95.7 (16.)	
Trefferlage	0.09 mm rechts, 0.53 mm hoch	
Streuwert	2.28, horizontal: 2.64, vertikal: 1.87	




Serie 1:	10.2 *	9.5 ↗	9.1 ↗	9.1 →	8.6 →
	8.6 ←	10.0 →	10.3 *	8.9 →	10.0 ↘
beste Teiler	170.6 (8.)	181.8 (1.)	246.2 (7.)		
Trefferlage	1.22 mm rechts, 0.88 mm hoch				
Streuwert	2.90, horizontal: 3.64, vertikal: 1.88				



Serie 2:	8.7 ↘	9.8 ↘	8.7 ↘	10.0 ↗	9.7 →
	10.6 *	9.4 ↘	9.4 →	10.0 ↓	9.9 ↘
beste Teiler	95.7 (16.)	228.1 (19.)	240.8 (14.)		
Trefferlage	0.37 mm rechts, 0.88 mm hoch				
Streuwert	2.60, horizontal: 2.87, vertikal: 2.30				



Serie 3:	10.4 *	10.5 *	9.7 ↙	10.0 ↘	10.4 *
	10.5 *	9.2 ←	9.9 ↘	10.3 *	9.9 ↘
beste Teiler	111.2 (22.)	118.0 (26.)	126.4 (21.)		
Trefferlage	0.72 mm links, 0.17 mm hoch				
Streuwert	1.69, horizontal: 1.81, vertikal: 1.55				



Serie 4:	10.0 ↓	10.6 *	10.1 ↘	10.1 ↘	10.1 ↘
	9.2 ↘	9.8 ↘	9.9 ↘	10.4 *	10.7 *
beste Teiler	54.6 (40.)	86.3 (32.)	137.0 (39.)		
Trefferlage	0.49 mm links, 0.17 mm hoch				
Streuwert	1.74, horizontal: 1.66, vertikal: 1.82				

Unterschrift des Schützen

Meyton Elektronik