




Ergebnis:	357	(374.6)
Serien:	87 93 89 88	
Zähler:	8 21 11 0 0 0 0 0 0 0	
Innenzehner:	6	
weiteste:	724 (29), 715 (10), 714 (24)	
beste Teiler	50.2 (27.) 74.3 (5.) 131.9 (18.)	
Trefferlage	0.72 mm rechts, 1.47 mm hoch	
Streuwert	2.87, horizontal: 2.83, vertikal: 2.91	




Serie 1:

9.8 ←	9.8 ↑	8.9 ↑	9.8 ←	10.7 *
8.8 ↗	8.6 ↘	9.3 ↘	9.3 ↑	8.1 ↑
beste Teiler	74.3 (5.)	284.9 (2.)	293.7 (1.)	
Trefferlage	1.33 mm links, 3.19 mm hoch			
Streuwert	2.12, horizontal: 1.99, vertikal: 2.25			




Serie 2:

9.0 →	10.2 *	10.1 ↑	10.1 ↘	9.9 →
9.7 ←	8.9 ↘	10.4 *	9.0 ↘	9.0 ↑
beste Teiler	131.9 (18.)	187.2 (12.)	205.9 (13.)	
Trefferlage	0.08 mm rechts, 1.45 mm hoch			
Streuwert	2.42, horizontal: 2.84, vertikal: 1.90			



Serie 3:

9.1 ↘	9.7 →	10.2 *	8.1 ↘	9.4 ↓
9.1 →	10.8 *	8.6 ↗	8.1 ↑	9.2 ↑
beste Teiler	50.2 (27.)	186.9 (23.)	305.8 (22.)	
Trefferlage	2.54 mm rechts, 0.66 mm hoch			
Streuwert	3.00, horizontal: 2.40, vertikal: 3.49			





Serie 4:

9.9 ↓	9.0 →	9.1 ↗	9.0 ↑	9.8 ↓
9.7 ↗	10.3 *	8.8 ↓	8.9 ↘	8.4 ↗
beste Teiler	172.8 (37.)	258.2 (31.)	283.0 (35.)	
Trefferlage	1.59 mm rechts, 0.56 mm hoch			
Streuwert	3.03, horizontal: 2.70, vertikal: 3.32			


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	362	(383.0)
Serien:	92 87 92 91	
Zähler:	14 16 8 2 0 0 0 0 0 0	
Innenzehner:	14	
weiteste:	888 (5), 763 (17), 673 (32)	
beste Teiler	43.0 (8.) 59.0 (28.) 64.6 (35.)	
Trefferlage	0.59 mm rechts, 0.85 mm hoch	
Streuwert	2.76, horizontal: 2.72, vertikal: 2.80	




Serie 1:	10.3 *	8.8 ↗	9.8 ↘	10.4 *	7.4 ↗
	10.4 *	10.3 *	10.8 *	9.0 ↑	9.8 ↓
beste Teiler	43.0 (8.)	131.2 (6.)	147.2 (4.)		
Trefferlage	0.74 mm rechts, 1.21 mm hoch				
Streuwert	2.76, horizontal: 2.85, vertikal: 2.66				



Serie 2:	9.2 ↗	10.5 *	9.7 ↑	8.9 →	8.9 ↑
	10.3 *	7.9 ↑	9.1 ↘	8.8 →	9.2 ↙
beste Teiler	123.8 (12.)	172.9 (16.)	309.2 (13.)		
Trefferlage	1.71 mm rechts, 0.86 mm hoch				
Streuwert	3.12, horizontal: 2.49, vertikal: 3.65				



Serie 3:	10.6 *	10.2 *	9.0 ↘	9.6 ↗	8.7 ↗
	10.2 *	9.2 ↓	10.7 *	9.8 ↑	8.8 ↑
beste Teiler	59.0 (28.)	76.2 (21.)	186.6 (22.)		
Trefferlage	0.20 mm rechts, 1.15 mm hoch				
Streuwert	2.54, horizontal: 2.37, vertikal: 2.69				





Serie 4:	9.9 →	8.3 ↘	9.4 ↓	8.8 ↘	10.7 *
	9.3 →	9.7 ↗	10.7 *	9.5 →	10.4 *
beste Teiler	64.6 (35.)	68.4 (38.)	128.7 (40.)		
Trefferlage	0.29 mm links, 0.18 mm hoch				
Streuwert	2.78, horizontal: 3.12, vertikal: 2.38				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	362	(379.6)
Serien:	92 90 94 86	
Zähler:	13 17 9 1 0 0 0 0 0 0	
Innenzehner:	9	
weiteste:	789 (32), 749 (38), 729 (24)	
beste Teiler	60.2 (11.) 91.1 (25.) 130.9 (26.)	
Trefferlage	0.40 mm links, 0.12 mm tief	
Streuwert	2.94, horizontal: 3.03, vertikal: 2.84	




Serie 1:	10.3 *	10.0 ↖	9.4 ←	9.9 ↗	8.6 ↗
	10.0 →	9.3 →	10.1 ↓	9.6 ↘	8.9 ↓
beste Teiler	153.6 (1.)	224.5 (8.)	234.0 (2.)		
Trefferlage	0.29 mm rechts, 0.46 mm tief				
Streuwert	2.65, horizontal: 2.47, vertikal: 2.82				



Serie 2:	10.7 *	9.3 ↖	8.3 ↗	9.3 ↑	8.7 ↓
	9.6 ↖	10.3 *	9.4 ↗	9.9 ↘	9.7 ↗
beste Teiler	60.2 (11.)	167.6 (17.)	253.6 (19.)		
Trefferlage	0.28 mm links, 0.27 mm hoch				
Streuwert	2.93, horizontal: 2.62, vertikal: 3.20				



Serie 3:	10.2 *	9.3 ←	9.6 ↖	8.0 ↘	10.6 *
	10.4 *	9.4 →	10.1 ↖	9.9 ↗	10.3 *
beste Teiler	91.1 (25.)	130.9 (26.)	163.0 (30.)		
Trefferlage	0.24 mm links, 0.21 mm tief				
Streuwert	2.56, horizontal: 3.19, vertikal: 1.71				





Serie 4:	9.7 ←	7.8 ↖	10.4 *	10.2 *	8.1 ↗
	8.6 ↓	9.2 ↓	8.0 ↖	8.8 ↗	9.7 ↖
beste Teiler	137.4 (33.)	191.1 (34.)	309.0 (31.)		
Trefferlage	1.40 mm links, 0.08 mm tief				
Streuwert	3.77, horizontal: 3.87, vertikal: 3.66				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **380.0** (363)
 Serien: 93.7 100.0 90.5 95.8
 Zähler: 16 14 7 3 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 863 (36), 843 (25), 832 (2)
 beste Teiler 37.0 (20.) 62.0 (7.) 65.7 (3.)
 Trefferlage 0.87 mm rechts, 0.52 mm tief
 Streuwert 2.91, horizontal: 3.13, vertikal: 2.67




Serie 1:
 9.1 ↖ 7.6 ↘ 10.7 * 9.1 → 9.7 ↘
 8.8 → 10.7 * 10.2 * 8.7 ↖ 9.1 ↖
 beste Teiler 62.0 (7.) 65.7 (3.) 179.0 (8.)
 Trefferlage 0.70 mm rechts, 0.07 mm tief
 Streuwert 3.37, horizontal: 3.91, vertikal: 2.74



Serie 2:
 9.1 ← 9.7 ↓ 10.3 * 10.3 * 10.4 *
 10.1 → 9.4 ↑ 10.0 ↖ 9.9 ↑ 10.8 *
 beste Teiler 37.0 (20.) 133.1 (15.) 163.2 (13.)
 Trefferlage 0.10 mm links, 0.64 mm hoch
 Streuwert 1.92, horizontal: 1.94, vertikal: 1.89



Serie 3:
 9.0 ↘ 10.0 ← 8.1 ↘ 8.8 ↓ 7.6 →
 9.6 ↙ 8.9 → 8.8 ↖ 9.6 ↙ 10.1 ↑
 beste Teiler 211.4 (30.) 239.0 (22.) 327.0 (29.)
 Trefferlage 1.34 mm rechts, 1.12 mm tief
 Streuwert 3.57, horizontal: 4.02, vertikal: 3.06





Serie 4:
 8.8 ↓ 9.6 ↘ 10.2 * 10.1 ↖ 10.4 *
 7.5 ↘ 9.2 → 10.0 ↓ 9.8 ↘ 10.2 *
 beste Teiler 145.9 (35.) 190.6 (33.) 200.2 (40.)
 Trefferlage 1.54 mm rechts, 1.55 mm tief
 Streuwert 2.51, horizontal: 2.33, vertikal: 2.69


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	353	(370.3)
Serien:	88 89 87 89	
Zähler:	6 23 9 2 0 0 0 0 0 0	
Innenzehner:	5	
weiteste:	912 (26), 818 (8), 713 (38)	
beste Teiler	84.6 (34.) 111.1 (7.) 128.3 (27.)	
Trefferlage	0.02 mm links, 0.50 mm hoch	
Streuwert	3.31, horizontal: 3.65, vertikal: 2.92	




Serie 1:				
	9.3 →	9.5 ↓	9.9 ↓	9.3 ↑
	9.5 ↑	10.5 *	7.7 ←	8.3 →
beste Teiler	111.1 (7.)	261.4 (3.)	300.1 (10.)	9.1 ↖
Trefferlage	0.39 mm links, 0.79 mm hoch			
Streuwert	3.36, horizontal: 4.07, vertikal: 2.45			



Serie 2:				
	9.2 ↑	9.2 ↖	9.2 ↙	9.4 ↑
	10.2 *	9.3 ↗	8.3 ↖	9.5 ↙
beste Teiler	199.2 (16.)	361.9 (15.)	393.1 (14.)	9.0 ↑
Trefferlage	0.87 mm links, 0.96 mm hoch			
Streuwert	3.22, horizontal: 2.93, vertikal: 3.48			



Serie 3:				
	9.3 ↖	9.4 ↑	8.2 ↓	9.2 ↖
	7.3 →	10.4 *	9.9 →	8.1 →
beste Teiler	128.3 (27.)	256.0 (28.)	260.7 (29.)	9.9 ↖
Trefferlage	1.44 mm rechts, 0.55 mm hoch			
Streuwert	3.66, horizontal: 4.27, vertikal: 2.94			





Serie 4:				
	10.3 *	8.9 ↙	9.8 ↙	10.6 *
	8.5 ↖	9.5 →	8.1 ↗	10.0 ↖
beste Teiler	84.6 (34.)	160.3 (31.)	239.0 (35.)	9.7 ↖
Trefferlage	0.26 mm links, 0.29 mm tief			
Streuwert	3.19, horizontal: 3.33, vertikal: 3.03			


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **360** (380.9)
 Serien: 91 85 92 92
 Zähler: 16 12 8 4 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 887 (6), 877 (16), 845 (17)
 beste Teiler 22.0 (39.) 37.8 (14.) 64.8 (29.)
 Trefferlage 0.52 mm links, 0.38 mm hoch
 Streuwert 3.02, horizontal: 2.93, vertikal: 3.11




Serie 1:
 10.2 * 10.5 * 8.7 ↙ 10.5 * 9.2 ↘
 7.4 ↖ 10.1 ↗ 9.5 ↘ 9.9 ↑ 9.5 ←
 beste Teiler 102.8 (2.) 117.0 (4.) 200.2 (1.)
 Trefferlage 1.44 mm links, 0.29 mm hoch
 Streuwert 2.90, horizontal: 3.32, vertikal: 2.41



Serie 2:
 9.3 ↘ 10.0 ↘ 8.9 ↗ 10.8 * 8.8 ↘
 7.4 ↑ 7.6 ↘ 9.9 ↗ 10.4 * 7.7 ↘
 beste Teiler 37.8 (14.) 131.8 (19.) 246.8 (12.)
 Trefferlage 0.94 mm rechts, 0.02 mm hoch
 Streuwert 4.03, horizontal: 3.21, vertikal: 4.71



Serie 3:
 8.8 ↘ 9.9 ↘ 10.1 ↓ 9.9 ← 8.6 ↑
 9.6 → 10.1 ← 9.0 ← 10.7 * 10.7 *
 beste Teiler 64.8 (29.) 65.6 (30.) 212.4 (27.)
 Trefferlage 1.06 mm links, 0.59 mm hoch
 Streuwert 2.43, horizontal: 2.11, vertikal: 2.71





Serie 4:
 10.0 ← 9.2 ↖ 10.4 * 10.2 * 8.7 ↖
 8.8 → 8.9 ↘ 9.9 ↘ 10.9 * 10.2 *
 beste Teiler 22.0 (39.) 140.0 (33.) 191.7 (34.)
 Trefferlage 0.52 mm links, 0.64 mm hoch
 Streuwert 2.64, horizontal: 2.76, vertikal: 2.52


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **368** (386.6)
 Serien: 93 95 91 89
 Zähler: 20 11 7 1 1 0 0 0 0 0
 Innenzehner: 12
 weiteste: 1049 (26), 817 (36), 688 (1)
 beste Teiler 10.0 (24.) 51.0 (9.) 54.7 (31.)
 Trefferlage 0.90 mm links, 0.32 mm tief
 Streuwert 2.72, horizontal: 3.39, vertikal: 1.83




Serie 1:
 8.2 ↖ 10.1 ↓ 8.8 → 9.5 ↖ 9.8 ↖
 10.6 * 10.6 * 10.5 * 10.7 * 9.9 ↘
 beste Teiler 51.0 (9.) 85.1 (7.) 95.2 (6.)
 Trefferlage 1.12 mm links, 0.80 mm hoch
 Streuwert 2.29, horizontal: 2.94, vertikal: 1.35



Serie 2:
 9.8 ↓ 10.1 ← 8.8 ← 9.5 ↓ 10.3 *
 10.5 * 9.3 ↘ 10.2 * 10.0 ↘ 10.1 ↘
 beste Teiler 112.4 (16.) 169.8 (15.) 193.5 (18.)
 Trefferlage 1.04 mm links, 0.72 mm tief
 Streuwert 2.01, horizontal: 2.18, vertikal: 1.83



Serie 3:
 8.8 ↘ 10.1 → 9.7 → 10.9 * 10.3 *
 6.8 → 9.0 ↓ 10.1 ← 10.1 ↖ 9.7 →
 beste Teiler 10.0 (24.) 162.5 (25.) 205.0 (22.)
 Trefferlage 2.06 mm rechts, 0.86 mm tief
 Streuwert 2.86, horizontal: 3.52, vertikal: 1.99





Serie 4:
 10.7 * 8.2 ← 9.3 ← 10.4 * 10.7 *
 7.7 ↙ 9.0 ↖ 8.9 ← 8.9 ↗ 10.0 ←
 beste Teiler 54.7 (31.) 73.1 (35.) 126.0 (34.)
 Trefferlage 3.50 mm links, 0.51 mm tief
 Streuwert 2.24, horizontal: 2.57, vertikal: 1.84


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	368	(382.6)
Serien:	95	91 89 93
Zähler:	16 18 4	2 0 0 0 0 0 0
Innenzehner:	9	
weiteste:	895 (27), 776 (14), 726 (13)	
beste Teiler	30.4 (35.) 104.8 (33.) 132.2 (10.)	
Trefferlage	1.41 mm rechts, 0.29 mm tief	
Streuwert	2.61, horizontal: 2.71, vertikal: 2.51	




Serie 1:	10.2 *	10.1 ↘	9.4 ←	9.2 →	10.1 ↘
	8.7 ↘	10.4 *	9.6 ↓	10.2 *	10.4 *
beste Teiler	132.2 (10.) 136.2 (7.) 187.8 (1.)				
Trefferlage	0.62 mm rechts, 1.47 mm tief				
Streuwert	2.00, horizontal: 2.43, vertikal: 1.45				



Serie 2:	10.2 *	9.4 →	8.0 ↘	7.8 ↗	9.2 ↘
	10.0 ↖	9.3 ←	10.0 ↓	10.1 ↗	9.1 ↗
beste Teiler	190.8 (11.) 217.4 (19.) 230.7 (18.)				
Trefferlage	0.91 mm rechts, 0.59 mm hoch				
Streuwert	3.28, horizontal: 3.52, vertikal: 3.02				



Serie 3:	9.1 ↗	9.3 ↘	10.4 *	10.2 *	8.8 ↗
	9.8 ↘	7.4 →	9.7 ↘	9.9 ↗	9.2 ↘
beste Teiler	138.3 (23.) 188.7 (24.) 268.2 (29.)				
Trefferlage	2.55 mm rechts, 0.34 mm hoch				
Streuwert	2.69, horizontal: 2.80, vertikal: 2.57				



Serie 4:	9.0 →	10.0 →	10.5 *	8.8 ↘	10.8 *
	9.9 ↘	10.0 ←	9.7 ↗	9.7 ↘	9.0 ↗
beste Teiler	30.4 (35.) 104.8 (33.) 249.2 (37.)				
Trefferlage	1.57 mm rechts, 0.66 mm tief				
Streuwert	2.20, horizontal: 1.83, vertikal: 2.52				

Unterschrift des Schützen

Meyton Elektronik