





Ergebnis: **322** (338.0)
 Serien: 81 86 77 78
 Zähler: 4 14 8 8 6 0 0 0 0 0
 Innenzehner: 3
 weiteste: 3941 (39), 3819 (24), 3656 (4)
 beste Teiler 84.5 (19.) 304.2 (11.) 472.8 (1.)
 Trefferlage 1.35 mm links, 10.88 mm hoch
 Streuwert 14.13, horizontal: 14.44, vertikal: 13.81




Serie 1:
 10.4 * 10.2 ↓ 8.7 ↖ 6.4 ↗ 6.4 ↑
 7.0 ← 9.0 ← 9.9 ↗ 9.4 ↗ 7.0 ←
 beste Teiler 472.8 (1.) 608.6 (2.) 861.9 (8.)
 Trefferlage 4.87 mm links, 7.35 mm hoch
 Streuwert 16.25, horizontal: 18.58, vertikal: 13.53



Serie 2:
 10.6 * 7.4 ↑ 8.6 ↖ 8.3 ↗ 9.0 ↗
 9.3 ↖ 8.2 ↑ 8.5 ↖ 10.8 * 9.6 ←
 beste Teiler 84.5 (19.) 304.2 (11.) 1044.9 (20.)
 Trefferlage 0.37 mm rechts, 12.61 mm hoch
 Streuwert 8.94, horizontal: 7.37, vertikal: 10.27



Serie 3:
 9.1 ↘ 6.5 ↑ 8.9 ← 6.2 ↗ 7.0 ↑
 9.2 ↑ 8.8 ↖ 8.3 ← 9.2 ↘ 7.3 →
 beste Teiler 1395.1 (29.) 1431.1 (26.) 1515.4 (21.)
 Trefferlage 1.97 mm rechts, 8.93 mm hoch
 Streuwert 17.36, horizontal: 16.53, vertikal: 18.15





Serie 4:
 9.7 ↑ 6.9 ↗ 9.6 ↖ 7.7 ← 9.4 ↗
 9.4 ↖ 9.3 ↖ 7.7 ↖ 6.0 ↗ 7.1 ↑
 beste Teiler 983.2 (31.) 1086.6 (33.) 1245.3 (36.)
 Trefferlage 2.91 mm links, 14.64 mm hoch
 Streuwert 13.62, horizontal: 14.10, vertikal: 13.11


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **333** (355.6)
 Serien: 79 86 90 78
 Zähler: 7 9 16 6 2 0 0 0 0 0
 Innenzehner: 4
 weiteste: 3414 (5), 3364 (33), 3158 (30)
 beste Teiler 179.4 (2.) 289.3 (21.) 290.4 (23.)
 Trefferlage 4.49 mm rechts, 5.08 mm hoch
 Streuwert 12.23, horizontal: 12.72, vertikal: 11.72




Serie 1:
 9.1 ↗ 10.7 * 8.4 ↗ 8.9 ← 6.7 ↑
 8.9 ↑ 8.8 ↑ 8.5 ↘ 7.9 ↓ 7.8 ←
 beste Teiler 179.4 (2.) 1475.8 (1.) 1632.7 (4.)
 Trefferlage 0.97 mm links, 7.74 mm hoch
 Streuwert 14.15, horizontal: 12.98, vertikal: 15.23



Serie 2:
 9.0 → 8.8 → 9.7 → 7.4 → 10.3 →
 9.9 → 8.1 → 10.4 * 8.9 → 8.5 ↘
 beste Teiler 462.2 (18.) 529.0 (15.) 804.4 (16.)
 Trefferlage 10.18 mm rechts, 0.15 mm hoch
 Streuwert 9.68, horizontal: 12.52, vertikal: 5.53





Serie 3:
 10.6 * 9.3 ↖ 10.6 * 9.6 ↗ 9.3 ↑
 10.0 ↙ 10.3 ↙ 8.5 ↗ 8.8 ↓ 7.0 →
 beste Teiler 289.3 (21.) 290.4 (23.) 558.7 (27.)
 Trefferlage 2.34 mm rechts, 2.92 mm hoch
 Streuwert 10.77, horizontal: 11.44, vertikal: 10.06




Serie 4:
 8.9 ↗ 7.9 ↗ 6.7 ↗ 8.3 ↑ 7.4 →
 9.5 ↖ 8.8 → 8.8 ↓ 9.9 → 8.7 ↘
 beste Teiler 830.8 (39.) 1175.6 (36.) 1601.4 (31.)
 Trefferlage 6.40 mm rechts, 9.51 mm hoch
 Streuwert 12.96, horizontal: 12.91, vertikal: 13.01

Unterschrift des Schützen


Ergebnis: **340** (360.2)
 Serien: 82 86 88 84
 Zähler: 7 15 10 7 1 0 0 0 0 0
 Innenzehner: 3
 weiteste: 3327 (39), 2887 (1), 2766 (12)
 beste Teiler 126.5 (37.) 334.4 (22.) 458.2 (28.)
 Trefferlage 0.73 mm rechts, 7.28 mm hoch
 Streuwert 11.36, horizontal: 11.50, vertikal: 11.21




Serie 1:
 7.3 ↖ 9.5 ↖ 7.7 ↖ 9.9 ↗ 9.1 ←
 7.5 ↗ 9.6 ↑ 9.7 ↘ 9.8 ↑ 7.8 ↗
 beste Teiler 876.1 (4.) 905.3 (9.) 982.0 (8.)
 Trefferlage 0.13 mm links, 10.63 mm hoch
 Streuwert 11.81, horizontal: 13.17, vertikal: 10.26



Serie 2:
 9.5 ↗ 7.5 → 8.6 ↑ 9.7 ↖ 9.1 ↗
 9.2 ↘ 8.7 → 8.8 ↗ 10.0 ↗ 9.5 ↖
 beste Teiler 748.1 (19.) 979.0 (14.) 1155.1 (20.)
 Trefferlage 2.84 mm rechts, 1.40 mm hoch
 Streuwert 11.76, horizontal: 12.15, vertikal: 11.35





Serie 3:
 8.9 ↘ 10.5 * 9.3 ↑ 7.9 ↗ 10.3 ↖
 8.6 ↗ 8.0 ↗ 10.4 * 10.2 ↑ 8.0 ←
 beste Teiler 334.4 (22.) 458.2 (28.) 544.1 (25.)
 Trefferlage 0.95 mm rechts, 4.16 mm hoch
 Streuwert 11.63, horizontal: 12.28, vertikal: 10.94




Serie 4:
 9.4 ↗ 10.0 ↗ 8.9 ↑ 9.3 ↖ 7.7 ↗
 8.9 ↑ 10.8 * 9.8 ↗ 6.8 ↑ 8.0 ↖
 beste Teiler 126.5 (37.) 741.2 (32.) 920.2 (38.)
 Trefferlage 0.72 mm links, 12.92 mm hoch
 Streuwert 9.66, horizontal: 9.65, vertikal: 9.66

Unterschrift des Schützen


Ergebnis: **350.2** (330)
 Serien: 92.5 87.5 87.5 82.7
 Zähler: 8 9 12 7 4 0 0 0 0 0
 Innenzehner: 4
 weiteste: 3688 (34), 3464 (35), 3455 (5)
 beste Teiler 123.4 (1.) 171.7 (24.) 196.3 (9.)
 Trefferlage 0.59 mm rechts, 3.64 mm hoch
 Streuwert 14.05, horizontal: 15.53, vertikal: 12.40




Serie 1:
 10.8 * 8.1 ↗ 9.8 ↗ 9.9 ↗ 6.6 ←
 7.9 ↑ 10.6 * 9.1 → 10.7 * 9.0 ↗
 beste Teiler 123.4 (1.) 196.3 (9.) 250.1 (7.)
 Trefferlage 1.55 mm rechts, 5.55 mm hoch
 Streuwert 12.03, horizontal: 13.68, vertikal: 10.11



Serie 2:
 10.0 ↑ 7.4 → 10.1 ↘ 7.7 ↑ 7.8 ↖
 10.0 ↘ 9.2 ↖ 8.8 ↗ 9.6 ↓ 6.9 ↖
 beste Teiler 692.5 (13.) 749.3 (11.) 773.8 (16.)
 Trefferlage 1.74 mm links, 6.94 mm hoch
 Streuwert 13.87, horizontal: 16.11, vertikal: 11.20



Serie 3:
 8.4 → 8.5 ↗ 8.3 ↙ 10.7 * 8.6 ↓
 8.8 ← 7.7 ↙ 8.7 ↗ 9.3 ↗ 8.5 ↖
 beste Teiler 171.7 (24.) 1307.3 (29.) 1704.9 (26.)
 Trefferlage 1.81 mm links, 0.83 mm tief
 Streuwert 13.80, horizontal: 14.77, vertikal: 12.77





Serie 4:
 7.7 ↙ 7.1 ↑ 8.7 ↖ 6.3 ↗ 6.6 ↘
 10.3 ↙ 8.9 → 9.5 ↘ 8.3 ↗ 9.3 ←
 beste Teiler 506.9 (36.) 1186.0 (38.) 1333.0 (40.)
 Trefferlage 4.38 mm rechts, 2.89 mm hoch
 Streuwert 17.14, horizontal: 18.73, vertikal: 15.38


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **343** (362.8)
 Serien: 88 86 82 87
 Zähler: 5 20 9 5 1 0 0 0 0 0
 Innenzehner: 1
 weiteste: 3219 (26), 3009 (5), 2979 (31)
 beste Teiler 337.8 (16.) 508.8 (7.) 530.8 (37.)
 Trefferlage 2.70 mm links, 2.68 mm hoch
 Streuwert 11.66, horizontal: 11.04, vertikal: 12.25




Serie 1:
 9.2 ↘ 9.4 ↑ 9.2 ↘ 9.5 ↙ 7.2 ↗
 9.9 ↑ 10.3 ↓ 9.6 ← 8.3 ↗ 9.6 ↑
 beste Teiler 508.8 (7.) 850.4 (6.) 1056.0 (8.)
 Trefferlage 2.04 mm links, 8.14 mm hoch
 Streuwert 9.61, horizontal: 8.31, vertikal: 10.75



Serie 2:
 8.9 ← 9.1 ↗ 8.7 ↘ 9.4 ↙ 9.8 ↑
 10.5 * 8.5 → 9.5 ↘ 9.8 ↗ 7.9 ↓
 beste Teiler 337.8 (16.) 926.9 (19.) 943.6 (15.)
 Trefferlage 1.17 mm links, 1.70 mm hoch
 Streuwert 11.13, horizontal: 11.13, vertikal: 11.12





Serie 3:
 8.1 ↗ 10.2 ↓ 8.9 → 8.9 ↓ 9.4 ↗
 6.9 ↘ 9.6 ↘ 8.6 ↘ 9.6 ← 7.4 ↙
 beste Teiler 633.3 (22.) 1081.1 (29.) 1117.2 (27.)
 Trefferlage 3.46 mm links, 1.73 mm hoch
 Streuwert 13.96, horizontal: 14.55, vertikal: 13.35




Serie 4:
 7.2 ↘ 9.0 → 7.4 ↑ 9.2 ↓ 10.3 ↑
 8.5 ↓ 10.3 ← 9.5 ↙ 9.9 ↓ 9.6 ←
 beste Teiler 530.8 (37.) 541.8 (35.) 805.7 (39.)
 Trefferlage 4.13 mm links, 0.84 mm tief
 Streuwert 12.27, horizontal: 10.84, vertikal: 13.54

Unterschrift des Schützen


Ergebnis: **338** (356.0)
 Serien: 83 83 87 85
 Zähler: 5 18 11 2 4 0 0 0 0 0
 Innenzehner: 2
 weiteste: 3515 (24), 3292 (9), 3247 (13)
 beste Teiler 369.6 (27.) 387.5 (21.) 599.3 (26.)
 Trefferlage 7.16 mm links, 1.51 mm tief
 Streuwert 11.99, horizontal: 11.58, vertikal: 12.39




Serie 1:
 8.1 ← 9.6 ← 9.4 ← 8.7 ← 8.7 ↗
 9.8 ↑ 9.2 ↑ 8.1 ↓ 6.8 ← 9.4 ↘
 beste Teiler 931.8 (6.) 1067.6 (2.) 1228.4 (10.)
 Trefferlage 10.51 mm links, 1.33 mm tief
 Streuwert 11.47, horizontal: 11.88, vertikal: 11.04



Serie 2:
 7.3 ↘ 9.9 ← 6.9 ↓ 9.1 ← 9.2 ↓
 8.8 ↙ 9.9 ← 9.2 ↗ 8.1 ↑ 9.0 ↘
 beste Teiler 813.4 (17.) 863.1 (12.) 1388.5 (18.)
 Trefferlage 4.63 mm links, 0.97 mm hoch
 Streuwert 13.89, horizontal: 9.84, vertikal: 17.00



Serie 3:
 10.5 * 6.9 ↗ 9.5 ↘ 6.6 ← 8.9 ←
 10.2 ↖ 10.5 * 9.5 ↓ 10.1 ↗ 9.5 ↓
 beste Teiler 369.6 (27.) 387.5 (21.) 599.3 (26.)
 Trefferlage 3.25 mm links, 0.07 mm hoch
 Streuwert 12.80, horizontal: 13.98, vertikal: 11.49





Serie 4:
 9.0 ← 8.0 ← 8.9 ← 9.1 ↘ 7.5 ↙
 8.5 ↙ 10.0 ↘ 9.5 ↓ 8.7 ← 9.4 ↘
 beste Teiler 781.6 (37.) 1156.5 (38.) 1243.0 (40.)
 Trefferlage 10.25 mm links, 5.75 mm tief
 Streuwert 9.83, horizontal: 10.03, vertikal: 9.62


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **331** (350.5)
 Serien: 82 76 90 83
 Zähler: 6 14 11 5 2 2 0 0 0 0
 Innenzehner: 1
 weiteste: 4384 (20), 4088 (18), 3800 (33)
 beste Teiler 416.5 (21.) 535.0 (13.) 567.0 (24.)
 Trefferlage 0.47 mm links, 1.45 mm tief
 Streuwert 14.36, horizontal: 13.80, vertikal: 14.90




Serie 1:
 7.8 ↙ 9.6 ← 9.1 ↓ 8.4 ↓ 9.8 ↙
 7.7 ↘ 6.3 ↑ 10.1 → 9.3 → 8.6 ↙
 beste Teiler 664.1 (8.) 937.6 (5.) 1095.4 (2.)
 Trefferlage 5.20 mm links, 1.98 mm tief
 Streuwert 14.45, horizontal: 10.34, vertikal: 17.63



Serie 2:
 8.8 ↘ 8.2 → 10.3 ↑ 7.3 ↙ 9.9 ↙
 8.2 ↘ 8.8 ↗ 5.8 ↗ 8.8 ← 5.5 ↘
 beste Teiler 535.0 (13.) 833.0 (15.) 1692.8 (11.)
 Trefferlage 3.19 mm rechts, 2.47 mm tief
 Streuwert 18.58, horizontal: 16.92, vertikal: 20.10



Serie 3:
 10.4 * 7.9 ↗ 9.1 ← 10.2 ↓ 7.9 ↙
 9.8 ↘ 9.7 ← 10.0 ↙ 10.1 ↓ 9.8 ↙
 beste Teiler 416.5 (21.) 567.0 (24.) 669.5 (29.)
 Trefferlage 5.11 mm links, 1.27 mm tief
 Streuwert 9.26, horizontal: 9.64, vertikal: 8.87





Serie 4:
 8.4 → 9.1 ↗ 6.2 → 8.1 ↙ 9.3 ↙
 8.7 ↑ 8.1 ↗ 9.9 ↗ 9.9 ↙ 9.6 ↙
 beste Teiler 823.2 (38.) 839.2 (39.) 1094.8 (40.)
 Trefferlage 5.22 mm rechts, 0.07 mm tief
 Streuwert 14.22, horizontal: 15.46, vertikal: 12.86


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **339** (355.9)
 Serien: 86 81 89 83
 Zähler: 7 13 16 3 0 0 0 1 0 0
 Innenzehner: 2
 weiteste: 5610 (34), 2834 (5), 2680 (15)
 beste Teiler 426.8 (30.) 442.6 (32.) 478.7 (33.)
 Trefferlage 3.53 mm rechts, 0.27 mm tief
 Streuwert 13.29, horizontal: 14.98, vertikal: 11.35




Serie 1:
 8.6 → 9.3 ↓ 9.3 ↓ 9.7 ↘ 7.4 ↓
 9.9 ↖ 8.6 ↙ 8.7 ↑ 10.2 ↗ 9.4 ↓
 beste Teiler 598.2 (9.) 837.4 (6.) 969.6 (4.)
 Trefferlage 2.31 mm rechts, 4.89 mm tief
 Streuwert 11.17, horizontal: 8.13, vertikal: 13.54



Serie 2:
 7.7 → 8.7 ↓ 8.3 → 9.8 ↘ 7.6 →
 9.5 ↗ 8.6 ↙ 8.1 → 9.9 ↖ 8.3 →
 beste Teiler 849.2 (19.) 892.2 (14.) 1166.4 (16.)
 Trefferlage 10.15 mm rechts, 0.20 mm hoch
 Streuwert 12.47, horizontal: 14.75, vertikal: 9.67



Serie 3:
 8.1 ↙ 9.9 ↗ 8.2 ↑ 10.0 → 10.0 ↑
 8.1 ↓ 9.7 ↑ 9.0 ↙ 8.1 ↗ 10.4 *
 beste Teiler 426.8 (30.) 723.0 (24.) 744.9 (25.)
 Trefferlage 1.61 mm links, 1.24 mm hoch
 Streuwert 11.84, horizontal: 11.02, vertikal: 12.59



Serie 4:
 9.3 ↓ 10.4 * 10.4 ↖ 3.9 → 9.1 ↑
 8.0 ← 10.3 ↖ 8.4 ← 8.6 ↗ 8.4 →
 beste Teiler 442.6 (32.) 478.7 (33.) 489.6 (37.)
 Trefferlage 3.29 mm rechts, 2.32 mm hoch
 Streuwert 16.96, horizontal: 22.07, vertikal: 9.40

Unterschrift des Schützen

Meyton Elektronik