





Ergebnis: **333** (352.9)  
 Serien: 79 91 75 88  
 Zähler: 8 11 12 5 3 1 0 0 0 0  
 Innenzehner: 4  
 weiteste: 4031 (28), 3394 (40), 3281 (27)  
 beste Teiler 53.7 (31.) 182.0 (17.) 358.9 (12.)  
 Trefferlage 4.73 mm links, 0.34 mm tief  
 Streuwert 13.57, horizontal: 13.88, vertikal: 13.25




Serie 1:  
 7.4 ↘ 7.6 ↗ 9.9 ↘ 8.5 ↓ 8.4 ↙  
 6.9 ↗ 9.3 ↑ 7.9 ↓ 10.4 \* 8.2 ↘  
 beste Teiler 471.0 (9.) 821.8 (3.) 1334.9 (7.)  
 Trefferlage 2.88 mm links, 2.93 mm hoch  
 Streuwert 15.92, horizontal: 15.77, vertikal: 16.08



Serie 2:  
 8.5 ↓ 10.5 \* 10.0 ↑ 8.5 ↓ 9.7 ↗  
 9.3 ↘ 10.7 \* 9.9 ← 8.4 ↗ 10.2 ↘  
 beste Teiler 182.0 (17.) 358.9 (12.) 620.5 (20.)  
 Trefferlage 0.97 mm links, 0.13 mm hoch  
 Streuwert 9.60, horizontal: 6.52, vertikal: 11.91





Serie 3:  
 7.5 ← 7.5 ↑ 9.0 → 8.7 ↓ 8.1 ↓  
 8.5 ↓ 6.8 → 5.9 ← 9.2 ↙ 8.5 ←  
 beste Teiler 1400.9 (29.) 1562.1 (23.) 1829.4 (24.)  
 Trefferlage 4.88 mm links, 7.20 mm tief  
 Streuwert 17.51, horizontal: 20.02, vertikal: 14.57




Serie 4:  
 10.9 \* 9.0 ↘ 9.2 ↙ 9.0 ↘ 10.4 ↑  
 8.6 ↘ 9.9 ↘ 10.4 ↘ 8.9 ↘ 6.7 ←  
 beste Teiler 53.7 (31.) 476.5 (38.) 480.4 (35.)  
 Trefferlage 10.19 mm links, 2.77 mm hoch  
 Streuwert 9.04, horizontal: 9.52, vertikal: 8.54

Unterschrift des Schützen


Ergebnis: **324** (339.4)  
 Serien: 77 88 80 79  
 Zähler: 9 8 9 8 5 0 1 0 0 0  
 Innenzehner: 3  
 weiteste: 4823 (33), 3996 (5), 3773 (26)  
 beste Teiler 253.2 (35.) 327.9 (21.) 450.5 (34.)  
 Trefferlage 7.73 mm links, 1.89 mm tief  
 Streuwert 15.37, horizontal: 17.01, vertikal: 13.53




Serie 1:  
 10.1 ↗ 6.8 ↖ 9.8 ↗ 6.8 ← 6.0 ↗  
 10.3 ↗ 8.2 ↖ 8.0 ↖ 7.2 ↓ 7.2 ↘  
 beste Teiler 553.5 (6.) 676.0 (1.) 945.6 (3.)  
 Trefferlage 9.91 mm links, 8.18 mm tief  
 Streuwert 16.95, horizontal: 18.32, vertikal: 15.45



Serie 2:  
 8.3 ↖ 9.5 ↓ 10.3 ↑ 7.4 ← 7.5 ←  
 8.6 ↖ 10.1 ↓ 10.1 ← 10.1 ↗ 9.7 →  
 beste Teiler 495.5 (13.) 647.8 (19.) 661.9 (18.)  
 Trefferlage 6.25 mm links, 1.76 mm hoch  
 Streuwert 11.40, horizontal: 12.50, vertikal: 10.17



Serie 3:  
 10.5 \* 8.8 ↖ 8.8 ↗ 8.7 ↖ 9.0 ↗  
 6.2 ↖ 7.3 ↖ 7.0 ↘ 8.4 ↘ 9.6 →  
 beste Teiler 327.9 (21.) 1041.3 (30.) 1578.8 (25.)  
 Trefferlage 1.93 mm links, 0.84 mm hoch  
 Streuwert 16.56, horizontal: 17.73, vertikal: 15.31





Serie 4:  
 6.4 ← 8.8 → 4.9 ← 10.4 \* 10.6 \*  
 9.7 ↓ 9.0 ← 9.1 ↖ 7.0 ↖ 7.2 ↖  
 beste Teiler 253.2 (35.) 450.5 (34.) 999.2 (36.)  
 Trefferlage 12.84 mm links, 1.99 mm tief  
 Streuwert 16.16, horizontal: 19.31, vertikal: 12.21


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **312** (330.0)  
 Serien: 85 68 78 81  
 Zähler: 4 12 7 7 9 1 0 0 0 0  
 Innenzehner: 1  
 weiteste: 4217 (17), 3910 (12), 3628 (40)  
 beste Teiler 258.6 (23.) 578.6 (14.) 596.3 (10.)  
 Trefferlage 8.05 mm links, 1.20 mm tief  
 Streuwert 16.30, horizontal: 16.52, vertikal: 16.09




Serie 1:  
 7.1 ↓                      7.8 ↗                      9.0 ↓                      9.0 ↖                      9.9 ←  
 7.5 ←                      9.7 ↙                      9.5 ↗                      9.6 ↘                      10.2 ↗  
 beste Teiler 596.3 (10.) 843.5 (5.) 1018.2 (7.)  
 Trefferlage 3.48 mm links, 2.76 mm tief  
 Streuwert 13.18, horizontal: 12.61, vertikal: 13.72



Serie 2:  
 8.5 ↖                      6.1 ↓                      6.6 ←                      10.2 ↙                      6.8 ↙  
 6.6 ↗                      5.7 ←                      7.4 ↑                      6.7 ←                      8.0 ↙  
 beste Teiler 578.6 (14.) 1967.5 (11.) 2357.5 (20.)  
 Trefferlage 16.25 mm links, 3.81 mm tief  
 Streuwert 19.68, horizontal: 18.05, vertikal: 21.19



Serie 3:  
 6.7 ↙                      6.7 ↗                      10.6 \*                      9.6 →                      8.0 ↖  
 9.7 ←                      7.6 ←                      8.2 →                      6.5 ↖                      9.5 →  
 beste Teiler 258.6 (23.) 1027.4 (26.) 1114.0 (24.)  
 Trefferlage 4.92 mm links, 3.62 mm hoch  
 Streuwert 17.30, horizontal: 21.52, vertikal: 11.64





Serie 4:  
 9.3 ↖                      8.7 ↓                      8.6 ←                      10.0 ↓                      9.6 ↖  
 7.5 ↖                      9.1 →                      8.2 ↙                      7.6 ↓                      6.4 ↑  
 beste Teiler 731.0 (34.) 1058.1 (35.) 1289.4 (31.)  
 Trefferlage 7.54 mm links, 1.88 mm tief  
 Streuwert 14.79, horizontal: 11.20, vertikal: 17.66


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **333.9** (313)  
 Serien: 81.5 81.8 87.5 83.1  
 Zähler: 7 9 8 9 2 4 0 1 0 0  
 Innenzehner: 2  
 weiteste: 5923 (4), 4418 (5), 4329 (39)  
 beste Teiler 445.4 (24.) 449.3 (36.) 506.9 (30.)  
 Trefferlage 2.73 mm links, 0.97 mm tief  
 Streuwert 17.40, horizontal: 21.32, vertikal: 12.29




Serie 1:  
 8.4 ↘                      8.7 ↖                      9.2 ↘                      3.5 →                      5.4 ↙  
 10.2 ↘                      8.9 ↖                      7.8 ↖                      9.6 ↑                      9.8 ↓  
 beste Teiler 624.3 (6.) 955.9 (10.) 1060.4 (9.)  
 Trefferlage 1.84 mm links, 1.06 mm hoch  
 Streuwert 20.40, horizontal: 25.29, vertikal: 13.88



Serie 2:  
 9.7 ←                      5.6 ←                      7.8 ↓                      7.7 ↘                      9.5 ↑  
 7.5 ↓                      8.3 →                      9.1 ←                      7.8 →                      8.8 ←  
 beste Teiler 1017.0 (11.) 1173.2 (15.) 1487.0 (18.)  
 Trefferlage 5.90 mm links, 2.95 mm tief  
 Streuwert 17.12, horizontal: 19.92, vertikal: 13.77



Serie 3:  
 10.0 ↑                      8.7 ←                      9.3 ←                      10.4 \*                      6.7 →  
 10.1 ↗                      5.7 ←                      6.3 →                      10.0 →                      10.3 ↘  
 beste Teiler 445.4 (24.) 506.9 (30.) 708.7 (26.)  
 Trefferlage 1.54 mm rechts, 2.60 mm hoch  
 Streuwert 16.48, horizontal: 22.91, vertikal: 4.30





Serie 4:  
 7.3 ↗                      7.9 ↓                      9.8 ↗                      8.8 →                      7.0 ←  
 10.4 \*                      7.6 ↙                      9.9 ↖                      5.5 ←                      8.9 →  
 beste Teiler 449.3 (36.) 801.0 (38.) 921.4 (33.)  
 Trefferlage 4.72 mm links, 4.59 mm tief  
 Streuwert 17.16, horizontal: 19.29, vertikal: 14.71


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **331** (350.0)  
 Serien: 88 81 77 85  
 Zähler: 2 21 10 2 3 2 0 0 0 0  
 Innenzehner: 1  
 weiteste: 4049 (26), 4008 (23), 3743 (36)  
 beste Teiler 416.2 (30.) 760.8 (35.) 821.0 (8.)  
 Trefferlage 6.02 mm links, 1.64 mm hoch  
 Streuwert 13.51, horizontal: 13.26, vertikal: 13.75




Serie 1:  
 9.3 ↑                      9.0 ←                      9.3 ↘                      9.5 ↙                      9.1 ←  
 9.9 ↑                      8.9 ↘                      9.9 ↑                      8.4 ←                      9.1 ↘  
 beste Teiler 821.0 (8.) 856.5 (6.) 1150.9 (4.)  
 Trefferlage 7.55 mm links, 2.28 mm hoch  
 Streuwert 8.75, horizontal: 8.67, vertikal: 8.83



Serie 2:  
 8.0 ↑                      9.7 ↙                      8.5 ←                      9.2 ↑                      6.3 ↘  
 7.4 ↙                      9.3 ↗                      9.3 ↑                      7.9 ↘                      9.9 ←  
 beste Teiler 835.2 (20.) 991.0 (12.) 1299.7 (17.)  
 Trefferlage 8.72 mm links, 7.80 mm hoch  
 Streuwert 13.02, horizontal: 12.88, vertikal: 13.16



Serie 3:  
 9.5 ↙                      9.7 ↓                      5.9 ←                      6.5 ↓                      9.1 ↘  
 5.9 ↙                      8.9 ↘                      8.1 →                      8.9 ↗                      10.4 \*  
 beste Teiler 416.2 (30.) 983.6 (22.) 1139.6 (21.)  
 Trefferlage 7.78 mm links, 4.02 mm tief  
 Streuwert 17.14, horizontal: 17.54, vertikal: 16.73





Serie 4:  
 8.5 ↗                      8.4 ↘                      9.5 ↘                      9.7 ←                      10.0 ↘  
 6.3 ↘                      9.7 ↓                      9.3 ↓                      8.6 ↓                      9.2 ↑  
 beste Teiler 760.8 (35.) 972.3 (37.) 1007.4 (34.)  
 Trefferlage 0.05 mm links, 0.49 mm hoch  
 Streuwert 13.56, horizontal: 12.60, vertikal: 14.44


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **325** (340.7)  
 Serien: 79 85 81 80  
 Zähler: 8 9 9 9 4 1 0 0 0 0  
 Innenzehner: 2  
 weiteste: 4588 (4), 3820 (23), 3604 (8)  
 beste Teiler 188.6 (40.) 398.9 (29.) 508.9 (10.)  
 Trefferlage 3.39 mm links, 0.52 mm hoch  
 Streuwert 15.70, horizontal: 16.82, vertikal: 14.49




Serie 1:  
 6.9 ← 9.4 ↓ 7.6 ↙ 5.2 ↗ 8.5 ↑  
 10.0 ↓ 9.5 ↘ 6.4 ↓ 9.2 ↖ 10.3 ↘  
 beste Teiler 508.9 (10.) 724.6 (6.) 1195.0 (7.)  
 Trefferlage 1.30 mm links, 1.54 mm tief  
 Streuwert 18.40, horizontal: 19.21, vertikal: 17.55



Serie 2:  
 8.5 ↖ 10.0 ↖ 7.6 → 8.2 ↙ 8.5 ↖  
 9.9 ↑ 10.0 ↑ 8.5 ↘ 8.5 ↑ 9.5 ↑  
 beste Teiler 729.0 (12.) 761.3 (17.) 833.2 (16.)  
 Trefferlage 2.87 mm links, 8.07 mm hoch  
 Streuwert 11.36, horizontal: 13.10, vertikal: 9.30



Serie 3:  
 8.9 ↗ 7.0 ↗ 6.2 ↙ 7.9 ← 9.3 ↓  
 9.0 ↙ 7.0 ← 10.0 ← 10.5 \* 8.6 ↖  
 beste Teiler 398.9 (29.) 733.1 (28.) 1300.3 (25.)  
 Trefferlage 6.36 mm links, 3.89 mm tief  
 Streuwert 16.04, horizontal: 17.33, vertikal: 14.63





Serie 4:  
 6.8 ← 9.7 ← 10.0 ↖ 7.0 → 7.2 ↘  
 9.5 ↑ 8.5 ↓ 7.1 ↙ 7.6 → 10.7 \*  
 beste Teiler 188.6 (40.) 792.4 (33.) 1006.6 (32.)  
 Trefferlage 3.03 mm links, 0.52 mm tief  
 Streuwert 17.04, horizontal: 19.24, vertikal: 14.51


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **320** (338.6)  
 Serien: 82 77 85 76  
 Zähler: 4 12 12 7 3 1 1 0 0 0  
 Innenzehner: 0  
 weiteste: 4823 (19), 4149 (38), 3878 (10)  
 beste Teiler 593.5 (35.) 693.5 (5.) 775.7 (26.)  
 Trefferlage 2.10 mm links, 0.45 mm tief  
 Streuwert 15.89, horizontal: 17.85, vertikal: 13.65




Serie 1:  
 9.1 ↘                      8.8 ↓                      9.4 ↖                      9.6 ←                      10.1 →  
 8.1 ↙                      9.6 ↙                      6.9 ←                      8.1 ↑                      6.1 ↖  
 beste Teiler 693.5 (5.) 1072.5 (7.) 1105.3 (4.)  
 Trefferlage 10.84 mm links, 5.04 mm tief  
 Streuwert 13.20, horizontal: 13.42, vertikal: 12.97



Serie 2:  
 8.9 →                      7.9 ←                      8.3 →                      9.5 ↖                      6.6 ←  
 10.0 ↓                      9.8 ↑                      7.4 ↓                      4.9 ↗                      9.8 →  
 beste Teiler 788.9 (16.) 906.4 (17.) 912.8 (20.)  
 Trefferlage 0.88 mm rechts, 1.72 mm hoch  
 Streuwert 18.30, horizontal: 20.61, vertikal: 15.65



Serie 3:  
 8.8 ←                      9.2 ↘                      9.0 ↖                      8.7 ↓                      7.2 ↓  
 10.0 ↖                      8.4 ↑                      8.4 ↑                      9.4 ↙                      9.8 →  
 beste Teiler 775.7 (26.) 923.3 (30.) 1228.6 (29.)  
 Trefferlage 1.32 mm links, 2.48 mm tief  
 Streuwert 13.00, horizontal: 9.36, vertikal: 15.82





Serie 4:  
 8.9 ↙                      9.1 ↑                      7.9 →                      7.9 ↖                      10.2 ↖  
 8.2 ←                      7.2 →                      5.8 →                      8.5 ↗                      7.1 ←  
 beste Teiler 593.5 (35.) 1489.7 (32.) 1657.3 (31.)  
 Trefferlage 2.84 mm rechts, 3.99 mm hoch  
 Streuwert 18.09, horizontal: 23.79, vertikal: 9.41


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **330** (346.7)  
 Serien: 80 75 90 85  
 Zähler: 4 19 7 5 3 2 0 0 0 0  
 Innenzehner: 3  
 weiteste: 4749 (1), 4367 (12), 3490 (10)  
 beste Teiler 174.1 (21.) 243.8 (17.) 366.3 (31.)  
 Trefferlage 7.69 mm links, 4.17 mm hoch  
 Streuwert 13.63, horizontal: 14.10, vertikal: 13.15




Serie 1:  
 5.0 ↗ 7.4 ↘ 7.5 ↙ 9.1 ↘ 9.9 ↖  
 9.2 ← 9.9 ← 10.4 ↘ 9.3 → 6.6 ←  
 beste Teiler 477.6 (8.) 824.2 (7.) 844.3 (5.)  
 Trefferlage 5.27 mm links, 1.77 mm hoch  
 Streuwert 17.43, horizontal: 18.89, vertikal: 15.83



Serie 2:  
 8.1 ↘ 5.5 ↙ 6.7 ↗ 7.9 ↖ 8.7 ←  
 6.7 ← 10.6 \* 9.7 ← 7.8 ↑ 9.5 ↘  
 beste Teiler 243.8 (17.) 1035.4 (18.) 1190.3 (20.)  
 Trefferlage 11.61 mm links, 7.81 mm hoch  
 Streuwert 15.97, horizontal: 16.75, vertikal: 15.16



Serie 3:  
 10.7 \* 9.2 ← 8.1 ← 9.0 ↓ 9.0 ↘  
 9.9 → 9.0 ↗ 9.1 ← 9.3 ↘ 9.2 ←  
 beste Teiler 174.1 (21.) 866.5 (26.) 1314.4 (29.)  
 Trefferlage 6.86 mm links, 1.06 mm hoch  
 Streuwert 9.36, horizontal: 9.91, vertikal: 8.77



Serie 4:  
 10.5 \* 9.3 ← 9.0 ↑ 9.5 ↘ 8.7 ↑  
 8.7 ↗ 8.3 ← 8.4 ← 7.3 ↖ 9.0 ↘  
 beste Teiler 366.3 (31.) 1133.1 (34.) 1316.8 (32.)  
 Trefferlage 7.01 mm links, 6.03 mm hoch  
 Streuwert 11.35, horizontal: 10.05, vertikal: 12.51

Unterschrift des Schützen