





Ergebnis: **376** (393.5)
 Serien: 92 95 94 95
 Zähler: 21 14 5 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 2337 (6), 2177 (34), 2136 (33)
 beste Teiler 85.4 (22.) 100.8 (14.) 269.3 (15.)
 Trefferlage 1.46 mm links, 2.25 mm tief
 Streuwert 7.31, horizontal: 5.53, vertikal: 8.73




Serie 1:
 9.3 ↘ 8.8 ↓ 9.8 ↗ 9.8 ↑ 10.0 ↗
 8.0 ↓ 10.5 * 10.0 ↖ 9.7 ↙ 10.1 ↘
 beste Teiler 323.2 (7.) 709.0 (10.) 740.0 (8.)
 Trefferlage 2.53 mm rechts, 3.01 mm tief
 Streuwert 8.53, horizontal: 5.87, vertikal: 10.55



Serie 2:
 10.0 ↑ 9.1 ↙ 10.5 * 10.8 * 10.6 *
 9.1 ↑ 10.4 * 8.7 ↓ 10.2 ↖ 9.8 ↙
 beste Teiler 100.8 (14.) 269.3 (15.) 341.1 (13.)
 Trefferlage 3.42 mm links, 1.40 mm tief
 Streuwert 6.96, horizontal: 3.74, vertikal: 9.10



Serie 3:
 9.9 ← 10.8 * 9.8 ← 10.4 * 9.7 ↖
 10.4 * 9.2 ↙ 9.3 ↓ 9.9 ↙ 10.5 *
 beste Teiler 85.4 (22.) 341.2 (30.) 469.2 (24.)
 Trefferlage 3.75 mm links, 2.42 mm tief
 Streuwert 5.63, horizontal: 4.32, vertikal: 6.70





Serie 4:
 10.2 ↙ 10.6 * 8.3 ↓ 8.2 ↖ 10.3 ↑
 10.0 ↘ 10.2 ↗ 9.9 ↓ 10.4 * 10.3 ↘
 beste Teiler 276.0 (32.) 434.9 (39.) 494.1 (35.)
 Trefferlage 1.20 mm links, 2.18 mm tief
 Streuwert 7.98, horizontal: 6.11, vertikal: 9.49


Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **379** (397.8)
 Serien: 95 96 93 95
 Zähler: 19 21 0 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 1595 (22), 1588 (16), 1544 (27)
 beste Teiler 130.2 (9.) 146.2 (25.) 195.1 (4.)
 Trefferlage 0.01 mm links, 0.56 mm tief
 Streuwert 6.55, horizontal: 5.51, vertikal: 7.45




Serie 1:
 10.7 * 9.5 ↘ 10.3 → 10.7 * 9.1 ↘
 9.4 ↓ 9.8 ↗ 10.5 * 10.8 * 9.9 ↓
 beste Teiler 130.2 (9.) 195.1 (4.) 229.7 (1.)
 Trefferlage 1.28 mm rechts, 3.15 mm tief
 Streuwert 5.80, horizontal: 4.29, vertikal: 6.99



Serie 2:
 9.7 ↖ 10.2 ↖ 10.5 * 10.0 ↖ 9.8 ↘
 9.0 ← 10.6 * 10.1 ↗ 9.7 ↗ 10.5 *
 beste Teiler 248.2 (17.) 366.0 (13.) 391.2 (20.)
 Trefferlage 2.35 mm links, 0.45 mm hoch
 Streuwert 6.09, horizontal: 6.55, vertikal: 5.59



Serie 3:
 9.5 ↖ 9.0 ← 9.7 ↑ 10.3 ↘ 10.8 *
 9.3 ↑ 9.0 ↑ 9.6 ↑ 10.7 * 9.5 ↓
 beste Teiler 146.2 (25.) 226.5 (29.) 504.0 (24.)
 Trefferlage 1.59 mm links, 3.19 mm hoch
 Streuwert 7.66, horizontal: 6.25, vertikal: 8.84





Serie 4:
 10.1 ↓ 10.0 ↓ 9.7 ↘ 10.5 * 10.7 *
 9.8 ↘ 10.3 ↘ 9.2 ↓ 9.7 ↑ 9.6 ↗
 beste Teiler 201.8 (35.) 383.7 (34.) 482.7 (37.)
 Trefferlage 2.58 mm rechts, 2.74 mm tief
 Streuwert 5.73, horizontal: 3.63, vertikal: 7.24


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **374** (390.6)
 Serien: 91 94 95 94
 Zähler: 20 16 3 0 1 0 0 0 0 0
 Innenzehner: 8
 weiteste: 3484 (36), 2105 (2), 1616 (19)
 beste Teiler 90.0 (18.) 150.5 (21.) 250.8 (16.)
 Trefferlage 0.51 mm rechts, 1.20 mm hoch
 Streuwert 8.03, horizontal: 6.93, vertikal: 8.99




Serie 1:
 9.3 ↗ 8.3 ↓ 9.4 ↘ 9.7 ↓ 10.6 *
 9.9 ↘ 9.9 ↙ 9.5 ↙ 10.0 → 9.9 ↗
 beste Teiler 306.0 (5.) 752.0 (9.) 813.8 (7.)
 Trefferlage 0.34 mm rechts, 2.33 mm tief
 Streuwert 8.25, horizontal: 5.77, vertikal: 10.13



Serie 2:
 9.6 ↗ 10.4 * 9.9 ↓ 10.1 ↘ 10.2 ↓
 10.6 * 10.2 ← 10.8 * 8.9 ↘ 8.9 →
 beste Teiler 90.0 (18.) 250.8 (16.) 429.5 (12.)
 Trefferlage 0.62 mm rechts, 0.74 mm hoch
 Streuwert 6.85, horizontal: 7.42, vertikal: 6.24





Serie 3:
 10.8 * 9.2 ↘ 10.0 ← 9.0 ↗ 9.0 →
 10.3 ↓ 10.5 * 9.3 ← 10.0 ← 9.2 ↗
 beste Teiler 150.5 (21.) 369.7 (27.) 502.1 (26.)
 Trefferlage 0.99 mm links, 1.20 mm hoch
 Streuwert 8.16, horizontal: 8.63, vertikal: 7.66




Serie 4:
 9.2 ↗ 10.1 ↘ 10.2 ↗ 10.4 * 9.7 →
 6.6 ↗ 10.2 ↘ 10.1 ↘ 10.1 ← 10.6 *
 beste Teiler 279.5 (40.) 438.5 (34.) 572.2 (33.)
 Trefferlage 2.06 mm rechts, 5.20 mm hoch
 Streuwert 8.90, horizontal: 6.35, vertikal: 10.87

Unterschrift des Schützen


Ergebnis: **381.9** (363)
 Serien: 93.9 96.6 95.7 95.7
 Zähler: 12 20 7 1 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2759 (5), 2395 (36), 2070 (31)
 beste Teiler 196.5 (29.) 219.0 (35.) 255.2 (40.)
 Trefferlage 1.16 mm links, 0.51 mm tief
 Streuwert 9.03, horizontal: 8.96, vertikal: 9.11




Serie 1:
 8.6 ↖ 9.3 ↘ 9.8 ↖ 10.0 ↖ 7.5 ↘
 9.9 ↘ 10.3 ↑ 8.6 ↗ 9.4 ↗ 10.5 *
 beste Teiler 368.7 (10.) 486.0 (7.) 756.7 (4.)
 Trefferlage 3.30 mm links, 2.16 mm hoch
 Streuwert 10.28, horizontal: 10.38, vertikal: 10.19



Serie 2:
 8.9 ↗ 9.8 ↘ 10.0 ↓ 9.5 ↗ 9.1 ←
 10.6 * 8.7 ↑ 10.1 ↗ 9.9 ↘ 10.0 ↘
 beste Teiler 274.2 (16.) 718.9 (18.) 777.4 (20.)
 Trefferlage 1.31 mm rechts, 1.25 mm tief
 Streuwert 8.26, horizontal: 7.96, vertikal: 8.55



Serie 3:
 9.7 ← 9.2 ↗ 9.9 ↗ 9.3 → 8.5 ↘
 9.3 → 9.4 → 10.4 * 10.7 * 9.3 ↘
 beste Teiler 196.5 (29.) 413.9 (28.) 864.0 (23.)
 Trefferlage 3.05 mm rechts, 0.15 mm tief
 Streuwert 8.67, horizontal: 9.10, vertikal: 8.22





Serie 4:
 8.4 ↘ 9.9 ↘ 9.3 ↖ 9.8 ↖ 10.7 *
 8.0 ↖ 10.0 ↓ 9.6 ↑ 9.4 ↖ 10.6 *
 beste Teiler 219.0 (35.) 255.2 (40.) 740.9 (37.)
 Trefferlage 5.73 mm links, 2.81 mm tief
 Streuwert 8.35, horizontal: 6.26, vertikal: 10.01


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **371** (389.5)
 Serien: 93 93 91 94
 Zähler: 15 21 4 0 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 1932 (40), 1888 (25), 1876 (30)
 beste Teiler 119.1 (8.) 191.3 (33.) 224.1 (2.)
 Trefferlage 1.89 mm rechts, 2.03 mm hoch
 Streuwert 7.47, horizontal: 7.66, vertikal: 7.28




Serie 1:
 10.4 * 10.7 * 9.4 ↓ 9.2 → 9.4 →
 9.9 ← 9.2 → 10.8 * 9.9 ↓ 9.6 ↘
 beste Teiler 119.1 (8.) 224.1 (2.) 452.6 (1.)
 Trefferlage 2.58 mm rechts, 1.57 mm tief
 Streuwert 7.10, horizontal: 8.25, vertikal: 5.73



Serie 2:
 9.7 ↖ 9.2 ↖ 9.8 ↖ 9.6 ↗ 9.8 ↖
 9.2 ↗ 10.2 ← 10.0 ↗ 9.6 ↑ 10.3 ↗
 beste Teiler 483.5 (20.) 635.3 (17.) 752.7 (18.)
 Trefferlage 1.81 mm links, 6.14 mm hoch
 Streuwert 5.88, horizontal: 6.07, vertikal: 5.69



Serie 3:
 9.3 ↗ 10.4 * 9.0 ↘ 10.3 ↗ 8.6 ↖
 9.8 ↓ 9.8 ← 9.5 ↗ 10.0 → 8.6 →
 beste Teiler 448.6 (22.) 488.8 (24.) 740.4 (29.)
 Trefferlage 2.88 mm rechts, 3.17 mm hoch
 Streuwert 8.65, horizontal: 8.92, vertikal: 8.37





Serie 4:
 10.0 ↖ 10.2 ↑ 10.7 * 9.8 → 8.7 ↑
 9.5 ↘ 10.3 ↓ 10.6 * 10.0 ↓ 8.5 →
 beste Teiler 191.3 (33.) 266.6 (38.) 559.4 (37.)
 Trefferlage 3.93 mm rechts, 0.39 mm hoch
 Streuwert 7.23, horizontal: 6.93, vertikal: 7.51


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **371** (388.6)
 Serien: 92 95 95 89
 Zähler: 17 17 6 0 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 2298 (9), 1871 (34), 1800 (38)
 beste Teiler 77.3 (2.) 166.0 (29.) 194.6 (13.)
 Trefferlage 3.32 mm rechts, 1.06 mm hoch
 Streuwert 7.73, horizontal: 8.26, vertikal: 7.16




Serie 1:
 8.7 ↙ 10.9 * 10.1 ← 10.4 * 8.8 →
 9.8 → 10.0 ↑ 9.5 → 8.1 ↗ 10.1 ←
 beste Teiler 77.3 (2.) 411.5 (4.) 670.0 (10.)
 Trefferlage 3.01 mm rechts, 1.21 mm hoch
 Streuwert 8.87, horizontal: 9.79, vertikal: 7.84



Serie 2:
 10.0 ↑ 9.1 ↗ 10.7 * 10.0 → 10.4 *
 10.4 * 9.0 → 9.4 ← 9.4 → 9.0 ↙
 beste Teiler 194.6 (13.) 430.7 (15.) 432.5 (16.)
 Trefferlage 2.63 mm rechts, 0.81 mm hoch
 Streuwert 7.78, horizontal: 9.15, vertikal: 6.12



Serie 3:
 10.4 * 10.6 * 10.1 ↓ 9.8 ↗ 9.5 ↖
 9.1 ↘ 10.5 * 9.5 ↘ 10.7 * 9.2 →
 beste Teiler 166.0 (29.) 306.2 (22.) 354.9 (27.)
 Trefferlage 3.60 mm rechts, 0.48 mm tief
 Streuwert 6.41, horizontal: 7.53, vertikal: 5.04





Serie 4:
 10.6 * 9.8 ↓ 8.9 ↘ 8.6 → 9.9 ↗
 10.7 * 9.2 ↑ 8.7 ↑ 9.4 ↖ 9.6 →
 beste Teiler 197.3 (36.) 313.1 (31.) 851.2 (35.)
 Trefferlage 4.02 mm rechts, 2.72 mm hoch
 Streuwert 8.66, horizontal: 7.62, vertikal: 9.59

Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	368	(387.0)
Serien:	90 89 97 92	
Zähler:	15 19 5 1 0 0 0 0 0 0	
Innenzehner:	6	
weiteste:	2527 (4), 2087 (11), 2016 (10)	
beste Teiler	234.7 (26.) 253.8 (14.) 254.2 (21.)	
Trefferlage	1.54 mm rechts, 1.59 mm hoch	
Streuwert	8.07, horizontal: 8.14, vertikal: 8.00	



Serie 1:

9.6 ↓	9.7 ←	10.2 →	7.8 ↓	9.4 ↘
10.2 ↗	9.5 ←	10.4 *	9.5 ↖	8.4 ↑


beste Teiler 456.3 (8.) 568.1 (3.) 594.4 (6.)
 Trefferlage 1.01 mm links, 1.58 mm tief
 Streuwert 9.83, horizontal: 7.50, vertikal: 11.70



Serie 2:

8.3 ↗	8.8 ↖	9.6 ↑	10.6 *	10.1 →
9.8 ↖	9.9 ↖	9.9 ←	8.7 →	9.3 ↘


beste Teiler 253.8 (14.) 674.3 (15.) 809.6 (18.)
 Trefferlage 1.59 mm rechts, 3.04 mm hoch
 Streuwert 9.18, horizontal: 11.22, vertikal: 6.53



Serie 3:

10.6 *	9.3 ↑	9.9 ↓	10.4 *	10.3 →
10.7 *	10.1 ↗	9.1 →	10.0 →	10.2 ↖

beste Teiler 234.7 (26.) 254.2 (21.) 458.4 (24.)
 Trefferlage 1.31 mm rechts, 0.36 mm tief
 Streuwert 5.96, horizontal: 6.27, vertikal: 5.63



Serie 4:



10.2 →	9.5 ↗	9.0 ↑	9.2 →	10.2 ↘
9.7 ↖	9.9 ↑	10.4 *	9.7 ↗	8.9 →

beste Teiler 471.6 (38.) 590.6 (35.) 595.2 (31.)
 Trefferlage 4.27 mm rechts, 5.30 mm hoch
 Streuwert 6.45, horizontal: 7.07, vertikal: 5.76


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **371** (388.1)
 Serien: 93 92 93 93
 Zähler: 19 16 3 1 1 0 0 0 0 0
 Innenzehner: 7
 weiteste: 3443 (9), 2883 (38), 1865 (12)
 beste Teiler 149.0 (39.) 205.5 (10.) 261.5 (27.)
 Trefferlage 1.48 mm rechts, 0.27 mm tief
 Streuwert 8.49, horizontal: 9.34, vertikal: 7.55




Serie 1:
 9.8 → 9.4 ↖ 10.2 ↑ 10.0 ↙ 9.8 ←
 10.2 ↗ 10.1 ↗ 10.4 * 6.6 ↗ 10.7 *
 beste Teiler 205.5 (10.) 464.3 (8.) 580.1 (3.)
 Trefferlage 2.39 mm rechts, 3.51 mm hoch
 Streuwert 9.16, horizontal: 10.90, vertikal: 7.01



Serie 2:
 10.4 * 8.6 ← 8.9 ↓ 10.0 ↓ 10.2 →
 9.8 ↑ 10.3 ↙ 8.7 ↗ 10.4 * 9.1 ↓
 beste Teiler 435.6 (11.) 441.3 (19.) 538.2 (17.)
 Trefferlage 1.25 mm rechts, 3.10 mm tief
 Streuwert 8.46, horizontal: 8.27, vertikal: 8.65



Serie 3:
 10.2 ↖ 9.9 ↑ 10.2 ↙ 9.6 → 9.2 ↙
 9.2 ↑ 10.6 * 9.8 → 9.1 ↙ 9.9 ↘
 beste Teiler 261.5 (27.) 594.2 (23.) 622.4 (21.)
 Trefferlage 0.20 mm links, 0.28 mm tief
 Streuwert 7.58, horizontal: 7.22, vertikal: 7.93



Serie 4:
 9.1 → 9.0 ↙ 9.9 ↑ 10.3 ↘ 9.7 ←
 10.4 * 10.0 ← 7.3 → 10.8 * 10.3 ↙
 beste Teiler 149.0 (39.) 448.2 (36.) 505.8 (40.)
 Trefferlage 2.51 mm rechts, 1.21 mm tief
 Streuwert 9.16, horizontal: 11.53, vertikal: 5.89

Unterschrift des Schützen

Meyton Elektronik