





Ergebnis: **349** (367.8)
 Serien: 92 88 87 82
 Zähler: 7 22 7 3 0 0 1 0 0 0
 Innenzehner: 6
 weiteste: 1533 (32), 932 (37), 922 (23)
 beste Teiler 26.8 (29.) 100.8 (20.) 107.4 (3.)
 Trefferlage 0.55 mm links, 1.49 mm tief
 Streuwert 3.51, horizontal: 3.99, vertikal: 2.96




Serie 1:
 10.0 ↙ 10.2 * 10.5 * 8.6 ↓ 9.9 ↙
 9.1 ↓ 9.1 ↖ 9.0 ↗ 9.6 ↓ 9.2 ↖
 beste Teiler 107.4 (3.) 176.5 (2.) 246.1 (1.)
 Trefferlage 1.14 mm links, 1.82 mm tief
 Streuwert 2.42, horizontal: 2.55, vertikal: 2.29



Serie 2:
 10.4 * 9.3 ↘ 9.7 ↖ 8.9 ↙ 8.5 ↙
 10.3 * 7.6 ← 9.6 ↗ 8.6 ↖ 10.6 *
 beste Teiler 100.8 (20.) 136.7 (11.) 162.7 (16.)
 Trefferlage 1.53 mm links, 1.26 mm tief
 Streuwert 3.07, horizontal: 3.79, vertikal: 2.13



Serie 3:
 9.7 ← 8.9 ↖ 7.3 ↓ 8.4 ↘ 9.9 ↗
 9.3 ↓ 9.8 ↘ 9.4 ↘ 10.8 * 9.3 ↖
 beste Teiler 26.8 (29.) 272.6 (25.) 280.8 (27.)
 Trefferlage 0.63 mm links, 1.46 mm tief
 Streuwert 3.35, horizontal: 2.83, vertikal: 3.80





Serie 4:
 9.0 ↖ 4.8 ↗ 9.9 ↘ 9.7 ↙ 9.3 ←
 9.2 ↖ 7.2 ↓ 9.6 ↓ 8.1 → 9.5 ↗
 beste Teiler 267.8 (33.) 321.6 (34.) 331.8 (38.)
 Trefferlage 1.10 mm rechts, 1.43 mm tief
 Streuwert 4.95, horizontal: 5.96, vertikal: 3.69


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **362** (379.0)
 Serien: 89 93 87 93
 Zähler: 14 14 12 0 0 0 0 0 0 0
 Innenzehner: 12
 weiteste: 713 (20), 665 (5), 644 (29)
 beste Teiler 33.0 (16.) 85.2 (40.) 104.6 (36.)
 Trefferlage 1.15 mm rechts, 0.44 mm tief
 Streuwert 2.84, horizontal: 3.40, vertikal: 2.14




Serie 1:
 9.0 ← 8.8 ↖ 10.3 * 9.5 ↗ 8.3 ↘
 10.2 * 8.8 → 8.5 ↘ 10.2 * 9.4 ←
 beste Teiler 167.1 (3.) 183.0 (6.) 185.8 (9.)
 Trefferlage 1.03 mm rechts, 0.73 mm tief
 Streuwert 3.20, horizontal: 4.15, vertikal: 1.82



Serie 2:
 9.6 ↘ 9.5 → 10.2 * 10.3 * 10.5 *
 10.8 * 9.1 ↘ 8.4 ↘ 10.3 * 8.1 →
 beste Teiler 33.0 (16.) 123.5 (15.) 152.0 (19.)
 Trefferlage 2.44 mm rechts, 1.14 mm tief
 Streuwert 2.05, horizontal: 2.21, vertikal: 1.88



Serie 3:
 9.0 → 9.6 ↙ 9.7 ↑ 8.7 ↖ 8.6 ←
 8.6 → 10.2 * 8.7 ← 8.4 → 10.2 *
 beste Teiler 180.0 (30.) 182.4 (27.) 324.2 (23.)
 Trefferlage 0.07 mm rechts, 0.24 mm tief
 Streuwert 3.55, horizontal: 4.64, vertikal: 1.94





Serie 4:
 9.4 ↘ 8.8 ↘ 10.1 ↘ 9.9 ↘ 9.7 ↗
 10.5 * 9.0 ↘ 10.0 ↑ 9.5 ↑ 10.6 *
 beste Teiler 85.2 (40.) 104.6 (36.) 221.0 (33.)
 Trefferlage 1.08 mm rechts, 0.36 mm hoch
 Streuwert 2.35, horizontal: 1.80, vertikal: 2.80


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	354	(370.6)
Serien:	89 86 89 90	
Zähler:	12 14 10 4 0 0 0 0 0 0	
Innenzehner:	7	
weiteste:	845 (16), 839 (6), 824 (27)	
beste Teiler	33.2 (35.) 38.2 (22.) 90.0 (21.)	
Trefferlage	1.16 mm rechts, 0.21 mm hoch	
Streuwert	3.36, horizontal: 4.25, vertikal: 2.14	




Serie 1:	8.0 →	10.1 ↓	8.0 →	10.1 ↑	10.3 *
	7.6 →	9.2 ↓	9.6 ↙	10.4 *	8.7 ←
beste Teiler	137.0 (9.)	154.2 (5.)	201.4 (2.)		
Trefferlage	1.04 mm rechts, 0.81 mm tief				
Streuwert	3.63, horizontal: 4.69, vertikal: 2.10				



Serie 2:	8.6 ←	9.3 ↗	10.2 *	8.0 ↙	8.2 →
	7.6 ←	9.0 →	9.7 ↗	8.0 →	10.5 *
beste Teiler	105.1 (20.)	187.4 (13.)	316.2 (18.)		
Trefferlage	0.73 mm rechts, 0.20 mm tief				
Streuwert	4.17, horizontal: 5.41, vertikal: 2.33				





Serie 3:	10.6 *	10.8 *	8.8 →	9.0 ↗	9.8 ↑
	10.0 ←	7.7 ↘	8.8 ↗	9.6 ↗	9.5 ↘
beste Teiler	38.2 (22.)	90.0 (21.)	229.3 (26.)		
Trefferlage	0.82 mm rechts, 1.27 mm hoch				
Streuwert	3.06, horizontal: 3.73, vertikal: 2.18				




Serie 4:	7.7 →	9.5 ↗	9.8 →	9.6 ↙	10.8 *
	9.6 ↘	9.0 →	10.1 ↘	8.8 →	10.0 →
beste Teiler	33.2 (35.)	216.2 (38.)	239.0 (40.)		
Trefferlage	2.06 mm rechts, 0.59 mm hoch				
Streuwert	2.67, horizontal: 3.44, vertikal: 1.55				

Unterschrift des Schützen


Ergebnis: **380.9** (363)
 Serien: 94.9 97.0 94.0 95.0
 Zähler: 12 19 9 0 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 710 (40), 684 (9), 668 (31)
 beste Teiler 18.3 (33.) 52.2 (30.) 61.8 (18.)
 Trefferlage 0.05 mm rechts, 0.92 mm hoch
 Streuwert 2.83, horizontal: 3.24, vertikal: 2.34




Serie 1:
 10.1 ↗ 9.5 ← 8.5 ← 10.7 * 10.3 *
 9.6 ↘ 9.4 ↓ 10.2 * 8.2 ↖ 8.4 ↘
 beste Teiler 75.3 (4.) 154.9 (5.) 188.4 (8.)
 Trefferlage 1.64 mm links, 0.83 mm hoch
 Streuwert 2.83, horizontal: 3.30, vertikal: 2.28



Serie 2:
 8.3 → 10.2 * 10.5 * 8.7 ↖ 9.9 ↑
 9.4 ← 10.2 * 10.7 * 9.8 → 9.3 →
 beste Teiler 61.8 (18.) 103.2 (13.) 186.6 (12.)
 Trefferlage 0.38 mm rechts, 1.05 mm hoch
 Streuwert 2.58, horizontal: 3.12, vertikal: 1.88



Serie 3:
 9.0 ← 9.2 ↓ 9.2 → 9.4 ↖ 10.3 *
 9.0 ↓ 9.2 ↖ 9.1 ↗ 8.9 ↖ 10.7 *
 beste Teiler 52.2 (30.) 157.8 (25.) 379.0 (24.)
 Trefferlage 0.32 mm links, 0.59 mm hoch
 Streuwert 3.04, horizontal: 2.80, vertikal: 3.25





Serie 4:
 8.3 → 9.5 ↗ 10.9 * 9.4 → 9.9 ↖
 9.8 ↖ 10.6 * 8.8 ↗ 9.7 ↓ 8.1 →
 beste Teiler 18.3 (33.) 93.9 (37.) 270.0 (35.)
 Trefferlage 1.81 mm rechts, 1.23 mm hoch
 Streuwert 2.69, horizontal: 3.20, vertikal: 2.07


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	344	(360.5)
Serien:	87	84 84 89
Zähler:	8	18 6 6 2 0 0 0 0 0
Innenzehner:	7	
weiteste:	1163 (30),	1105 (11), 915 (26)
beste Teiler	114.9 (4.)	140.1 (10.) 152.5 (8.)
Trefferlage	0.11 mm	rechts, 1.73 mm hoch
Streuwert	3.83,	horizontal: 4.45, vertikal: 3.09




Serie 1:	7.5 ←	7.4 →	7.6 ↖	10.5 *	9.5 →
	9.3 ↗	9.2 ↑	10.3 *	9.4 ↑	10.4 *
beste Teiler	114.9 (4.) 140.1 (10.) 152.5 (8.)				
Trefferlage	0.10 mm links, 1.74 mm hoch				
Streuwert	3.84, horizontal: 5.12, vertikal: 1.82				



Serie 2:	6.5 ↖	9.8 →	10.2 *	8.5 ↖	9.6 →
	9.9 ↗	9.1 →	8.3 ↗	7.5 ↖	9.8 ↗
beste Teiler	176.7 (13.) 258.5 (16.) 294.4 (12.)				
Trefferlage	0.06 mm links, 2.23 mm hoch				
Streuwert	4.02, horizontal: 5.20, vertikal: 2.30				



Serie 3:	9.1 ↑	9.6 ↖	10.2 *	10.2 *	8.0 ↑
	7.3 →	9.9 ↗	9.1 ↗	7.9 ↖	6.3 ↖
beste Teiler	194.2 (24.) 194.6 (23.) 261.8 (27.)				
Trefferlage	0.08 mm rechts, 2.85 mm hoch				
Streuwert	4.23, horizontal: 4.57, vertikal: 3.86				





Serie 4:	9.2 ↖	8.0 ↙	8.0 →	9.9 ↑	10.1 ←
	9.7 →	9.7 ↗	10.3 *	8.0 ↑	9.7 ←
beste Teiler	165.9 (38.) 224.2 (35.) 271.0 (34.)				
Trefferlage	0.53 mm rechts, 0.08 mm hoch				
Streuwert	3.51, horizontal: 3.40, vertikal: 3.61				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **353** (370.2)
 Serien: 87 88 92 86
 Zähler: 12 13 12 2 1 0 0 0 0 0
 Innenzehner: 7
 weiteste: 1113 (18), 943 (40), 759 (6)
 beste Teiler 24.3 (2.) 70.9 (23.) 79.4 (10.)
 Trefferlage 1.30 mm rechts, 1.61 mm tief
 Streuwert 3.13, horizontal: 3.81, vertikal: 2.27




Serie 1:
 8.1 ↖ 10.9 * 9.2 → 8.6 ↓ 10.1 ←
 7.9 ↘ 8.9 ↓ 8.4 ↘ 9.7 ← 10.6 *
 beste Teiler 24.3 (2.) 79.4 (10.) 203.0 (5.)
 Trefferlage 0.16 mm rechts, 1.95 mm tief
 Streuwert 3.37, horizontal: 3.86, vertikal: 2.80



Serie 2:
 9.6 ↘ 8.7 ↓ 10.2 * 10.0 ↘ 10.1 ↓
 8.4 → 9.1 ↘ 6.5 ↘ 9.3 ↑ 9.4 ↘
 beste Teiler 181.2 (13.) 217.1 (15.) 235.3 (14.)
 Trefferlage 2.17 mm rechts, 1.32 mm tief
 Streuwert 3.41, horizontal: 3.83, vertikal: 2.93



Serie 3:
 9.1 ↘ 8.4 → 10.7 * 10.0 ↓ 8.9 ←
 10.2 * 9.2 ↘ 10.2 * 10.1 ↓ 8.5 ←
 beste Teiler 70.9 (23.) 176.8 (28.) 193.3 (26.)
 Trefferlage 0.02 mm rechts, 1.67 mm tief
 Streuwert 2.74, horizontal: 3.59, vertikal: 1.47





Serie 4:
 8.7 ↓ 9.6 → 8.6 → 9.9 ↓ 10.4 *
 9.6 ↖ 8.5 → 9.0 → 9.7 → 7.2 →
 beste Teiler 146.5 (35.) 269.0 (34.) 310.1 (39.)
 Trefferlage 2.85 mm rechts, 1.49 mm tief
 Streuwert 2.93, horizontal: 3.69, vertikal: 1.88


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **351** (368.9)
 Serien: 87 88 90 86
 Zähler: 8 17 13 2 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 904 (37), 877 (20), 741 (31)
 beste Teiler 123.0 (39.) 159.6 (15.) 183.4 (5.)
 Trefferlage 1.71 mm rechts, 0.74 mm hoch
 Streuwert 3.12, horizontal: 3.61, vertikal: 2.54




Serie 1:
 9.0 ↘ 9.6 ↙ 8.6 → 8.9 ↑ 10.2 *
 8.9 ↗ 8.7 ↘ 8.3 → 9.7 ↘ 10.1 ↗
 beste Teiler 183.4 (5.) 202.5 (10.) 321.3 (9.)
 Trefferlage 1.61 mm rechts, 0.68 mm hoch
 Streuwert 3.20, horizontal: 3.39, vertikal: 3.01



Serie 2:
 9.3 ↑ 9.1 → 10.0 ↑ 9.7 ↘ 10.3 *
 9.9 ↘ 8.9 ↗ 8.7 ↑ 9.4 ↙ 7.4 ←
 beste Teiler 159.6 (15.) 250.8 (13.) 253.2 (16.)
 Trefferlage 0.17 mm links, 1.16 mm hoch
 Streuwert 3.32, horizontal: 3.86, vertikal: 2.68



Serie 3:
 9.0 → 10.2 * 10.1 ↘ 8.4 ↘ 8.9 ←
 9.7 ↑ 9.7 → 10.2 * 8.3 → 9.0 ↗
 beste Teiler 198.4 (28.) 200.6 (22.) 206.8 (23.)
 Trefferlage 1.36 mm rechts, 0.55 mm hoch
 Streuwert 3.09, horizontal: 3.85, vertikal: 2.07





Serie 4:
 8.0 ↗ 9.6 ↗ 9.3 → 9.7 ↗ 8.1 →
 9.7 → 7.3 ↘ 9.9 → 10.5 * 8.6 →
 beste Teiler 123.0 (39.) 260.1 (38.) 321.0 (34.)
 Trefferlage 4.07 mm rechts, 0.59 mm hoch
 Streuwert 2.47, horizontal: 2.25, vertikal: 2.68


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	352	(367.2)
Serien:	86 90 88 88	
Zähler:	9 19 7 5 0 0 0 0 0 0	
Innenzehner:	4	
weiteste:	971 (25), 958 (4), 904 (33)	
beste Teiler	80.4 (2.) 143.4 (16.) 168.8 (29.)	
Trefferlage	1.26 mm rechts, 0.36 mm hoch	
Streuwert	3.45, horizontal: 3.82, vertikal: 3.03	




Serie 1:	8.3 ↓	10.6 *	9.3 ↘	7.1 ↗	9.0 ↖
	7.4 →	10.1 ↖	9.8 ↙	9.7 ↗	8.2 ←
beste Teiler	80.4 (2.)	205.1 (7.)	282.9 (8.)		
Trefferlage	0.92 mm rechts, 0.25 mm hoch				
Streuwert	4.18, horizontal: 4.79, vertikal: 3.47				



Serie 2:	8.6 ↙	9.4 ↗	10.0 →	8.9 ←	8.2 →
	10.4 *	10.2 *	10.0 ↓	8.2 ↘	9.9 ←
beste Teiler	143.4 (16.)	190.5 (17.)	235.1 (13.)		
Trefferlage	0.51 mm rechts, 0.68 mm tief				
Streuwert	3.24, horizontal: 3.91, vertikal: 2.38				



Serie 3:	9.8 →	8.7 ↖	9.2 →	9.4 →	7.1 →
	9.0 ↖	9.7 ↑	9.6 ↗	10.3 *	9.3 →
beste Teiler	168.8 (29.)	291.4 (21.)	319.2 (27.)		
Trefferlage	2.23 mm rechts, 1.24 mm hoch				
Streuwert	3.05, horizontal: 3.45, vertikal: 2.58				



Serie 4:	7.7 ↘	10.0 ↘	7.3 ↖	9.4 →	9.5 ↗
	9.1 →	9.8 ←	9.8 ↓	10.1 ↑	9.1 ↑
beste Teiler	202.4 (39.)	250.3 (32.)	277.4 (37.)		
Trefferlage	1.40 mm rechts, 0.65 mm hoch				
Streuwert	3.50, horizontal: 3.34, vertikal: 3.65				

Unterschrift des Schützen

Meyton Elektronik