





Ergebnis:	<b>378</b>	(395.7)
Serien:	93 93 97 95	
Zähler:	19 20 1 0 0 0 0 0 0 0	
Innenzehner:	14	
weiteste:	535 (1), 471 (9), 446 (3)	
beste Teiler	55.1 (8.) 63.5 (36.) 70.2 (27.)	
Trefferlage	0.54 mm rechts, 0.50 mm tief	
Streuwert	2.01, horizontal: 2.13, vertikal: 1.88	




Serie 1:	8.8 →	10.2 *	9.2 ↗	10.3 *	9.6 →
	10.0 →	9.7 ←	10.7 *	9.1 →	9.5 ←
beste Teiler	55.1 (8.) 175.5 (4.) 179.8 (2.)				
Trefferlage	1.28 mm rechts, 0.11 mm hoch				
Streuwert	2.36, horizontal: 2.87, vertikal: 1.69				



Serie 2:	10.1 ↗	10.2 *	9.9 ↘	9.6 ↘	9.8 ↓
	9.9 ↘	9.3 ↓	10.3 *	9.7 ↘	9.6 ↓
beste Teiler	163.4 (18.) 181.4 (12.) 215.6 (11.)				
Trefferlage	0.43 mm rechts, 0.88 mm tief				
Streuwert	2.01, horizontal: 1.65, vertikal: 2.31				





Serie 3:	10.4 *	10.0 ↙	10.5 *	9.2 ↘	10.0 ↙
	9.9 →	10.7 *	9.4 ↘	10.2 *	10.2 *
beste Teiler	70.2 (27.) 120.8 (23.) 140.2 (21.)				
Trefferlage	0.27 mm rechts, 1.09 mm tief				
Streuwert	1.69, horizontal: 1.54, vertikal: 1.82				




Serie 4:	9.3 →	9.9 ↘	10.3 *	9.7 →	10.4 *
	10.7 *	10.0 ↓	10.4 *	9.4 ↘	9.6 ↘
beste Teiler	63.5 (36.) 129.5 (35.) 141.3 (38.)				
Trefferlage	0.17 mm rechts, 0.17 mm tief				
Streuwert	2.02, horizontal: 2.35, vertikal: 1.62				

Unterschrift des Schützen


Ergebnis: **365** (382.7)  
 Serien: 95 89 91 90  
 Zähler: 13 22 3 1 1 0 0 0 0 0  
 Innenzehner: 9  
 weiteste: 1027 (33), 984 (17), 673 (20)  
 beste Teiler 40.8 (38.) 43.0 (26.) 81.2 (16.)  
 Trefferlage 1.06 mm rechts, 0.83 mm tief  
 Streuwert 2.74, horizontal: 3.00, vertikal: 2.44




Serie 1:  
 9.0 → 9.9 ↗ 10.2 \* 10.0 ↘ 10.3 \*  
 10.2 \* 9.4 → 9.7 ↗ 10.5 \* 9.3 ↓  
 beste Teiler 106.9 (9.) 157.0 (5.) 193.8 (3.)  
 Trefferlage 1.37 mm rechts, 0.30 mm hoch  
 Streuwert 1.98, horizontal: 1.98, vertikal: 1.98



Serie 2:  
 9.3 ↓ 9.9 ↘ 10.1 ← 9.1 ↘ 9.9 ↗  
 10.6 \* 7.0 ↘ 8.8 ↘ 10.3 \* 8.3 →  
 beste Teiler 81.2 (16.) 167.1 (19.) 224.1 (13.)  
 Trefferlage 2.53 mm rechts, 1.80 mm tief  
 Streuwert 2.77, horizontal: 3.30, vertikal: 2.10





Serie 3:  
 8.6 ↘ 9.7 ↓ 10.0 ↘ 9.9 → 9.9 ↘  
 10.8 \* 9.8 ↖ 9.3 ↘ 9.4 ↘ 9.1 ↖  
 beste Teiler 43.0 (26.) 240.2 (23.) 254.1 (24.)  
 Trefferlage 0.26 mm rechts, 1.37 mm tief  
 Streuwert 2.41, horizontal: 2.82, vertikal: 1.91




Serie 4:  
 10.6 \* 9.1 ↑ 6.8 ↖ 9.5 ↘ 9.5 ↘  
 10.1 ↓ 9.0 ↘ 10.8 \* 9.3 ↗ 9.7 ↘  
 beste Teiler 40.8 (38.) 82.1 (31.) 201.6 (36.)  
 Trefferlage 0.09 mm rechts, 0.46 mm tief  
 Streuwert 3.39, horizontal: 3.48, vertikal: 3.30

Unterschrift des Schützen


Ergebnis: **370** (385.6)  
 Serien: 97 93 88 92  
 Zähler: 15 21 3 1 0 0 0 0 0 0  
 Innenzehner: 8  
 weiteste: 811 (27), 665 (26), 663 (21)  
 beste Teiler 58.4 (8.) 82.2 (22.) 89.5 (39.)  
 Trefferlage 0.19 mm links, 0.13 mm hoch  
 Streuwert 2.64, horizontal: 2.94, vertikal: 2.29




Serie 1:  
 9.1 ↑ 10.2 \* 10.1 ↘ 9.1 ↖ 10.0 ↗  
 9.7 ↗ 10.0 ↘ 10.7 \* 10.5 \* 10.0 ←  
 beste Teiler 58.4 (8.) 125.0 (9.) 190.8 (2.)  
 Trefferlage 0.58 mm links, 1.10 mm hoch  
 Streuwert 1.84, horizontal: 1.70, vertikal: 1.97



Serie 2:  
 10.4 \* 10.0 ↘ 9.3 ↑ 9.4 ← 9.9 ↓  
 10.5 \* 9.9 ↘ 9.9 → 9.0 ↖ 9.2 ↙  
 beste Teiler 120.6 (16.) 132.4 (11.) 234.3 (12.)  
 Trefferlage 0.79 mm links, 0.46 mm hoch  
 Streuwert 2.32, horizontal: 2.48, vertikal: 2.15



Serie 3:  
 8.3 ↖ 10.6 \* 9.7 ↙ 9.8 ↓ 9.9 ↘  
 8.3 ↑ 7.7 → 10.0 ↖ 9.8 ← 9.8 ↙  
 beste Teiler 82.2 (22.) 245.4 (28.) 273.7 (25.)  
 Trefferlage 0.50 mm links, 0.01 mm tief  
 Streuwert 3.34, horizontal: 3.61, vertikal: 3.05





Serie 4:  
 9.3 ↘ 9.1 ← 10.1 ↗ 8.7 ← 10.2 \*  
 9.0 → 9.1 ↘ 9.7 ↓ 10.6 \* 9.0 →  
 beste Teiler 89.5 (39.) 177.1 (35.) 224.8 (33.)  
 Trefferlage 1.10 mm rechts, 1.02 mm tief  
 Streuwert 2.75, horizontal: 3.58, vertikal: 1.53


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **395.0** (375)  
 Serien: 96.6 96.4 99.9 102.1  
 Zähler: 22 11 7 0 0 0 0 0 0 0  
 Innenzehner: 19  
 weiteste: 674 (1), 658 (13), 605 (14)  
 beste Teiler 52.4 (17.) 59.4 (36.) 60.4 (16.)  
 Trefferlage 0.10 mm rechts, 0.08 mm tief  
 Streuwert 2.29, horizontal: 2.28, vertikal: 2.30




Serie 1:  
 8.3 ↙ 9.6 ↘ 8.9 ← 10.4 \* 9.6 ↑  
 9.0 ↘ 10.2 \* 10.5 \* 9.9 ↘ 10.2 \*  
 beste Teiler 122.0 (8.) 148.0 (4.) 185.3 (7.)  
 Trefferlage 0.98 mm links, 0.19 mm hoch  
 Streuwert 2.64, horizontal: 2.33, vertikal: 2.91



Serie 2:  
 9.9 ← 8.6 ↘ 8.3 ↙ 8.5 ↗ 10.6 \*  
 10.7 \* 10.7 \* 8.8 ↘ 9.9 ↓ 10.4 \*  
 beste Teiler 52.4 (17.) 60.4 (16.) 96.0 (15.)  
 Trefferlage 1.00 mm rechts, 0.96 mm tief  
 Streuwert 2.80, horizontal: 2.94, vertikal: 2.66



Serie 3:  
 10.3 \* 10.5 \* 10.3 \* 9.8 ↙ 8.9 →  
 9.8 ↙ 10.2 \* 10.2 \* 10.3 \* 9.6 ↘  
 beste Teiler 102.9 (22.) 157.7 (21.) 159.1 (29.)  
 Trefferlage 0.00 mm , 0.17 mm hoch  
 Streuwert 1.97, horizontal: 2.24, vertikal: 1.66





Serie 4:  
 10.1 ↓ 9.7 ↑ 10.7 \* 9.6 ↑ 10.4 \*  
 10.7 \* 10.7 \* 10.0 ↘ 10.2 \* 10.0 →  
 beste Teiler 59.4 (36.) 63.7 (37.) 71.0 (33.)  
 Trefferlage 0.42 mm rechts, 0.24 mm hoch  
 Streuwert 1.52, horizontal: 1.05, vertikal: 1.88


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **375** (392.3)  
 Serien: 93 90 98 94  
 Zähler: 19 17 4 0 0 0 0 0 0 0  
 Innenzehner: 15  
 weiteste: 670 (12), 640 (20), 619 (17)  
 beste Teiler 45.8 (24.) 52.4 (36.) 63.1 (28.)  
 Trefferlage 0.08 mm rechts, 0.29 mm hoch  
 Streuwert 2.33, horizontal: 2.42, vertikal: 2.25




Serie 1:  
 9.6 ↓                      9.9 ←                      9.2 ↓                      9.1 ↖                      9.8 ↗  
 10.4 \*                      10.2 \*                      9.7 ↓                      9.2 ↗                      10.1 ↖  
 beste Teiler 143.4 (6.) 194.5 (7.) 224.2 (10.)  
 Trefferlage 0.13 mm rechts, 0.28 mm tief  
 Streuwert 2.42, horizontal: 1.95, vertikal: 2.81



Serie 2:  
 9.5 ←                      8.3 ↖                      9.4 ↖                      10.2 \*                      10.3 \*  
 9.4 →                      8.5 ←                      10.1 ↖                      9.7 →                      8.4 ↑  
 beste Teiler 168.9 (15.) 197.4 (14.) 214.2 (18.)  
 Trefferlage 0.95 mm links, 1.55 mm hoch  
 Streuwert 2.94, horizontal: 3.31, vertikal: 2.52



Serie 3:  
 9.4 ←                      10.6 \*                      10.2 \*                      10.8 \*                      10.1 ↖  
 10.4 \*                      10.3 \*                      10.7 \*                      9.7 ↙                      10.2 \*  
 beste Teiler 45.8 (24.) 63.1 (28.) 83.8 (22.)  
 Trefferlage 0.08 mm links, 0.19 mm hoch  
 Streuwert 1.56, horizontal: 1.76, vertikal: 1.33





Serie 4:  
 9.4 →                      10.0 ↘                      9.9 ↘                      10.2 \*                      10.2 \*  
 10.7 \*                      9.8 ↖                      8.7 ↘                      10.3 \*                      9.7 ↖  
 beste Teiler 52.4 (36.) 174.9 (39.) 184.8 (34.)  
 Trefferlage 1.24 mm rechts, 0.26 mm tief  
 Streuwert 2.01, horizontal: 2.18, vertikal: 1.83


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **383** (398.9)  
 Serien: 93 97 97 96  
 Zähler: 25 13 2 0 0 0 0 0 0 0  
 Innenzehner: 20  
 weiteste: 723 (18), 597 (8), 462 (27)  
 beste Teiler 63.8 (14.) 71.3 (35.) 83.6 (12.)  
 Trefferlage 0.34 mm rechts, 0.37 mm hoch  
 Streuwert 2.00, horizontal: 2.23, vertikal: 1.73




Serie 1:  
 9.4 ↖ 10.2 \* 10.5 \* 9.7 ↑ 10.4 \*  
 10.0 → 9.6 → 8.6 ↘ 9.9 ↘ 9.9 ↘  
 beste Teiler 120.8 (3.) 141.9 (5.) 189.2 (2.)  
 Trefferlage 0.73 mm rechts, 0.51 mm hoch  
 Streuwert 2.23, horizontal: 2.51, vertikal: 1.90



Serie 2:  
 10.2 \* 10.6 \* 10.3 \* 10.7 \* 10.1 ↓  
 10.5 \* 9.3 ↘ 8.1 ↘ 10.2 \* 10.3 \*  
 beste Teiler 63.8 (14.) 83.6 (12.) 114.8 (16.)  
 Trefferlage 0.37 mm rechts, 0.43 mm hoch  
 Streuwert 2.19, horizontal: 2.34, vertikal: 2.02



Serie 3:  
 10.1 ↘ 10.2 \* 9.3 → 10.3 \* 9.7 ↑  
 10.0 ← 9.1 → 10.5 \* 10.4 \* 10.3 \*  
 beste Teiler 123.8 (28.) 148.4 (29.) 151.6 (30.)  
 Trefferlage 0.23 mm rechts, 0.13 mm hoch  
 Streuwert 1.98, horizontal: 2.33, vertikal: 1.56





Serie 4:  
 9.7 ↘ 10.3 \* 9.8 → 10.2 \* 10.7 \*  
 9.3 ↘ 10.2 \* 10.0 ↙ 10.5 \* 9.8 ↘  
 beste Teiler 71.3 (35.) 124.0 (39.) 161.5 (32.)  
 Trefferlage 0.05 mm rechts, 0.41 mm hoch  
 Streuwert 1.84, horizontal: 1.99, vertikal: 1.68


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>370</b>	(390.4)
Serien:	90 92 93 95	
Zähler:	19 13 7 1 0 0 0 0 0 0	
Innenzehner:	16	
weiteste:	755 (2), 630 (15), 603 (6)	
beste Teiler	42.4 (26.) 78.2 (20.) 102.3 (7.)	
Trefferlage	1.15 mm rechts, 0.49 mm tief	
Streuwert	2.28, horizontal: 2.67, vertikal: 1.81	




Serie 1:	9.9 ↖	7.9 ↖	10.4 *	9.7 ↘	9.4 ←
	8.5 ↘	10.5 *	9.6 ↓	9.7 ↓	10.5 *
beste Teiler	102.3 (7.)	111.1 (10.)	138.2 (3.)		
Trefferlage	0.22 mm links, 0.66 mm tief				
Streuwert	2.86, horizontal: 3.20, vertikal: 2.47				



Serie 2:	10.0 ↖	8.8 →	9.6 ↗	10.4 *	8.4 →
	10.4 *	9.3 →	10.3 *	8.9 ↘	10.6 *
beste Teiler	78.2 (20.)	127.9 (14.)	144.9 (16.)		
Trefferlage	2.17 mm rechts, 0.15 mm tief				
Streuwert	2.23, horizontal: 2.80, vertikal: 1.45				



Serie 3:	9.4 ↘	9.9 ↙	9.7 ↓	8.9 →	10.2 *
	10.8 *	10.3 *	8.9 ↘	10.0 ↖	10.3 *
beste Teiler	42.4 (26.)	151.4 (27.)	155.9 (30.)		
Trefferlage	1.24 mm rechts, 0.75 mm tief				
Streuwert	2.06, horizontal: 2.25, vertikal: 1.84				





Serie 4:	10.2 *	10.4 *	9.9 ↘	9.7 →	10.5 *
	10.3 *	8.8 ↗	9.2 →	10.2 *	10.0 ↖
beste Teiler	104.2 (35.)	136.9 (32.)	174.6 (36.)		
Trefferlage	1.42 mm rechts, 0.40 mm tief				
Streuwert	1.84, horizontal: 2.09, vertikal: 1.54				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **375** (391.3)  
 Serien: 91 92 96 96  
 Zähler: 19 17 4 0 0 0 0 0 0 0  
 Innenzehner: 14  
 weiteste: 591 (14), 590 (10), 547 (6)  
 beste Teiler 65.5 (31.) 66.4 (33.) 104.6 (22.)  
 Trefferlage 0.34 mm rechts, 0.00 mm  
 Streuwert 2.35, horizontal: 2.95, vertikal: 1.53




Serie 1:  
 10.2 \*                      9.1 ↖                      9.2 ←                      9.8 ↙                      9.5 →  
 8.8 →                      9.2 ←                      10.4 \*                      10.3 \*                      8.6 →  
 beste Teiler 131.0 (8.) 161.0 (9.) 189.1 (1.)  
 Trefferlage 0.30 mm links, 0.49 mm hoch  
 Streuwert 2.90, horizontal: 3.95, vertikal: 1.07



Serie 2:  
 9.8 ↑                      10.3 \*                      8.8 →                      8.6 ↖                      10.0 ↘  
 9.7 ↙                      9.6 ↘                      9.7 ←                      10.0 ↖                      10.5 \*  
 beste Teiler 121.5 (20.) 174.7 (12.) 240.7 (19.)  
 Trefferlage 0.23 mm links, 0.03 mm hoch  
 Streuwert 2.58, horizontal: 3.04, vertikal: 2.03



Serie 3:  
 10.0 ←                      10.5 \*                      10.1 ↙                      9.1 →                      9.5 ↘  
 10.3 \*                      9.0 ↖                      10.0 ↓                      9.8 →                      10.2 \*  
 beste Teiler 104.6 (22.) 151.3 (26.) 184.9 (30.)  
 Trefferlage 0.39 mm rechts, 0.38 mm tief  
 Streuwert 2.17, horizontal: 2.47, vertikal: 1.81



Serie 4:  
 10.7 \*                      10.4 \*                      10.7 \*                      9.8 ↘                      10.4 \*  
 9.0 →                      10.4 \*                      10.2 \*                      9.2 →                      9.9 →  
 beste Teiler 65.5 (31.) 66.4 (33.) 129.2 (32.)  
 Trefferlage 1.50 mm rechts, 0.19 mm tief  
 Streuwert 1.63, horizontal: 2.07, vertikal: 1.03

Unterschrift des Schützen

Meyton Elektronik