





Ergebnis: **314** (333.4)  
 Serien: 73 78 87 76  
 Zähler: 3 9 16 8 1 2 0 1 0 0  
 Innenzehner: 2  
 weiteste: 6087 (5), 4456 (33), 4050 (35)  
 beste Teiler 271.0 (34.) 412.7 (28.) 578.0 (40.)  
 Trefferlage 0.99 mm links, 5.03 mm hoch  
 Streuwert 16.66, horizontal: 19.04, vertikal: 13.89




Serie 1:  
 8.6 ←                      9.8 ↑                      7.1 ↑                      7.3 ↙                      3.3 ↘  
 8.9 ↗                      7.9 ↗                      8.2 ↑                      7.0 ↘                      9.1 ↓  
 beste Teiler 959.1 (2.) 1491.1 (10.) 1633.0 (6.)  
 Trefferlage 7.46 mm links, 11.75 mm hoch  
 Streuwert 19.06, horizontal: 17.66, vertikal: 20.36



Serie 2:  
 8.8 ↑                      8.9 ↗                      7.8 ↑                      8.8 ↗                      8.7 →  
 7.1 ←                      9.2 ↓                      7.7 →                      8.2 →                      8.9 ←  
 beste Teiler 1426.9 (17.) 1625.1 (12.) 1642.7 (20.)  
 Trefferlage 4.98 mm rechts, 5.73 mm hoch  
 Streuwert 14.59, horizontal: 16.83, vertikal: 11.94



Serie 3:  
 9.7 ↘                      9.9 ↙                      9.8 ↘                      8.2 ↘                      8.3 ↘  
 9.7 ↘                      8.9 ↓                      10.4 \*                      8.2 ↙                      9.3 ←  
 beste Teiler 412.7 (28.) 852.2 (22.) 938.7 (23.)  
 Trefferlage 8.51 mm links, 1.02 mm hoch  
 Streuwert 9.18, horizontal: 6.18, vertikal: 11.41





Serie 4:  
 8.0 →                      8.7 ←                      5.4 ←                      10.6 \*                      5.9 →  
 9.4 ←                      6.3 →                      8.1 ↗                      7.1 →                      10.2 ↘  
 beste Teiler 271.0 (34.) 578.0 (40.) 1235.4 (36.)  
 Trefferlage 6.99 mm rechts, 1.62 mm hoch  
 Streuwert 19.80, horizontal: 26.78, vertikal: 8.17


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **331** (348.8)  
 Serien: 75 87 85 84  
 Zähler: 5 19 6 6 3 0 0 0 1 0  
 Innenzehner: 2  
 weiteste: 6479 (34), 3656 (1), 3606 (10)  
 beste Teiler 122.5 (40.) 207.8 (39.) 548.2 (30.)  
 Trefferlage 5.33 mm links, 3.02 mm hoch  
 Streuwert 14.54, horizontal: 12.88, vertikal: 16.03




Serie 1:  
 6.4 ←                      9.6 ↘                      9.5 ↗                      7.5 ←                      8.5 ↑  
 7.9 ↓                      7.9 ↓                      9.4 ←                      7.6 ←                      6.4 ↘  
 beste Teiler 1114.4 (2.) 1142.5 (3.) 1210.2 (8.)  
 Trefferlage 12.26 mm links, 0.14 mm hoch  
 Streuwert 15.97, horizontal: 13.59, vertikal: 18.04



Serie 2:  
 9.2 ↑                      9.7 ↙                      9.5 ↓                      7.0 ↓                      9.3 ↑  
 9.2 ↘                      8.2 →                      9.0 ←                      9.5 ↘                      9.2 ↓  
 beste Teiler 1018.7 (12.) 1142.7 (13.) 1146.6 (19.)  
 Trefferlage 1.07 mm links, 1.68 mm tief  
 Streuwert 12.44, horizontal: 9.82, vertikal: 14.59



Serie 3:  
 9.1 ↗                      9.0 ↘                      9.9 ↗                      6.8 ↖                      9.5 ↓  
 8.1 ↓                      10.0 ↗                      7.7 ↖                      8.9 ←                      10.3 ↘  
 beste Teiler 548.2 (30.) 796.5 (27.) 840.1 (23.)  
 Trefferlage 6.44 mm links, 3.07 mm hoch  
 Streuwert 12.53, horizontal: 13.90, vertikal: 11.00





Serie 4:  
 8.1 ↗                      8.3 ←                      9.8 ↘                      2.9 ↗                      10.0 ↗  
 9.2 ↑                      9.4 ↗                      9.8 ↗                      10.7 \*                      10.8 \*  
 beste Teiler 122.5 (40.) 207.8 (39.) 748.6 (35.)  
 Trefferlage 1.57 mm links, 10.54 mm hoch  
 Streuwert 15.99, horizontal: 12.41, vertikal: 18.90


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **329** (347.3)  
 Serien: 78 79 89 83  
 Zähler: 7 12 7 11 3 0 0 0 0 0  
 Innenzehner: 2  
 weiteste: 3778 (31), 3442 (7), 3227 (19)  
 beste Teiler 372.9 (9.) 460.4 (16.) 484.3 (25.)  
 Trefferlage 0.42 mm links, 5.01 mm hoch  
 Streuwert 14.10, horizontal: 14.84, vertikal: 13.32




Serie 1:  
 9.8 ↗ 9.1 ↗ 7.2 → 9.2 ↘ 7.2 ↘  
 7.9 ↗ 6.6 ↘ 7.8 ← 10.5 \* 7.9 ↗  
 beste Teiler 372.9 (9.) 920.9 (1.) 1429.3 (4.)  
 Trefferlage 0.89 mm links, 10.93 mm hoch  
 Streuwert 15.12, horizontal: 18.53, vertikal: 10.66



Serie 2:  
 8.3 ↙ 7.4 ↘ 7.7 ↘ 9.9 ↖ 7.0 ↑  
 10.4 \* 7.9 ↑ 9.0 ↗ 6.9 ↙ 9.0 ↘  
 beste Teiler 460.4 (16.) 867.3 (14.) 1525.4 (20.)  
 Trefferlage 2.90 mm links, 2.83 mm hoch  
 Streuwert 16.59, horizontal: 14.68, vertikal: 18.31





Serie 3:  
 7.6 ↗ 8.8 ↘ 10.0 ↑ 9.8 ↘ 10.3 ↓  
 8.5 ↑ 8.5 ↘ 10.0 → 9.1 ↓ 10.1 ↓  
 beste Teiler 484.3 (25.) 674.8 (30.) 738.2 (23.)  
 Trefferlage 0.07 mm rechts, 4.39 mm hoch  
 Streuwert 10.76, horizontal: 8.25, vertikal: 12.79




Serie 4:  
 6.2 ↘ 8.2 ↗ 8.5 ↗ 8.6 ↘ 9.8 ↙  
 9.8 ↘ 10.0 ← 7.7 → 9.9 ↘ 9.2 ↘  
 beste Teiler 739.0 (37.) 868.3 (39.) 907.8 (35.)  
 Trefferlage 2.00 mm rechts, 1.89 mm hoch  
 Streuwert 14.40, horizontal: 17.72, vertikal: 10.06

Unterschrift des Schützen


Ergebnis: **342.4** (327)  
 Serien: 92.5 78.8 86.0 85.1  
 Zähler: 5 16 8 7 2 1 0 1 0 0  
 Innenzehner: 1  
 weiteste: 6342 (13), 4790 (20), 3561 (17)  
 beste Teiler 366.2 (16.) 487.3 (4.) 665.7 (8.)  
 Trefferlage 7.94 mm links, 0.19 mm tief  
 Streuwert 15.20, horizontal: 18.29, vertikal: 11.30




Serie 1:  
 7.5 ←                      7.3 ↑                      7.9 ↓                      10.3 ↘                      10.0 ↑  
 9.9 →                      9.8 ↗                      10.1 ↓                      9.9 ↓                      9.8 ↘  
 beste Teiler 487.3 (4.) 665.7 (8.) 729.7 (5.)  
 Trefferlage 2.82 mm links, 1.75 mm hoch  
 Streuwert 11.88, horizontal: 10.16, vertikal: 13.38



Serie 2:  
 9.9 ←                      8.1 ↘                      3.0 ←                      8.2 ↓                      9.8 ↖  
 10.5 \*                      6.5 ←                      9.0 ↑                      8.8 ↙                      5.0 ←  
 beste Teiler 366.2 (16.) 848.7 (11.) 916.8 (15.)  
 Trefferlage 18.76 mm links, 0.39 mm tief  
 Streuwert 17.91, horizontal: 22.72, vertikal: 11.19



Serie 3:  
 9.0 ↙                      6.6 ←                      10.0 ↘                      8.0 →                      9.2 →  
 7.8 →                      9.2 ↙                      9.5 ↓                      7.2 ↑                      9.5 ↙  
 beste Teiler 728.3 (23.) 1138.8 (28.) 1190.3 (30.)  
 Trefferlage 0.12 mm rechts, 1.16 mm tief  
 Streuwert 15.33, horizontal: 17.79, vertikal: 12.39





Serie 4:  
 8.2 ↙                      9.2 ←                      8.4 ↘                      7.2 ↖                      8.1 →  
 7.1 ←                      9.1 ↖                      8.2 ←                      9.9 ←                      9.7 ↖  
 beste Teiler 849.3 (39.) 999.7 (40.) 1417.9 (32.)  
 Trefferlage 10.33 mm links, 0.97 mm tief  
 Streuwert 13.52, horizontal: 16.61, vertikal: 9.47


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **333** (350.1)  
 Serien: 79 90 83 81  
 Zähler: 6 16 9 5 2 2 0 0 0 0  
 Innenzehner: 0  
 weiteste: 4253 (2), 4125 (9), 3608 (33)  
 beste Teiler 489.5 (19.) 513.0 (38.) 712.6 (24.)  
 Trefferlage 3.13 mm links, 2.86 mm hoch  
 Streuwert 14.12, horizontal: 14.63, vertikal: 13.60




Serie 1:  
 9.2 ←                      5.6 →                      9.9 ←                      9.3 ←                      7.0 ←  
 9.3 ↘                      9.3 ↙                      9.8 ←                      5.8 ↗                      8.6 ←  
 beste Teiler 856.0 (3.) 897.1 (8.) 1293.3 (6.)  
 Trefferlage 5.17 mm links, 3.62 mm hoch  
 Streuwert 17.24, horizontal: 21.52, vertikal: 11.46



Serie 2:  
 8.2 ↓                      10.0 ↑                      9.6 ↘                      10.0 ↓                      8.6 ↘  
 8.7 ↑                      9.2 ←                      9.8 →                      10.3 ↓                      9.5 ↙  
 beste Teiler 489.5 (19.) 747.5 (12.) 787.5 (14.)  
 Trefferlage 2.73 mm links, 0.32 mm hoch  
 Streuwert 9.99, horizontal: 8.67, vertikal: 11.15



Serie 3:  
 7.6 →                      8.9 ↘                      8.2 ↗                      10.1 ↙                      7.9 ↘  
 9.3 ↗                      9.5 ↗                      9.6 ↘                      8.3 ←                      8.4 ←  
 beste Teiler 712.6 (24.) 1114.2 (28.) 1157.3 (27.)  
 Trefferlage 1.68 mm links, 4.52 mm hoch  
 Streuwert 13.36, horizontal: 16.52, vertikal: 9.18





Serie 4:  
 7.0 ↘                      9.8 ←                      6.4 ↓                      9.4 ↗                      10.0 →  
 7.4 ↑                      6.6 ↑                      10.3 ↓                      9.2 ←                      8.5 ↓  
 beste Teiler 513.0 (38.) 747.8 (35.) 889.9 (32.)  
 Trefferlage 2.96 mm links, 2.98 mm hoch  
 Streuwert 16.73, horizontal: 10.43, vertikal: 21.23


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **325** (346.0)  
 Serien: 84 72 84 85  
 Zähler: 8 9 12 7 3 0 0 0 0 1  
 Innenzehner: 4  
 weiteste: 7360 (13), 3615 (39), 3406 (14)  
 beste Teiler 252.4 (24.) 310.8 (34.) 429.3 (7.)  
 Trefferlage 4.05 mm links, 2.74 mm hoch  
 Streuwert 15.57, horizontal: 15.00, vertikal: 16.12




Serie 1:  
 8.4 ←                      8.8 →                      8.1 ↘                      10.0 ↓                      8.5 ←  
 7.8 ↓                      10.4 \*                      7.9 ←                      10.4 \*                      8.9 ↖  
 beste Teiler 429.3 (7.) 445.4 (9.) 789.0 (4.)  
 Trefferlage 9.09 mm links, 2.06 mm tief  
 Streuwert 11.54, horizontal: 12.63, vertikal: 10.33



Serie 2:  
 7.6 ↑                      7.2 ↓                      1.8 ↗                      6.7 ←                      9.7 ↗  
 8.9 →                      10.0 ←                      9.3 ↑                      8.5 ↓                      7.5 ↑  
 beste Teiler 786.3 (17.) 977.5 (15.) 1342.2 (18.)  
 Trefferlage 2.12 mm rechts, 6.99 mm hoch  
 Streuwert 22.90, horizontal: 20.90, vertikal: 24.74



Serie 3:  
 7.4 ←                      10.1 ←                      7.7 ←                      10.6 \*                      9.5 ↑  
 9.8 →                      8.2 →                      9.5 ↘                      6.9 ↓                      9.5 ↑  
 beste Teiler 252.4 (24.) 685.8 (22.) 908.4 (26.)  
 Trefferlage 3.83 mm links, 0.53 mm hoch  
 Streuwert 13.76, horizontal: 14.68, vertikal: 12.76





Serie 4:  
 8.6 ←                      8.8 ↙                      10.1 ←                      10.6 \*                      9.4 ↗  
 9.4 ↘                      9.6 ←                      8.9 ↘                      6.4 ↑                      8.6 ↗  
 beste Teiler 310.8 (34.) 683.4 (33.) 1096.0 (37.)  
 Trefferlage 5.40 mm links, 5.51 mm hoch  
 Streuwert 11.72, horizontal: 9.47, vertikal: 13.60


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **316** (330.8)  
 Serien: 87 74 73 82  
 Zähler: 7 10 8 9 4 1 0 0 0 0  
 Innenzehner: 1  
 weiteste: 8894 (18), 4785 (29), 3857 (8)  
 beste Teiler 390.4 (9.) 586.8 (5.) 617.7 (7.)  
 Trefferlage 4.91 mm links, 1.33 mm hoch  
 Streuwert 18.42, horizontal: 19.54, vertikal: 17.23




Serie 1:  
 9.5 ←                      10.1 →                      9.0 ↙                      8.4 →                      10.2 ↑  
 6.6 ↗                      10.2 ↗                      6.1 ↙                      10.5 \*                      9.1 ↓  
 beste Teiler 390.4 (9.) 586.8 (5.) 617.7 (7.)  
 Trefferlage 1.99 mm links, 0.19 mm hoch  
 Streuwert 14.52, horizontal: 15.51, vertikal: 13.45



Serie 2:  
 8.0 →                      8.8 ↙                      8.3 ↓                      9.8 ↑                      9.9 →  
 8.0 →                      7.6 ↙                      0.0 ↘                      10.2 ↓                      7.6 ↓  
 beste Teiler 620.6 (19.) 863.3 (15.) 904.7 (14.)  
 Trefferlage 5.74 mm links, 0.44 mm hoch  
 Streuwert 24.77, horizontal: 26.19, vertikal: 23.26



Serie 3:  
 7.3 ↙                      6.9 ←                      7.1 ↙                      8.2 ↗                      6.8 ↖  
 8.0 ↗                      7.7 ↑                      9.8 ↓                      5.0 ←                      10.1 →  
 beste Teiler 681.4 (30.) 917.9 (28.) 2216.5 (24.)  
 Trefferlage 11.53 mm links, 2.20 mm hoch  
 Streuwert 19.21, horizontal: 21.90, vertikal: 16.06





Serie 4:  
 9.1 ←                      9.8 ↖                      7.5 ↗                      7.6 ↘                      7.1 ↓  
 8.4 →                      9.6 →                      10.0 ↓                      9.5 ↓                      7.4 ↑  
 beste Teiler 768.0 (38.) 939.1 (32.) 1053.3 (37.)  
 Trefferlage 0.36 mm links, 2.47 mm hoch  
 Streuwert 15.31, horizontal: 12.92, vertikal: 17.37


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **321** (337.0)  
 Serien: 80 84 76 81  
 Zähler: 4 12 12 7 3 2 0 0 0 0  
 Innenzehner: 0  
 weiteste: 4379 (28), 4025 (32), 3999 (6)  
 beste Teiler 505.8 (39.) 636.4 (40.) 638.1 (18.)  
 Trefferlage 1.85 mm rechts, 0.42 mm hoch  
 Streuwert 15.96, horizontal: 17.60, vertikal: 14.12




Serie 1:  
 9.4 ↘                      7.6 ↘                      9.0 ↘                      7.2 ↓                      8.3 ↗  
 6.0 ↑                      8.7 ↑                      9.9 ↙                      8.9 ↘                      9.3 ↘  
 beste Teiler 819.4 (8.) 1230.9 (1.) 1333.8 (10.)  
 Trefferlage 0.97 mm rechts, 3.68 mm hoch  
 Streuwert 16.20, horizontal: 13.33, vertikal: 18.64



Serie 2:  
 9.0 ↘                      9.0 ↗                      8.9 →                      8.8 ↘                      6.5 ↘  
 8.7 ↙                      9.3 ↓                      10.2 →                      10.1 ←                      7.6 →  
 beste Teiler 638.1 (18.) 656.5 (19.) 1317.1 (17.)  
 Trefferlage 1.15 mm links, 1.76 mm hoch  
 Streuwert 14.06, horizontal: 17.14, vertikal: 10.09



Serie 3:  
 9.1 ↓                      7.5 ↘                      9.5 ↗                      9.4 →                      6.9 ↘  
 7.2 ↑                      8.5 ↙                      5.5 ←                      8.2 →                      8.5 ↙  
 beste Teiler 1167.0 (23.) 1249.5 (24.) 1446.6 (21.)  
 Trefferlage 0.10 mm rechts, 1.91 mm tief  
 Streuwert 18.81, horizontal: 21.92, vertikal: 15.08



Serie 4:  
 9.2 ↗                      5.9 →                      8.0 ↙                      9.0 →                      7.4 ↙  
 8.7 ↑                      8.2 →                      7.4 ↗                      10.3 →                      10.2 ↓  
 beste Teiler 505.8 (39.) 636.4 (40.) 1437.9 (31.)  
 Trefferlage 7.48 mm rechts, 1.83 mm tief  
 Streuwert 15.87, horizontal: 18.48, vertikal: 12.73

Unterschrift des Schützen

Meyton Elektronik