





Ergebnis:	381	(399.1)
Serien:	92 94 98 97	
Zähler:	22 17 1 0 0 0 0 0 0 0	
Innenzehner:	10	
weiteste:	1993 (1), 1484 (37), 1421 (11)	
beste Teiler	202.3 (38.) 218.2 (28.) 243.8 (14.)	
Trefferlage	0.38 mm rechts, 1.48 mm hoch	
Streuwert	6.10, horizontal: 6.52, vertikal: 5.65	




Serie 1:	8.5 ↗	10.0 ↘	10.0 ←	9.7 →	9.9 ↖
	9.8 ←	9.8 ↖	9.9 →	9.9 ↖	10.2 →
beste Teiler	588.0 (10.)	724.1 (3.)	786.6 (2.)		
Trefferlage	0.37 mm links, 1.25 mm hoch				
Streuwert	7.51, horizontal: 9.55, vertikal: 4.66				



Serie 2:	9.2 ↗	9.7 ↗	9.5 ↘	10.6 *	9.7 ↗
	9.4 ↑	9.8 ↓	10.2 →	10.5 *	10.4 *
beste Teiler	243.8 (14.)	363.4 (19.)	406.6 (20.)		
Trefferlage	2.88 mm rechts, 0.83 mm hoch				
Streuwert	6.41, horizontal: 5.77, vertikal: 6.99				



Serie 3:	9.6 →	10.1 ↗	10.5 *	10.1 ↓	10.2 →
	10.2 ↘	9.8 ↖	10.7 *	10.0 ←	10.6 *
beste Teiler	218.2 (28.)	289.5 (30.)	341.7 (23.)		
Trefferlage	0.77 mm rechts, 1.27 mm hoch				
Streuwert	4.82, horizontal: 5.39, vertikal: 4.17				





Serie 4:	10.4 *	10.6 *	10.1 ←	10.4 *	9.2 ↖
	10.3 ↗	9.1 ↑	10.7 *	10.2 ↑	9.6 ↓
beste Teiler	202.3 (38.)	318.6 (32.)	442.4 (31.)		
Trefferlage	1.72 mm links, 2.55 mm hoch				
Streuwert	5.75, horizontal: 4.22, vertikal: 6.95				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **384** (400.9)
 Serien: 95 96 95 98
 Zähler: 25 14 1 0 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 1606 (11), 1409 (30), 1325 (35)
 beste Teiler 32.3 (34.) 202.2 (38.) 251.1 (24.)
 Trefferlage 0.11 mm links, 1.25 mm hoch
 Streuwert 5.78, horizontal: 6.75, vertikal: 4.62




Serie 1:
 10.0 ↑ 9.5 ↘ 9.7 ↗ 10.6 * 9.8 ←
 10.2 ↑ 9.8 ↙ 9.9 → 10.4 * 10.1 ←
 beste Teiler 259.8 (4.) 421.8 (9.) 602.9 (6.)
 Trefferlage 0.97 mm links, 2.76 mm hoch
 Streuwert 5.53, horizontal: 5.63, vertikal: 5.42



Serie 2:
 8.9 → 10.0 ← 10.5 * 9.4 ↗ 9.5 →
 10.1 ↓ 10.5 * 10.6 * 10.6 * 10.0 ←
 beste Teiler 284.4 (19.) 291.6 (18.) 390.4 (17.)
 Trefferlage 1.91 mm rechts, 0.21 mm hoch
 Streuwert 6.36, horizontal: 7.92, vertikal: 4.24



Serie 3:
 9.8 ↘ 9.9 ↘ 10.2 ↘ 10.6 * 10.1 ↑
 9.9 ↙ 10.1 ↘ 10.0 ↙ 9.8 → 9.2 ←
 beste Teiler 251.1 (24.) 581.5 (23.) 668.6 (25.)
 Trefferlage 1.76 mm links, 0.76 mm hoch
 Streuwert 6.08, horizontal: 7.21, vertikal: 4.68





Serie 4:
 10.1 ↘ 10.0 ↘ 10.2 → 10.9 * 9.3 ↘
 9.5 → 10.2 ↑ 10.7 * 10.3 → 10.0 ←
 beste Teiler 32.3 (34.) 202.2 (38.) 517.3 (39.)
 Trefferlage 0.37 mm rechts, 1.25 mm hoch
 Streuwert 5.54, horizontal: 6.50, vertikal: 4.39


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	385	(402.3)
Serien:	96 96 98 95	
Zähler:	25 15 0 0 0 0 0 0 0	
Innenzehner:	10	
weiteste:	1522 (31), 1349 (2), 1343 (19)	
beste Teiler	202.6 (36.) 204.7 (21.) 261.7 (25.)	
Trefferlage	1.29 mm rechts, 0.22 mm hoch	
Streuwert	5.56, horizontal: 5.91, vertikal: 5.18	




Serie 1:	10.3 ↓	9.3 ↗	9.8 ←	10.3 ↑	9.9 ↘
	10.5 *	10.2 ↓	9.4 →	10.4 *	10.4 *
beste Teiler	359.7 (6.) 434.9 (10.) 461.7 (9.)				
Trefferlage	1.39 mm links, 1.00 mm hoch				
Streuwert	5.79, horizontal: 5.96, vertikal: 5.60				



Serie 2:	10.5 *	9.8 →	10.3 ↗	10.4 *	10.3 ↘
	9.4 ↗	10.3 ↑	10.1 ↗	9.3 ↗	9.7 →
beste Teiler	393.5 (11.) 414.2 (14.) 482.2 (17.)				
Trefferlage	3.75 mm rechts, 2.80 mm hoch				
Streuwert	4.99, horizontal: 6.13, vertikal: 3.51				



Serie 3:	10.7 *	10.3 →	10.1 ↗	10.4 ←	10.6 *
	9.8 →	10.2 ↘	10.5 *	9.4 →	10.1 ↑
beste Teiler	204.7 (21.) 261.7 (25.) 351.9 (28.)				
Trefferlage	2.13 mm rechts, 0.59 mm hoch				
Streuwert	4.56, horizontal: 5.58, vertikal: 3.24				





Serie 4:	9.0 ↓	10.0 ←	9.9 ↘	9.4 ↗	9.9 ↓
	10.7 *	9.9 ↓	10.4 *	10.1 ↓	10.3 ←
beste Teiler	202.6 (36.) 458.0 (38.) 503.2 (40.)				
Trefferlage	0.66 mm rechts, 3.53 mm tief				
Streuwert	5.89, horizontal: 5.59, vertikal: 6.17				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **396.3** (376)
 Serien: 98.9 101.6 97.3 98.5
 Zähler: 21 14 5 0 0 0 0 0 0 0
 Innenzehner: 13
 weiteste: 1780 (13), 1716 (38), 1680 (10)
 beste Teiler 146.5 (19.) 158.0 (31.) 173.9 (12.)
 Trefferlage 0.01 mm rechts, 2.85 mm hoch
 Streuwert 6.69, horizontal: 6.24, vertikal: 7.12




Serie 1:
 9.3 ↓ 9.5 ↙ 10.0 → 10.3 ↙ 9.1 ↓
 10.1 ↗ 10.7 * 10.4 * 10.6 * 8.9 ↘
 beste Teiler 230.4 (7.) 282.5 (9.) 430.9 (8.)
 Trefferlage 1.25 mm links, 1.37 mm tief
 Streuwert 7.20, horizontal: 5.61, vertikal: 8.49



Serie 2:
 10.6 * 10.7 * 8.7 ↑ 10.1 ↑ 10.4 *
 10.4 * 10.6 * 9.0 ↑ 10.8 * 10.3 ↙
 beste Teiler 146.5 (19.) 173.9 (12.) 283.0 (17.)
 Trefferlage 0.31 mm links, 3.97 mm hoch
 Streuwert 5.45, horizontal: 2.93, vertikal: 7.12



Serie 3:
 9.9 ↑ 10.5 * 9.7 ↑ 10.3 ↘ 9.7 ↘
 8.9 ↑ 9.7 ↙ 9.1 ↘ 9.3 ↗ 10.2 ←
 beste Teiler 343.8 (22.) 509.1 (24.) 566.7 (30.)
 Trefferlage 1.51 mm links, 5.34 mm hoch
 Streuwert 6.59, horizontal: 7.21, vertikal: 5.91





Serie 4:
 10.8 * 10.3 ↓ 10.6 * 9.4 ↗ 9.5 ↗
 10.6 * 8.9 ↘ 8.8 → 9.9 → 9.7 ↑
 beste Teiler 158.0 (31.) 273.2 (33.) 291.2 (36.)
 Trefferlage 3.14 mm rechts, 3.46 mm hoch
 Streuwert 6.87, horizontal: 7.83, vertikal: 5.76


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **383** (401.3)
 Serien: 91 95 99 98
 Zähler: 25 13 2 0 0 0 0 0 0 0
 Innenzehner: 13
 weiteste: 2024 (6), 1754 (1), 1444 (16)
 beste Teiler 39.6 (23.) 143.5 (14.) 152.7 (28.)
 Trefferlage 1.53 mm links, 1.44 mm hoch
 Streuwert 5.99, horizontal: 6.02, vertikal: 5.97




Serie 1:
 8.8 ← 9.4 ↗ 9.8 ↘ 9.5 ↘ 9.2 ↘
 8.4 ↑ 10.4 ↘ 10.1 ↓ 9.7 ↘ 10.3 ←
 beste Teiler 476.7 (7.) 554.4 (10.) 663.4 (8.)
 Trefferlage 4.31 mm links, 4.19 mm hoch
 Streuwert 7.91, horizontal: 7.14, vertikal: 8.61



Serie 2:
 10.6 * 10.5 * 9.5 ↗ 10.8 * 10.3 ←
 9.1 ← 10.4 * 9.3 ↘ 9.8 ↘ 9.7 ↘
 beste Teiler 143.5 (14.) 318.2 (11.) 349.7 (12.)
 Trefferlage 0.94 mm links, 2.39 mm hoch
 Streuwert 6.23, horizontal: 7.31, vertikal: 4.92



Serie 3:
 10.7 * 10.6 * 10.9 * 10.1 ↘ 10.5 *
 10.6 * 9.8 ← 10.8 * 10.0 ↘ 10.1 ↓
 beste Teiler 39.6 (23.) 152.7 (28.) 187.6 (21.)
 Trefferlage 1.76 mm links, 0.43 mm hoch
 Streuwert 3.66, horizontal: 3.61, vertikal: 3.70





Serie 4:
 10.1 ↗ 10.4 * 10.3 → 9.8 ↗ 10.1 ↓
 9.6 → 10.7 * 10.2 ↓ 10.0 ↑ 10.4 *
 beste Teiler 224.0 (37.) 413.4 (32.) 441.6 (40.)
 Trefferlage 0.87 mm rechts, 1.22 mm tief
 Streuwert 4.89, horizontal: 4.90, vertikal: 4.88


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **377** (395.8)
 Serien: 92 93 97 95
 Zähler: 20 17 3 0 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 1883 (7), 1792 (9), 1621 (38)
 beste Teiler 109.4 (27.) 197.8 (29.) 212.8 (10.)
 Trefferlage 1.90 mm rechts, 0.96 mm tief
 Streuwert 6.60, horizontal: 6.27, vertikal: 6.92




Serie 1:
 10.2 ↖ 9.9 ↙ 9.7 ← 10.5 * 9.7 ↗
 9.6 ↘ 8.6 ↘ 10.4 * 8.7 ↗ 10.7 *
 beste Teiler 212.8 (10.) 372.5 (4.) 432.3 (8.)
 Trefferlage 1.44 mm links, 0.56 mm tief
 Streuwert 7.85, horizontal: 5.84, vertikal: 9.44



Serie 2:
 9.9 ↗ 10.2 ↓ 9.8 ↓ 9.1 ↘ 10.2 ↖
 9.0 ↖ 9.7 → 9.6 ↑ 9.6 ↙ 10.5 *
 beste Teiler 398.5 (20.) 613.0 (15.) 628.7 (12.)
 Trefferlage 0.10 mm links, 0.26 mm tief
 Streuwert 7.55, horizontal: 7.01, vertikal: 8.06



Serie 3:
 10.4 * 10.2 → 9.0 → 10.1 ↗ 9.7 ↘
 10.0 ↓ 10.8 * 10.0 ↓ 10.7 * 9.7 ↓
 beste Teiler 109.4 (27.) 197.8 (29.) 436.6 (21.)
 Trefferlage 3.80 mm rechts, 3.41 mm tief
 Streuwert 4.78, horizontal: 4.88, vertikal: 4.67





Serie 4:
 10.3 ↙ 10.3 ↓ 10.4 * 10.0 ↗ 10.5 *
 10.1 → 9.6 ↗ 8.9 ↗ 9.8 → 9.7 →
 beste Teiler 368.3 (35.) 425.3 (33.) 501.7 (31.)
 Trefferlage 5.38 mm rechts, 0.39 mm hoch
 Streuwert 5.06, horizontal: 5.40, vertikal: 4.70


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **382** (401.9)
 Serien: 96 95 97 94
 Zähler: 25 12 3 0 0 0 0 0 0 0
 Innenzehner: 12
 weiteste: 1768 (33), 1688 (17), 1638 (30)
 beste Teiler 48.4 (35.) 148.0 (36.) 156.2 (25.)
 Trefferlage 1.55 mm links, 1.29 mm hoch
 Streuwert 5.80, horizontal: 6.22, vertikal: 5.35



Serie 1:
 9.3 ↘ 10.1 ↘ 10.3 ↗ 10.4 * 10.6 *
 9.7 ↘ 10.4 ↘ 10.1 ↘ 9.6 ↓ 9.6 ↗
 beste Teiler 312.6 (5.) 427.4 (4.) 480.1 (7.)
 Trefferlage 1.77 mm links, 1.05 mm hoch
 Streuwert 5.87, horizontal: 5.97, vertikal: 5.78



Serie 2:
 10.7 * 10.6 * 10.2 ↗ 9.9 ↘ 10.4 *
 9.8 ↘ 8.8 ← 10.1 ↗ 10.6 * 9.0 ↗
 beste Teiler 194.0 (11.) 261.2 (12.) 278.2 (19.)
 Trefferlage 2.44 mm links, 1.90 mm hoch
 Streuwert 6.24, horizontal: 6.92, vertikal: 5.48



Serie 3:
 10.2 ↑ 10.4 * 10.6 * 10.1 ↘ 10.8 *
 10.2 ↓ 10.2 ← 9.9 ↑ 10.4 * 8.9 ↑
 beste Teiler 156.2 (25.) 279.2 (23.) 420.3 (22.)
 Trefferlage 0.13 mm links, 2.61 mm hoch
 Streuwert 5.11, horizontal: 4.05, vertikal: 5.98





Serie 4:
 9.9 ↗ 9.7 ← 8.7 ↘ 9.6 ↘ 10.9 *
 10.8 * 10.2 ↘ 10.2 ↑ 10.2 ↘ 9.8 ←
 beste Teiler 48.4 (35.) 148.0 (36.) 567.9 (38.)
 Trefferlage 1.86 mm links, 0.40 mm tief
 Streuwert 6.47, horizontal: 8.04, vertikal: 4.37


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **376** (393.9)
 Serien: 93 94 93 96
 Zähler: 17 22 1 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 1856 (8), 1583 (30), 1577 (9)
 beste Teiler 116.4 (33.) 221.8 (12.) 237.7 (6.)
 Trefferlage 0.48 mm links, 1.51 mm tief
 Streuwert 6.98, horizontal: 6.92, vertikal: 7.04




Serie 1:
 9.7 ↑ 9.6 ↓ 9.9 ↘ 10.0 ↙ 9.8 ↗
 10.7 * 10.6 * 8.6 ↖ 9.0 ↗ 10.3 →
 beste Teiler 237.7 (6.) 289.8 (7.) 548.6 (10.)
 Trefferlage 0.52 mm rechts, 2.33 mm tief
 Streuwert 7.50, horizontal: 7.83, vertikal: 7.16



Serie 2:
 9.1 ↓ 10.7 * 9.0 ↙ 10.3 ↑ 9.9 ↘
 9.2 ↑ 9.5 → 10.4 * 10.4 * 9.7 ↖
 beste Teiler 221.8 (12.) 441.4 (19.) 460.5 (18.)
 Trefferlage 2.42 mm links, 0.52 mm hoch
 Streuwert 7.30, horizontal: 5.96, vertikal: 8.44



Serie 3:
 9.5 ↘ 9.8 ↓ 10.5 * 10.2 ↙ 10.4 *
 9.2 ↘ 9.3 ↗ 9.1 ↑ 9.9 → 9.0 ↖
 beste Teiler 332.4 (23.) 432.1 (25.) 635.6 (24.)
 Trefferlage 1.17 mm rechts, 1.81 mm tief
 Streuwert 8.00, horizontal: 8.46, vertikal: 7.51



Serie 4:
 9.8 ↘ 10.0 → 10.8 * 10.2 ↑ 10.4 *
 9.3 ↓ 9.5 ← 10.4 * 10.3 ↓ 9.9 ↖
 beste Teiler 116.4 (33.) 413.2 (35.) 434.1 (38.)
 Trefferlage 1.19 mm links, 2.45 mm tief
 Streuwert 5.48, horizontal: 5.52, vertikal: 5.45

Unterschrift des Schützen

Meyton Elektronik