





Ergebnis: **374** (389.4)
 Serien: 91 95 93 95
 Zähler: 22 10 8 0 0 0 0 0 0
 Innenzehner: 12
 weiteste: 615 (23), 612 (5), 562 (10)
 beste Teiler 31.8 (34.) 58.2 (38.) 104.9 (40.)
 Trefferlage 1.09 mm rechts, 0.64 mm hoch
 Streuwert 2.29, horizontal: 2.83, vertikal: 1.56




Serie 1:
 9.7 ↑ 10.0 ← 10.0 ↑ 8.9 → 8.5 →
 9.5 ↓ 10.3 * 9.0 ↗ 10.2 * 8.7 →
 beste Teiler 155.4 (7.) 183.5 (9.) 226.9 (2.)
 Trefferlage 1.91 mm rechts, 0.70 mm hoch
 Streuwert 2.57, horizontal: 3.09, vertikal: 1.91



Serie 2:
 10.3 * 10.0 → 10.0 ← 10.3 * 9.3 →
 8.8 → 10.2 * 10.0 ↗ 9.0 ↘ 9.7 →
 beste Teiler 158.1 (14.) 170.1 (11.) 193.4 (17.)
 Trefferlage 0.92 mm rechts, 0.52 mm hoch
 Streuwert 2.31, horizontal: 2.86, vertikal: 1.58



Serie 3:
 9.4 → 10.2 * 8.5 ↘ 10.1 → 10.1 ←
 10.4 * 10.0 ↘ 9.4 ↖ 8.8 → 9.9 ↘
 beste Teiler 131.0 (26.) 185.0 (22.) 214.5 (24.)
 Trefferlage 1.25 mm rechts, 0.21 mm hoch
 Streuwert 2.44, horizontal: 3.09, vertikal: 1.53





Serie 4:
 10.1 ↖ 8.8 ↗ 9.6 ↗ 10.8 * 10.3 *
 10.0 ↘ 10.5 * 10.7 * 8.9 ↖ 10.5 *
 beste Teiler 31.8 (34.) 58.2 (38.) 104.9 (40.)
 Trefferlage 0.29 mm rechts, 1.11 mm hoch
 Streuwert 1.94, horizontal: 2.45, vertikal: 1.24


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **381** (398.3)
 Serien: 95 96 98 92
 Zähler: 23 15 2 0 0 0 0 0 0 0
 Innenzehner: 17
 weiteste: 651 (40), 623 (3), 464 (38)
 beste Teiler 43.5 (18.) 59.7 (23.) 70.2 (7.)
 Trefferlage 0.29 mm rechts, 1.22 mm hoch
 Streuwert 1.85, horizontal: 2.21, vertikal: 1.40




Serie 1:
 9.5 ← 10.4 * 8.5 ↗ 10.1 ↗ 9.8 →
 10.3 * 10.7 * 10.1 ↑ 9.6 ↗ 10.4 *
 beste Teiler 70.2 (7.) 128.9 (10.) 145.9 (2.)
 Trefferlage 0.87 mm rechts, 1.09 mm hoch
 Streuwert 1.92, horizontal: 2.36, vertikal: 1.35



Serie 2:
 9.8 → 9.4 ← 10.3 * 9.9 ↗ 10.1 ↗
 10.2 * 9.4 ↑ 10.8 * 10.3 * 10.6 *
 beste Teiler 43.5 (18.) 92.6 (20.) 165.9 (19.)
 Trefferlage 0.56 mm rechts, 0.84 mm hoch
 Streuwert 1.69, horizontal: 1.79, vertikal: 1.58





Serie 3:
 10.2 * 10.1 ↘ 10.7 * 10.0 ← 10.6 *
 9.8 ↖ 10.3 * 10.4 * 10.7 * 9.7 ↘
 beste Teiler 59.7 (23.) 73.7 (29.) 78.0 (25.)
 Trefferlage 0.34 mm links, 0.92 mm hoch
 Streuwert 1.26, horizontal: 1.58, vertikal: 0.81




Serie 4:
 10.2 * 10.0 ↘ 10.4 * 9.1 ← 9.2 ↘
 9.8 ↑ 9.6 ↗ 9.1 ↑ 9.9 ↘ 8.3 ↗
 beste Teiler 149.5 (33.) 199.4 (31.) 227.9 (32.)
 Trefferlage 0.06 mm rechts, 2.01 mm hoch
 Streuwert 2.40, horizontal: 2.98, vertikal: 1.62

Unterschrift des Schützen


Ergebnis: **374** (393.6)
 Serien: 93 96 93 92
 Zähler: 18 18 4 0 0 0 0 0 0 0
 Innenzehner: 13
 weiteste: 563 (40), 539 (28), 536 (26)
 beste Teiler 47.5 (21.) 60.4 (25.) 86.3 (18.)
 Trefferlage 0.26 mm rechts, 0.99 mm hoch
 Streuwert 2.08, horizontal: 2.45, vertikal: 1.64




Serie 1:
 9.6 → 9.4 ↘ 10.2 * 8.9 ↙ 9.8 ↗
 9.3 ← 9.8 → 10.1 ← 10.2 * 10.4 *
 beste Teiler 149.8 (10.) 179.0 (9.) 183.5 (3.)
 Trefferlage 0.59 mm links, 1.05 mm hoch
 Streuwert 2.18, horizontal: 2.79, vertikal: 1.32



Serie 2:
 10.4 * 9.5 ↑ 10.1 ↘ 10.0 ↗ 9.8 ↘
 9.5 ↗ 10.4 * 10.6 * 10.4 * 9.7 ↘
 beste Teiler 86.3 (18.) 142.3 (17.) 145.9 (11.)
 Trefferlage 0.59 mm links, 0.50 mm hoch
 Streuwert 1.79, horizontal: 1.66, vertikal: 1.90



Serie 3:
 10.8 * 9.9 ↗ 10.3 * 9.4 → 10.7 *
 8.8 ↗ 10.2 * 8.8 ↗ 10.2 * 9.8 ↗
 beste Teiler 47.5 (21.) 60.4 (25.) 158.9 (23.)
 Trefferlage 1.50 mm rechts, 1.35 mm hoch
 Streuwert 1.81, horizontal: 2.21, vertikal: 1.28





Serie 4:
 10.0 ↘ 10.3 * 9.9 → 9.8 ← 9.7 →
 9.4 ↘ 9.6 ↘ 9.1 ↗ 10.1 ↘ 8.7 ↗
 beste Teiler 167.2 (32.) 203.2 (39.) 241.0 (31.)
 Trefferlage 0.73 mm rechts, 1.05 mm hoch
 Streuwert 2.37, horizontal: 2.64, vertikal: 2.05


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **386.9** (372)
 Serien: 96.2 98.6 97.4 94.7
 Zähler: 18 17 4 1 0 0 0 0 0 0
 Innenzehner: 14
 weiteste: 921 (35), 746 (27), 695 (36)
 beste Teiler 111.3 (15.) 117.4 (21.) 127.3 (18.)
 Trefferlage 0.46 mm links, 0.71 mm hoch
 Streuwert 2.58, horizontal: 3.17, vertikal: 1.81




Serie 1:
 9.7 ↗ 10.0 ↗ 8.4 ↘ 9.6 ↗ 9.1 →
 10.0 ↘ 9.9 ↗ 9.7 ↘ 9.6 ↘ 10.2 *
 beste Teiler 187.0 (10.) 229.2 (6.) 238.7 (2.)
 Trefferlage 0.21 mm rechts, 1.36 mm hoch
 Streuwert 2.46, horizontal: 3.02, vertikal: 1.72



Serie 2:
 10.2 * 9.0 → 9.9 ↘ 10.2 * 10.5 *
 10.2 * 8.7 ↘ 10.4 * 9.3 ↗ 10.2 *
 beste Teiler 111.3 (15.) 127.3 (18.) 176.4 (16.)
 Trefferlage 0.17 mm rechts, 0.58 mm hoch
 Streuwert 2.27, horizontal: 2.35, vertikal: 2.19





Serie 3:
 10.5 * 10.1 → 9.2 ↘ 10.2 * 9.6 ↘
 9.9 ↗ 8.0 ← 9.5 → 10.3 * 10.1 ↘
 beste Teiler 117.4 (21.) 167.7 (29.) 182.4 (24.)
 Trefferlage 0.16 mm links, 0.28 mm hoch
 Streuwert 2.60, horizontal: 3.27, vertikal: 1.68




Serie 4:
 10.3 * 10.4 * 9.4 ↘ 9.8 ↘ 7.3 ←
 8.2 ← 9.7 ← 10.2 * 9.1 → 10.3 *
 beste Teiler 143.6 (32.) 152.8 (31.) 163.8 (40.)
 Trefferlage 2.09 mm links, 0.64 mm hoch
 Streuwert 2.91, horizontal: 3.75, vertikal: 1.69

Unterschrift des Schützen


Ergebnis: **378** (397.4)
 Serien: 92 95 93 98
 Zähler: 24 11 4 1 0 0 0 0 0 0
 Innenzehner: 19
 weiteste: 800 (1), 639 (11), 526 (24)
 beste Teiler 45.4 (17.) 51.4 (6.) 70.8 (19.)
 Trefferlage 0.14 mm rechts, 0.16 mm tief
 Streuwert 2.15, horizontal: 2.44, vertikal: 1.82




Serie 1:
 7.8 ↙ 10.0 ← 9.3 ↘ 9.6 → 10.6 *
 10.7 * 10.2 * 8.9 ← 10.1 ↙ 9.9 ↓
 beste Teiler 51.4 (6.) 94.0 (5.) 186.1 (7.)
 Trefferlage 1.25 mm links, 1.24 mm tief
 Streuwert 2.46, horizontal: 3.12, vertikal: 1.55



Serie 2:
 8.4 → 10.1 ↗ 9.7 ↘ 10.5 * 9.7 ↙
 10.5 * 10.8 * 10.2 * 10.7 * 9.9 ←
 beste Teiler 45.4 (17.) 70.8 (19.) 106.9 (14.)
 Trefferlage 0.55 mm rechts, 0.04 mm tief
 Streuwert 2.04, horizontal: 2.58, vertikal: 1.30



Serie 3:
 9.4 ↑ 10.3 * 10.1 ↘ 8.8 ↘ 9.6 →
 10.4 * 10.4 * 8.9 ↙ 10.2 * 9.7 →
 beste Teiler 130.8 (27.) 138.4 (26.) 172.2 (22.)
 Trefferlage 0.38 mm rechts, 0.11 mm hoch
 Streuwert 2.40, horizontal: 2.33, vertikal: 2.47





Serie 4:
 10.4 * 10.5 * 10.4 * 10.0 → 9.8 ↙
 10.2 * 10.3 * 10.3 * 9.9 ↑ 10.2 *
 beste Teiler 115.1 (32.) 132.0 (31.) 132.9 (33.)
 Trefferlage 0.90 mm rechts, 0.50 mm hoch
 Streuwert 1.27, horizontal: 0.97, vertikal: 1.51


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **376** (398.1)
 Serien: 92 92 95 97
 Zähler: 18 20 2 0 0 0 0 0 0 0
 Innenzehner: 15
 weiteste: 604 (8), 525 (6), 449 (13)
 beste Teiler 23.0 (12.) 47.0 (26.) 48.8 (23.)
 Trefferlage 0.53 mm links, 0.35 mm hoch
 Streuwert 1.98, horizontal: 2.19, vertikal: 1.73




Serie 1:
 9.8 ↙ 9.4 ↘ 10.4 * 10.1 ↘ 9.7 ←
 8.9 ← 10.3 * 8.5 ↘ 10.2 * 9.9 ↙
 beste Teiler 140.8 (3.) 158.8 (7.) 186.0 (9.)
 Trefferlage 2.10 mm links, 0.13 mm hoch
 Streuwert 2.02, horizontal: 2.01, vertikal: 2.03



Serie 2:
 9.9 ↑ 10.9 * 9.2 ↙ 9.3 ↘ 9.7 →
 9.8 ↗ 9.9 → 10.5 * 9.7 ↑ 9.7 ↑
 beste Teiler 23.0 (12.) 118.1 (18.) 256.7 (17.)
 Trefferlage 0.11 mm links, 0.93 mm hoch
 Streuwert 2.13, horizontal: 2.28, vertikal: 1.98



Serie 3:
 9.9 ↘ 10.7 * 10.8 * 10.0 ↘ 10.4 *
 10.8 * 9.9 ← 9.5 ↓ 9.3 ← 9.7 →
 beste Teiler 47.0 (26.) 48.8 (23.) 62.6 (22.)
 Trefferlage 0.69 mm links, 0.17 mm hoch
 Streuwert 1.78, horizontal: 2.03, vertikal: 1.49





Serie 4:
 10.5 * 10.3 * 9.7 ↘ 10.2 * 9.5 →
 10.7 * 9.8 ↗ 10.4 * 10.2 * 10.0 ↑
 beste Teiler 58.0 (36.) 121.0 (31.) 140.8 (38.)
 Trefferlage 0.78 mm rechts, 0.18 mm hoch
 Streuwert 1.55, horizontal: 1.62, vertikal: 1.48


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **382** (399.0)
 Serien: 96 97 95 94
 Zähler: 24 14 2 0 0 0 0 0 0 0
 Innenzehner: 19
 weiteste: 727 (29), 675 (3), 443 (21)
 beste Teiler 64.0 (8.) 65.2 (5.) 73.5 (16.)
 Trefferlage 0.18 mm links, 0.44 mm tief
 Streuwert 2.03, horizontal: 2.34, vertikal: 1.66




Serie 1:
 10.1 ↓ 10.3 * 8.3 ↙ 10.2 * 10.7 *
 10.6 * 10.5 * 10.7 * 9.7 → 9.2 →
 beste Teiler 64.0 (8.) 65.2 (5.) 99.1 (6.)
 Trefferlage 0.47 mm rechts, 0.65 mm tief
 Streuwert 2.15, horizontal: 2.23, vertikal: 2.06



Serie 2:
 9.6 ↖ 9.5 → 10.5 * 10.0 ↑ 10.5 *
 10.7 * 10.5 * 10.5 * 10.0 ↘ 9.9 →
 beste Teiler 73.5 (16.) 101.0 (15.) 102.3 (17.)
 Trefferlage 0.20 mm rechts, 0.40 mm hoch
 Streuwert 1.59, horizontal: 2.02, vertikal: 0.99



Serie 3:
 9.2 ↘ 9.7 ↓ 10.1 ↗ 10.5 * 10.2 *
 10.2 * 10.2 * 9.8 ↓ 8.0 ← 10.4 *
 beste Teiler 101.3 (24.) 138.9 (30.) 183.3 (27.)
 Trefferlage 0.41 mm links, 0.74 mm tief
 Streuwert 2.39, horizontal: 2.90, vertikal: 1.74





Serie 4:
 9.5 ↖ 9.8 ↖ 10.5 * 9.4 ↘ 10.4 *
 9.4 ↙ 9.4 ↙ 10.1 ← 9.8 → 10.4 *
 beste Teiler 119.2 (33.) 136.4 (35.) 139.0 (40.)
 Trefferlage 0.98 mm links, 0.79 mm tief
 Streuwert 1.95, horizontal: 2.23, vertikal: 1.63


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **375** (391.3)
 Serien: 91 93 94 97
 Zähler: 20 15 5 0 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 676 (24), 675 (4), 616 (35)
 beste Teiler 37.3 (37.) 69.2 (21.) 83.4 (34.)
 Trefferlage 0.00 mm , 0.65 mm hoch
 Streuwert 2.33, horizontal: 2.68, vertikal: 1.91




Serie 1:
 10.0 ← 10.2 * 9.8 ↓ 8.3 ↖ 10.1 ↗
 9.3 → 8.7 ↘ 10.0 ↑ 9.7 ↘ 8.7 ↗
 beste Teiler 198.5 (2.) 215.0 (5.) 233.8 (8.)
 Trefferlage 0.28 mm rechts, 0.46 mm hoch
 Streuwert 2.98, horizontal: 3.57, vertikal: 2.24



Serie 2:
 10.5 * 9.6 ↗ 9.7 ↗ 9.3 ↘ 9.7 ↑
 9.5 ↗ 10.0 ↗ 9.4 → 9.8 ↖ 10.1 ↑
 beste Teiler 121.8 (11.) 212.1 (20.) 233.0 (17.)
 Trefferlage 1.36 mm rechts, 1.37 mm hoch
 Streuwert 1.87, horizontal: 1.98, vertikal: 1.75



Serie 3:
 10.7 * 10.3 * 9.9 → 8.2 ← 9.7 ↗
 10.2 * 10.0 ↑ 10.2 * 9.7 ↘ 9.3 ↘
 beste Teiler 69.2 (21.) 156.8 (22.) 181.4 (26.)
 Trefferlage 0.86 mm links, 1.27 mm hoch
 Streuwert 2.14, horizontal: 2.55, vertikal: 1.62



Serie 4:
 10.1 ← 10.1 ↘ 10.0 ↓ 10.6 * 8.5 ←
 10.2 * 10.8 * 9.9 ↘ 10.0 ↓ 10.5 *
 beste Teiler 37.3 (37.) 83.4 (34.) 125.6 (40.)
 Trefferlage 0.75 mm links, 0.49 mm tief
 Streuwert 1.87, horizontal: 2.11, vertikal: 1.61

Unterschrift des Schützen

Meyton Elektronik