




Ergebnis:	<b>368</b>	(384.0)
Serien:	97	91 89 91
Zähler:	14	20 6 0 0 0 0 0 0 0
Innenzehner:	4	
weiteste:	2286 (12), 2039 (37), 1862 (22)	
beste Teiler	196.0 (5.) 295.0 (1.) 310.5 (33.)	
Trefferlage	0.06 mm rechts, 0.86 mm hoch	
Streuwert	8.50, horizontal: 8.38, vertikal: 8.61	



Serie 1:

10.6 *	10.1 ←	9.5 ↑	10.2 ↓	10.7 *
10.3 →	9.6 ↗	10.0 ↘	10.1 ↙	9.5 ↑


beste Teiler 196.0 (5.) 295.0 (1.) 538.1 (6.)  
 Trefferlage 0.46 mm links, 2.37 mm hoch  
 Streuwert 5.58, horizontal: 3.85, vertikal: 6.88



Serie 2:

9.9 ↙	8.1 ←	9.1 ←	10.0 ↖	9.4 ←
10.1 ↘	9.5 ↑	9.8 ↑	8.9 ↘	10.0 ↑


beste Teiler 643.6 (16.) 729.7 (20.) 765.8 (14.)  
 Trefferlage 5.32 mm links, 0.02 mm tief  
 Streuwert 8.53, horizontal: 9.06, vertikal: 7.97



Serie 3:

10.2 ↘	8.6 →	9.2 →	8.8 ↙	9.1 ↙
9.0 →	9.7 ↓	9.7 ↓	9.6 ↑	9.4 ↘

beste Teiler 627.3 (21.) 994.8 (28.) 1039.5 (27.)  
 Trefferlage 4.73 mm rechts, 4.58 mm tief  
 Streuwert 8.78, horizontal: 8.47, vertikal: 9.09



Serie 4:



9.5 ↙	10.4 *	10.6 *	9.7 ↑	10.3 →
9.0 →	8.4 ↗	8.9 ↑	9.5 ↑	9.0 ↘

beste Teiler 310.5 (33.) 466.2 (32.) 518.7 (35.)  
 Trefferlage 1.32 mm rechts, 5.67 mm hoch  
 Streuwert 8.46, horizontal: 8.79, vertikal: 8.12


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **366** (382.0)  
 Serien: 90 90 93 93  
 Zähler: 15 18 5 2 0 0 0 0 0 0  
 Innenzehner: 6  
 weiteste: 2741 (13), 2615 (1), 2328 (14)  
 beste Teiler 253.6 (15.) 335.2 (7.) 418.2 (34.)  
 Trefferlage 0.89 mm rechts, 0.80 mm hoch  
 Streuwert 9.10, horizontal: 8.50, vertikal: 9.67




Serie 1:  
 7.7 ↗ 10.3 ↑ 9.1 ↓ 9.7 ↘ 10.2 ↘  
 8.4 → 10.5 \* 9.0 ↘ 9.8 ← 9.7 ↖  
 beste Teiler 335.2 (7.) 527.6 (2.) 640.8 (5.)  
 Trefferlage 3.38 mm rechts, 2.67 mm hoch  
 Streuwert 9.83, horizontal: 9.96, vertikal: 9.69



Serie 2:  
 10.4 \* 9.8 ↗ 7.5 ↗ 8.0 ↗ 10.6 \*  
 9.9 ↗ 9.2 ↗ 9.3 ↓ 10.1 ↓ 9.5 ↑  
 beste Teiler 253.6 (15.) 437.7 (11.) 648.9 (19.)  
 Trefferlage 4.25 mm rechts, 5.41 mm hoch  
 Streuwert 9.28, horizontal: 6.80, vertikal: 11.22



Serie 3:  
 8.6 → 10.4 \* 10.2 ↘ 10.0 → 10.4 \*  
 9.4 ↑ 10.2 ↘ 8.9 ↗ 9.1 ← 9.6 ↗  
 beste Teiler 445.3 (25.) 456.5 (22.) 571.4 (23.)  
 Trefferlage 0.17 mm rechts, 2.78 mm tief  
 Streuwert 8.13, horizontal: 9.34, vertikal: 6.71





Serie 4:  
 9.2 ↑ 10.3 ↗ 9.6 ↓ 10.4 \* 9.0 ↖  
 9.2 ↓ 8.8 ↗ 10.2 ← 9.6 ↗ 10.2 ←  
 beste Teiler 418.2 (34.) 493.8 (32.) 592.9 (38.)  
 Trefferlage 4.25 mm links, 2.10 mm tief  
 Streuwert 7.75, horizontal: 5.55, vertikal: 9.46


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **366** (381.8)  
 Serien: 94 92 93 87  
 Zähler: 14 20 5 0 1 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 3214 (39), 2142 (29), 2039 (31)  
 beste Teiler 299.1 (26.) 300.2 (21.) 336.4 (10.)  
 Trefferlage 0.98 mm links, 0.91 mm hoch  
 Streuwert 9.05, horizontal: 8.87, vertikal: 9.23




Serie 1:  
 9.1 ↘ 10.0 ↗ 9.6 ↖ 9.4 ↙ 10.2 ↓  
 10.4 ↖ 9.9 ↑ 9.2 ↑ 9.3 ← 10.5 \*  
 beste Teiler 336.4 (10.) 476.0 (6.) 578.2 (5.)  
 Trefferlage 1.33 mm links, 2.30 mm hoch  
 Streuwert 7.37, horizontal: 7.84, vertikal: 6.86



Serie 2:  
 10.3 ↘ 9.6 ↘ 10.2 ↑ 9.0 ↖ 9.3 ↖  
 9.4 ↘ 8.4 ← 10.4 \* 9.0 ↓ 9.3 ↖  
 beste Teiler 410.7 (18.) 545.1 (11.) 617.6 (13.)  
 Trefferlage 3.54 mm links, 0.28 mm hoch  
 Streuwert 9.01, horizontal: 9.55, vertikal: 8.43



Serie 3:  
 10.6 \* 9.0 ← 10.1 ↘ 10.2 ↓ 8.8 →  
 10.6 \* 9.5 ↖ 9.8 ↑ 8.3 ↑ 10.1 ↘  
 beste Teiler 299.1 (26.) 300.2 (21.) 574.2 (24.)  
 Trefferlage 1.27 mm rechts, 3.47 mm hoch  
 Streuwert 8.29, horizontal: 8.72, vertikal: 7.83





Serie 4:  
 8.4 ← 9.8 ↙ 9.7 ↖ 9.3 ↓ 10.4 \*  
 8.7 ↓ 10.0 ↗ 9.7 ↓ 6.9 ↗ 9.4 ↓  
 beste Teiler 469.3 (35.) 764.0 (37.) 937.2 (32.)  
 Trefferlage 0.34 mm links, 2.40 mm tief  
 Streuwert 11.53, horizontal: 9.91, vertikal: 12.94


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **389.1** (368)  
 Serien: 99.6 100.8 96.4 92.3  
 Zähler: 17 15 7 1 0 0 0 0 0 0  
 Innenzehner: 9  
 weiteste: 2673 (36), 1968 (27), 1902 (29)  
 beste Teiler 56.4 (9.) 114.1 (16.) 186.2 (4.)  
 Trefferlage 2.37 mm links, 0.16 mm tief  
 Streuwert 8.02, horizontal: 7.66, vertikal: 8.37




Serie 1:  
 10.2 ↙                      9.0 →                      9.4 →                      10.7 \*                      10.6 \*  
 9.7 ↑                      9.3 ↓                      10.2 ←                      10.9 \*                      9.6 ↑  
 beste Teiler 56.4 (9.) 186.2 (4.) 257.8 (5.)  
 Trefferlage 1.58 mm rechts, 0.21 mm tief  
 Streuwert 6.86, horizontal: 6.99, vertikal: 6.73



Serie 2:  
 10.4 \*                      9.4 →                      10.6 \*                      10.3 ↙                      8.9 ↓  
 10.8 \*                      10.5 \*                      9.6 ↑                      9.8 ↘                      10.5 \*  
 beste Teiler 114.1 (16.) 245.3 (13.) 347.4 (20.)  
 Trefferlage 1.74 mm rechts, 0.85 mm tief  
 Streuwert 6.04, horizontal: 5.34, vertikal: 6.67



Serie 3:  
 10.6 \*                      10.3 ↙                      10.0 ↓                      9.6 →                      8.9 ↖  
 10.2 ←                      8.5 ←                      9.8 ↘                      8.6 ↓                      9.9 ↓  
 beste Teiler 275.5 (21.) 503.8 (22.) 625.1 (26.)  
 Trefferlage 3.77 mm links, 1.37 mm tief  
 Streuwert 8.40, horizontal: 7.29, vertikal: 9.39





Serie 4:  
 10.2 ↑                      8.7 ↘                      8.9 ←                      9.9 ←                      9.7 ↑  
 7.6 ↙                      9.5 ←                      8.8 ↙                      9.0 ↘                      10.0 ↘  
 beste Teiler 603.1 (31.) 753.7 (40.) 842.0 (34.)  
 Trefferlage 9.04 mm links, 1.78 mm hoch  
 Streuwert 8.80, horizontal: 5.96, vertikal: 10.93


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **369** (385.9)  
 Serien: 92 90 93 94  
 Zähler: 11 27 2 0 0 0 0 0 0 0  
 Innenzehner: 4  
 weiteste: 1978 (15), 1678 (3), 1598 (26)  
 beste Teiler 292.8 (11.) 318.3 (1.) 346.5 (21.)  
 Trefferlage 2.48 mm links, 0.41 mm hoch  
 Streuwert 7.84, horizontal: 7.21, vertikal: 8.42




Serie 1:  
 10.6 \*                      9.0 ←                      8.9 ↙                      9.9 ↗                      9.8 ↗  
 10.2 ↓                      9.4 ↘                      9.4 ↓                      10.0 ←                      9.3 ↙  
 beste Teiler 318.3 (1.) 629.6 (6.) 793.6 (9.)  
 Trefferlage 1.93 mm links, 3.95 mm tief  
 Streuwert 7.79, horizontal: 9.25, vertikal: 6.00



Serie 2:  
 10.6 \*                      9.4 ←                      9.5 ↗                      9.3 ↓                      8.5 ↑  
 9.2 ↖                      9.5 ↘                      9.8 ↓                      9.6 ↗                      9.7 ↘  
 beste Teiler 292.8 (11.) 896.5 (18.) 978.5 (20.)  
 Trefferlage 1.20 mm links, 4.07 mm hoch  
 Streuwert 8.59, horizontal: 7.10, vertikal: 9.86



Serie 3:  
 10.5 \*                      9.3 ↓                      10.2 ↖                      9.1 ↓                      9.2 ↘  
 9.0 ←                      9.6 ↑                      9.8 ←                      9.5 ↑                      10.0 ↗  
 beste Teiler 346.5 (21.) 618.8 (23.) 745.2 (30.)  
 Trefferlage 4.57 mm links, 1.63 mm hoch  
 Streuwert 7.65, horizontal: 6.51, vertikal: 8.65





Serie 4:  
 10.2 ←                      9.8 ↑                      9.2 ↙                      9.4 ↙                      9.8 ↓  
 10.1 ↗                      10.4 \*                      9.1 ↗                      10.2 ↑                      9.9 ↓  
 beste Teiler 455.6 (37.) 568.0 (39.) 571.3 (31.)  
 Trefferlage 2.22 mm links, 0.07 mm tief  
 Streuwert 7.12, horizontal: 6.31, vertikal: 7.84


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **362** (381.0)  
 Serien: 90 88 91 93  
 Zähler: 11 21 7 1 0 0 0 0 0 0  
 Innenzehner: 4  
 weiteste: 2447 (20), 2341 (15), 2226 (13)  
 beste Teiler 165.7 (30.) 315.0 (31.) 376.3 (36.)  
 Trefferlage 0.87 mm rechts, 1.79 mm hoch  
 Streuwert 8.97, horizontal: 8.01, vertikal: 9.84




Serie 1:  
 9.1 ↗ 9.3 ↗ 9.7 ↘ 10.3 → 8.9 ↓  
 10.0 ↓ 8.9 ← 9.2 → 9.2 ↓ 9.9 ↘  
 beste Teiler 530.0 (4.) 787.5 (6.) 825.4 (10.)  
 Trefferlage 1.43 mm rechts, 2.30 mm tief  
 Streuwert 9.16, horizontal: 9.35, vertikal: 8.97



Serie 2:  
 9.4 ↓ 8.5 ↗ 8.2 ↗ 10.4 \* 8.0 ↗  
 10.1 ↙ 9.4 ↘ 9.8 ← 10.3 ↑ 7.9 ↙  
 beste Teiler 423.2 (14.) 529.5 (19.) 662.7 (16.)  
 Trefferlage 1.58 mm links, 3.85 mm hoch  
 Streuwert 11.36, horizontal: 9.58, vertikal: 12.90



Serie 3:  
 10.3 ↑ 9.4 ↑ 9.5 ↓ 9.7 ↓ 9.7 ↗  
 9.9 → 9.1 ↘ 9.8 ↗ 8.9 → 10.7 \*  
 beste Teiler 165.7 (30.) 541.2 (21.) 862.0 (26.)  
 Trefferlage 4.25 mm rechts, 0.42 mm hoch  
 Streuwert 7.49, horizontal: 5.77, vertikal: 8.88





Serie 4:  
 10.6 \* 10.2 ↑ 10.0 ← 8.4 ↗ 9.4 ↗  
 10.5 \* 9.8 ↓ 9.2 ↑ 9.8 ↘ 9.6 ↘  
 beste Teiler 315.0 (31.) 376.3 (36.) 600.4 (32.)  
 Trefferlage 0.60 mm links, 5.22 mm hoch  
 Streuwert 7.02, horizontal: 6.59, vertikal: 7.42


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **366** (384.8)  
 Serien: 94 86 93 93  
 Zähler: 15 17 7 1 0 0 0 0 0 0  
 Innenzehner: 8  
 weiteste: 2521 (19), 2185 (40), 1937 (20)  
 beste Teiler 114.4 (2.) 168.6 (17.) 224.0 (37.)  
 Trefferlage 1.90 mm links, 2.39 mm hoch  
 Streuwert 8.46, horizontal: 7.03, vertikal: 9.68




Serie 1:  
 9.4 ←                      10.8 \*                      10.4 \*                      9.5 ↘                      10.3 ↘  
 9.9 ↑                      10.1 ↙                      9.0 ↘                      9.3 ↑                      9.3 ↘  
 beste Teiler 114.4 (2.) 457.9 (3.) 491.8 (5.)  
 Trefferlage 3.82 mm links, 2.77 mm hoch  
 Streuwert 6.73, horizontal: 5.62, vertikal: 7.68



Serie 2:  
 8.9 ←                      8.6 ↘                      10.1 ↘                      9.5 ↑                      10.5 \*  
 8.6 ↓                      10.7 \*                      8.8 ↘                      7.8 ↑                      8.5 →  
 beste Teiler 168.6 (17.) 339.9 (15.) 657.0 (13.)  
 Trefferlage 0.96 mm rechts, 5.05 mm hoch  
 Streuwert 11.11, horizontal: 10.38, vertikal: 11.80



Serie 3:  
 9.6 ↑                      9.8 ↑                      9.3 ↘                      9.8 ↑                      10.5 \*  
 9.5 ↘                      9.4 ↘                      10.3 ↘                      10.5 \*                      9.0 ↘  
 beste Teiler 322.4 (25.) 347.9 (29.) 519.7 (28.)  
 Trefferlage 3.30 mm links, 5.18 mm hoch  
 Streuwert 6.13, horizontal: 5.24, vertikal: 6.91





Serie 4:  
 10.2 ↓                      10.2 ←                      10.1 ↘                      9.9 ↑                      8.9 ↘  
 10.7 \*                      10.7 \*                      9.1 ↓                      9.1 ↑                      8.2 ↘  
 beste Teiler 224.0 (37.) 231.3 (36.) 593.8 (32.)  
 Trefferlage 1.46 mm links, 3.41 mm tief  
 Streuwert 8.31, horizontal: 5.64, vertikal: 10.31


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **371** (387.6)  
 Serien: 89 93 96 93  
 Zähler: 17 17 6 0 0 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 2008 (13), 1913 (31), 1783 (5)  
 beste Teiler 255.8 (39.) 302.0 (24.) 437.9 (34.)  
 Trefferlage 1.78 mm links, 2.21 mm tief  
 Streuwert 7.67, horizontal: 6.77, vertikal: 8.48




Serie 1:  
 10.2 ↘ 9.6 ← 9.3 ↘ 8.9 ↓ 8.7 ↙  
 9.3 ↓ 9.3 ← 9.7 ↗ 9.9 ↖ 9.7 →  
 beste Teiler 561.4 (1.) 822.1 (9.) 991.9 (10.)  
 Trefferlage 0.07 mm links, 6.16 mm tief  
 Streuwert 7.93, horizontal: 8.89, vertikal: 6.85



Serie 2:  
 9.4 ↖ 10.1 ↗ 8.4 ↓ 10.2 ↘ 8.8 ↗  
 10.4 \* 9.2 ↑ 10.3 ↖ 10.1 ← 9.0 ↖  
 beste Teiler 452.6 (16.) 483.8 (18.) 564.2 (14.)  
 Trefferlage 1.54 mm links, 2.06 mm tief  
 Streuwert 8.82, horizontal: 6.05, vertikal: 10.91



Serie 3:  
 9.7 ↖ 9.1 ↖ 9.9 ↖ 10.6 \* 9.8 ←  
 10.2 ↓ 10.1 ↑ 10.1 ↖ 10.4 \* 10.1 →  
 beste Teiler 302.0 (24.) 446.0 (29.) 583.4 (26.)  
 Trefferlage 2.80 mm links, 2.37 mm hoch  
 Streuwert 5.55, horizontal: 5.58, vertikal: 5.52



Serie 4:  
 8.6 ↓ 9.7 ← 9.2 ↑ 10.4 \* 8.9 ←  
 9.4 ↖ 10.0 ← 10.2 ↖ 10.6 \* 10.1 ↓  
 beste Teiler 255.8 (39.) 437.9 (34.) 561.1 (38.)  
 Trefferlage 2.73 mm links, 3.01 mm tief  
 Streuwert 7.75, horizontal: 6.80, vertikal: 8.60

Unterschrift des Schützen

Meyton Elektronik