





Ergebnis: **382** (398.7)  
 Serien: 96 96 96 94  
 Zähler: 22 18 0 0 0 0 0 0 0 0  
 Innenzehner: 16  
 weiteste: 497 (1), 490 (36), 477 (6)  
 beste Teiler 58.6 (39.) 71.3 (19.) 85.2 (4.)  
 Trefferlage 0.15 mm rechts, 0.09 mm tief  
 Streuwert 1.96, horizontal: 1.82, vertikal: 2.08




Serie 1:  
 9.0 ↘ 9.8 ↙ 10.2 \* 10.6 \* 10.0 ↙  
 9.0 ↑ 10.3 \* 10.4 \* 9.6 ↘ 10.5 \*  
 beste Teiler 85.2 (4.) 116.8 (10.) 136.8 (8.)  
 Trefferlage 0.69 mm rechts, 0.70 mm tief  
 Streuwert 2.02, horizontal: 1.57, vertikal: 2.39



Serie 2:  
 10.1 ↖ 9.7 ↖ 9.2 → 10.0 ↖ 10.3 \*  
 9.7 ↘ 9.4 ↓ 10.2 \* 10.7 \* 10.1 ↙  
 beste Teiler 71.3 (19.) 162.9 (15.) 182.6 (18.)  
 Trefferlage 0.05 mm links, 0.52 mm tief  
 Streuwert 2.02, horizontal: 2.05, vertikal: 1.98





Serie 3:  
 10.1 ↗ 9.9 ← 9.9 ↖ 10.0 ← 10.2 \*  
 9.5 ↑ 10.3 \* 10.6 \* 10.5 \* 9.7 ↗  
 beste Teiler 88.5 (28.) 103.8 (29.) 157.4 (27.)  
 Trefferlage 0.56 mm links, 1.02 mm hoch  
 Streuwert 1.56, horizontal: 1.65, vertikal: 1.45




Serie 4:  
 10.4 \* 9.7 → 10.3 \* 9.3 → 9.9 ↖  
 9.0 ↗ 9.7 ↓ 9.7 ↓ 10.7 \* 10.5 \*  
 beste Teiler 58.6 (39.) 104.6 (40.) 127.9 (31.)  
 Trefferlage 0.53 mm rechts, 0.17 mm tief  
 Streuwert 2.11, horizontal: 1.97, vertikal: 2.23

Unterschrift des Schützen


Ergebnis: **378** (394.0)  
 Serien: 92 98 95 93  
 Zähler: 23 12 5 0 0 0 0 0 0  
 Innenzehner: 18  
 weiteste: 729 (39), 673 (3), 593 (33)  
 beste Teiler 67.0 (34.) 67.4 (31.) 77.8 (9.)  
 Trefferlage 0.21 mm rechts, 0.02 mm tief  
 Streuwert 2.32, horizontal: 2.61, vertikal: 1.98




Serie 1:  
 10.3 \*                      10.6 \*                      8.3 ↘                      8.9 ↖                      9.1 ↖  
 10.3 \*                      9.9 ↘                      10.4 \*                      10.6 \*                      8.6 ↖  
 beste Teiler 77.8 (9.) 94.6 (2.) 135.8 (8.)  
 Trefferlage 0.98 mm links, 0.15 mm tief  
 Streuwert 2.72, horizontal: 3.08, vertikal: 2.31



Serie 2:  
 9.9 ↓                      10.2 \*                      9.6 ↘                      10.0 ←                      10.1 ←  
 10.3 \*                      10.1 →                      10.3 \*                      10.2 \*                      10.4 \*  
 beste Teiler 144.6 (20.) 154.3 (18.) 163.8 (16.)  
 Trefferlage 0.03 mm links, 0.62 mm tief  
 Streuwert 1.57, horizontal: 1.62, vertikal: 1.52



Serie 3:  
 9.6 ↘                      10.2 \*                      10.4 \*                      10.6 \*                      9.4 ↑  
 9.7 ↖                      9.3 →                      9.0 ↖                      10.4 \*                      10.0 →  
 beste Teiler 79.0 (24.) 133.2 (23.) 145.3 (29.)  
 Trefferlage 0.51 mm rechts, 0.48 mm hoch  
 Streuwert 2.17, horizontal: 2.20, vertikal: 2.14





Serie 4:  
 10.7 \*                      10.1 →                      8.6 ↖                      10.7 \*                      10.5 \*  
 10.2 \*                      9.1 →                      9.7 ↓                      8.0 →                      9.7 ↘  
 beste Teiler 67.0 (34.) 67.4 (31.) 118.0 (35.)  
 Trefferlage 1.38 mm rechts, 0.18 mm hoch  
 Streuwert 2.59, horizontal: 3.06, vertikal: 2.01


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **380** (398.8)  
 Serien: 96 94 95 95  
 Zähler: 21 18 1 0 0 0 0 0 0 0  
 Innenzehner: 16  
 weiteste: 620 (25), 497 (32), 489 (5)  
 beste Teiler 24.0 (37.) 36.7 (33.) 39.2 (29.)  
 Trefferlage 0.12 mm rechts, 0.50 mm hoch  
 Streuwert 2.00, horizontal: 2.18, vertikal: 1.81




Serie 1:  
 10.1 ↑                      9.3 ↑                      10.2 \*                      10.5 \*                      9.0 ↑  
 9.5 →                      10.6 \*                      9.0 ↘                      10.0 ←                      10.0 ↗  
 beste Teiler 87.3 (7.) 101.5 (4.) 185.0 (3.)  
 Trefferlage 0.24 mm links, 1.56 mm hoch  
 Streuwert 2.03, horizontal: 2.01, vertikal: 2.06



Serie 2:  
 10.5 \*                      9.4 ↖                      9.7 ↖                      9.9 ↖                      9.9 ↖  
 9.6 →                      9.7 ↘                      10.7 \*                      10.2 \*                      10.5 \*  
 beste Teiler 70.2 (18.) 106.1 (11.) 108.9 (20.)  
 Trefferlage 0.15 mm links, 0.09 mm tief  
 Streuwert 1.92, horizontal: 2.18, vertikal: 1.62



Serie 3:  
 9.5 →                      10.6 \*                      10.5 \*                      10.4 \*                      8.5 ↖  
 10.4 \*                      9.8 ↖                      10.1 →                      10.8 \*                      9.8 ↖  
 beste Teiler 39.2 (29.) 100.4 (22.) 124.3 (23.)  
 Trefferlage 0.21 mm links, 0.85 mm hoch  
 Streuwert 1.98, horizontal: 2.35, vertikal: 1.54





Serie 4:  
 10.6 \*                      9.0 ↘                      10.8 \*                      10.3 \*                      9.4 →  
 9.4 ↙                      10.9 \*                      10.1 ↓                      9.7 →                      9.9 →  
 beste Teiler 24.0 (37.) 36.7 (33.) 100.4 (31.)  
 Trefferlage 1.11 mm rechts, 0.32 mm tief  
 Streuwert 1.91, horizontal: 2.19, vertikal: 1.58


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **395.3** (378)  
 Serien: 98.6 98.5 98.0 100.2  
 Zähler: 21 16 3 0 0 0 0 0 0  
 Innenzehner: 12  
 weiteste: 602 (3), 577 (19), 546 (12)  
 beste Teiler 35.5 (38.) 69.2 (13.) 87.1 (20.)  
 Trefferlage 0.47 mm rechts, 0.55 mm tief  
 Streuwert 2.09, horizontal: 2.33, vertikal: 1.81




Serie 1:  
 10.0 ↙ 9.8 ↗ 8.5 → 9.8 ↘ 10.5 \*  
 10.1 ↗ 10.0 ↖ 9.3 ↓ 10.0 ↑ 10.6 \*  
 beste Teiler 90.0 (10.) 114.1 (5.) 218.4 (6.)  
 Trefferlage 0.95 mm rechts, 0.23 mm hoch  
 Streuwert 2.15, horizontal: 2.21, vertikal: 2.09



Serie 2:  
 9.9 ← 8.8 ↘ 10.7 \* 9.5 ← 10.1 ↙  
 10.1 ↓ 10.3 \* 9.9 ↖ 8.6 ↘ 10.6 \*  
 beste Teiler 69.2 (13.) 87.1 (20.) 174.0 (17.)  
 Trefferlage 0.08 mm rechts, 1.13 mm tief  
 Streuwert 2.25, horizontal: 2.61, vertikal: 1.81





Serie 3:  
 9.8 ↙ 10.2 \* 9.1 ↘ 9.8 ↖ 9.0 →  
 10.0 → 9.5 ↘ 10.4 \* 9.7 ← 10.5 \*  
 beste Teiler 112.1 (30.) 147.0 (28.) 196.8 (22.)  
 Trefferlage 0.53 mm rechts, 0.32 mm tief  
 Streuwert 2.30, horizontal: 2.78, vertikal: 1.68




Serie 4:  
 10.3 \* 10.0 ↘ 9.9 ← 9.2 ↙ 9.7 ↘  
 10.0 ↓ 9.9 → 10.8 \* 10.2 \* 10.2 \*  
 beste Teiler 35.5 (38.) 167.8 (31.) 176.0 (40.)  
 Trefferlage 0.30 mm rechts, 0.99 mm tief  
 Streuwert 1.74, horizontal: 1.91, vertikal: 1.55

Unterschrift des Schützen


Ergebnis: **383** (400.3)  
 Serien: 97 94 98 94  
 Zähler: 26 11 3 0 0 0 0 0 0 0  
 Innenzehner: 21  
 weiteste: 570 (32), 528 (20), 509 (39)  
 beste Teiler 3.6 (40.) 4.1 (1.) 62.6 (25.)  
 Trefferlage 0.55 mm links, 0.28 mm hoch  
 Streuwert 1.94, horizontal: 2.15, vertikal: 1.71




Serie 1:  
 10.9 \* 10.0 ↗ 9.8 ← 10.3 \* 10.6 \*  
 9.2 ↓ 10.2 \* 10.3 \* 9.9 ↗ 10.3 \*  
 beste Teiler 4.1 (1.) 76.6 (5.) 158.4 (4.)  
 Trefferlage 0.10 mm rechts, 0.01 mm hoch  
 Streuwert 1.70, horizontal: 1.53, vertikal: 1.85



Serie 2:  
 9.9 ← 10.2 \* 10.0 ↗ 9.0 ↑ 10.5 \*  
 9.5 ↘ 10.4 \* 9.3 ← 10.0 ↘ 8.8 ↘  
 beste Teiler 104.0 (15.) 144.9 (17.) 186.4 (12.)  
 Trefferlage 0.02 mm rechts, 0.55 mm hoch  
 Streuwert 2.40, horizontal: 2.67, vertikal: 2.11



Serie 3:  
 9.1 ← 10.0 ↑ 10.5 \* 9.0 ← 10.7 \*  
 10.4 \* 10.1 ↑ 10.6 \* 10.4 \* 10.5 \*  
 beste Teiler 62.6 (25.) 99.4 (28.) 104.6 (30.)  
 Trefferlage 1.27 mm links, 0.21 mm hoch  
 Streuwert 1.61, horizontal: 1.92, vertikal: 1.23





Serie 4:  
 10.3 \* 8.7 ↘ 9.6 ← 10.5 \* 10.4 \*  
 10.3 \* 9.9 ↓ 10.4 \* 8.9 ← 10.9 \*  
 beste Teiler 3.6 (40.) 108.0 (34.) 128.8 (35.)  
 Trefferlage 1.06 mm links, 0.34 mm hoch  
 Streuwert 2.04, horizontal: 2.28, vertikal: 1.76


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **377** (394.8)  
 Serien: 94 95 96 92  
 Zähler: 21 15 4 0 0 0 0 0 0 0  
 Innenzehner: 17  
 weiteste: 689 (39), 668 (6), 557 (31)  
 beste Teiler 15.2 (21.) 16.2 (8.) 39.8 (22.)  
 Trefferlage 0.16 mm rechts, 0.07 mm hoch  
 Streuwert 2.30, horizontal: 2.77, vertikal: 1.70




Serie 1:  
 9.7 ← 10.7 \* 10.0 → 9.1 ↘ 10.7 \*  
 8.3 → 10.1 → 10.9 \* 9.4 → 9.3 →  
 beste Teiler 16.2 (8.) 52.2 (5.) 63.0 (2.)  
 Trefferlage 1.35 mm rechts, 0.94 mm hoch  
 Streuwert 2.29, horizontal: 3.03, vertikal: 1.15



Serie 2:  
 9.7 ↘ 8.8 ← 9.5 ↓ 9.2 ← 10.4 \*  
 10.2 \* 10.1 ↓ 10.3 \* 10.5 \* 10.5 \*  
 beste Teiler 107.0 (20.) 113.0 (19.) 135.2 (15.)  
 Trefferlage 0.69 mm links, 0.15 mm tief  
 Streuwert 2.10, horizontal: 2.31, vertikal: 1.87



Serie 3:  
 10.9 \* 10.8 \* 10.5 \* 9.9 → 10.2 \*  
 10.3 \* 9.6 ↘ 9.8 ↓ 9.1 ← 10.3 \*  
 beste Teiler 15.2 (21.) 39.8 (22.) 110.0 (23.)  
 Trefferlage 0.23 mm rechts, 0.06 mm tief  
 Streuwert 1.81, horizontal: 2.03, vertikal: 1.55





Serie 4:  
 8.7 ↘ 9.3 ← 9.6 ↓ 10.1 ← 10.4 \*  
 9.9 ↗ 9.0 → 10.2 \* 8.2 → 10.6 \*  
 beste Teiler 99.9 (40.) 127.7 (35.) 188.9 (38.)  
 Trefferlage 0.23 mm links, 0.40 mm tief  
 Streuwert 2.84, horizontal: 3.47, vertikal: 2.03


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **371** (388.1)  
 Serien: 94 93 98 86  
 Zähler: 20 12 7 1 0 0 0 0 0 0  
 Innenzehner: 16  
 weiteste: 797 (38), 702 (33), 636 (35)  
 beste Teiler 36.2 (3.) 73.0 (17.) 78.0 (19.)  
 Trefferlage 0.72 mm links, 0.62 mm hoch  
 Streuwert 2.53, horizontal: 2.82, vertikal: 2.20




Serie 1:  
 10.3 \* 9.5 ↘ 10.8 \* 9.2 ↘ 9.6 ↖  
 10.2 \* 9.5 ↗ 8.4 ← 10.1 ↗ 10.2 \*  
 beste Teiler 36.2 (3.) 171.1 (1.) 176.0 (10.)  
 Trefferlage 0.41 mm rechts, 0.14 mm hoch  
 Streuwert 2.47, horizontal: 2.82, vertikal: 2.07



Serie 2:  
 10.3 \* 9.7 ← 9.1 ← 9.7 ↙ 9.8 ↖  
 8.7 ↘ 10.7 \* 9.3 ↑ 10.6 \* 10.3 \*  
 beste Teiler 73.0 (17.) 78.0 (19.) 153.7 (11.)  
 Trefferlage 1.87 mm links, 0.63 mm hoch  
 Streuwert 1.92, horizontal: 1.73, vertikal: 2.10



Serie 3:  
 10.0 ← 10.5 \* 10.0 ↘ 10.4 \* 10.6 \*  
 10.3 \* 10.2 \* 10.3 \* 9.5 ↘ 9.2 ↖  
 beste Teiler 90.2 (25.) 119.0 (22.) 144.4 (24.)  
 Trefferlage 0.74 mm links, 0.18 mm hoch  
 Streuwert 1.67, horizontal: 1.72, vertikal: 1.62





Serie 4:  
 8.6 ↖ 9.9 ↘ 8.1 ↖ 8.8 → 8.4 ↖  
 10.2 \* 8.9 → 7.8 ↖ 10.1 ↖ 10.3 \*  
 beste Teiler 171.2 (40.) 186.8 (36.) 203.1 (39.)  
 Trefferlage 0.68 mm links, 1.54 mm hoch  
 Streuwert 3.59, horizontal: 4.19, vertikal: 2.87


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **383** (399.3)  
 Serien: 98 93 96 96  
 Zähler: 24 15 1 0 0 0 0 0 0 0  
 Innenzehner: 15  
 weiteste: 643 (16), 496 (2), 487 (13)  
 beste Teiler 49.6 (35.) 50.6 (3.) 63.0 (32.)  
 Trefferlage 0.03 mm links, 0.60 mm hoch  
 Streuwert 1.95, horizontal: 2.03, vertikal: 1.87




Serie 1:  
 10.2 \*                      9.0 ↑                      10.8 \*                      10.5 \*                      10.0 ↑  
 10.0 ←                      10.4 \*                      9.8 →                      10.1 ↙                      10.5 \*  
 beste Teiler 50.6 (3.) 115.1 (4.) 124.9 (10.)  
 Trefferlage 0.05 mm rechts, 0.27 mm hoch  
 Streuwert 1.78, horizontal: 1.43, vertikal: 2.07



Serie 2:  
 9.9 ↗                      10.5 \*                      9.0 ↖                      10.7 \*                      9.9 ↙  
 8.4 ↘                      9.6 ↘                      9.6 ←                      10.4 \*                      10.6 \*  
 beste Teiler 73.4 (14.) 89.0 (20.) 107.8 (12.)  
 Trefferlage 1.34 mm links, 1.09 mm hoch  
 Streuwert 2.07, horizontal: 2.01, vertikal: 2.12



Serie 3:  
 10.6 \*                      9.7 →                      10.0 ↖                      9.6 ↗                      10.1 ↓  
 10.0 ↑                      9.2 ↘                      9.6 ↑                      10.3 \*                      10.1 ↖  
 beste Teiler 82.8 (21.) 152.4 (29.) 208.3 (25.)  
 Trefferlage 0.00 mm , 1.04 mm hoch  
 Streuwert 1.91, horizontal: 1.94, vertikal: 1.89



Serie 4:  
 10.2 \*                      10.7 \*                      9.0 →                      9.3 →                      10.8 \*  
 10.1 ↗                      10.1 ←                      9.9 ↘                      9.9 ↑                      10.2 \*  
 beste Teiler 49.6 (35.) 63.0 (32.) 179.4 (31.)  
 Trefferlage 1.15 mm rechts, 0.00 mm  
 Streuwert 1.78, horizontal: 2.11, vertikal: 1.36

Unterschrift des Schützen

Meyton Elektronik