





Ergebnis: **370** (389.9)  
 Serien: 94 91 91 94  
 Zähler: 14 23 2 1 0 0 0 0 0 0  
 Innenzehner: 8  
 weiteste: 2906 (13), 1795 (28), 1651 (16)  
 beste Teiler 103.0 (22.) 158.9 (7.) 189.6 (37.)  
 Trefferlage 1.77 mm rechts, 1.36 mm hoch  
 Streuwert 7.66, horizontal: 8.09, vertikal: 7.21




Serie 1:  
 10.2 ← 10.4 \* 9.3 ↖ 9.0 → 9.9 ↗  
 9.2 ↙ 10.8 \* 9.1 ↗ 9.8 ↘ 10.1 ↗  
 beste Teiler 158.9 (7.) 411.5 (2.) 604.4 (1.)  
 Trefferlage 0.13 mm links, 0.79 mm hoch  
 Streuwert 7.66, horizontal: 8.89, vertikal: 6.19



Serie 2:  
 9.6 ↗ 9.3 ↗ 7.3 ↗ 10.1 ← 9.4 →  
 8.9 → 10.0 ↑ 10.2 ↗ 10.1 ↘ 9.0 ↖  
 beste Teiler 606.7 (18.) 646.6 (14.) 669.2 (19.)  
 Trefferlage 4.73 mm rechts, 6.91 mm hoch  
 Streuwert 8.45, horizontal: 8.91, vertikal: 7.96





Serie 3:  
 9.6 ↘ 10.8 \* 10.6 \* 9.7 ← 9.9 ↘  
 9.8 → 9.7 ↘ 8.7 → 9.8 → 9.9 →  
 beste Teiler 103.0 (22.) 300.8 (23.) 815.2 (30.)  
 Trefferlage 5.13 mm rechts, 2.18 mm tief  
 Streuwert 5.98, horizontal: 7.36, vertikal: 4.16




Serie 4:  
 10.5 \* 9.7 ↘ 9.2 ↖ 10.6 \* 9.9 ↑  
 10.4 \* 10.7 \* 9.8 ↙ 9.6 ↘ 9.3 ↑  
 beste Teiler 189.6 (37.) 292.2 (34.) 383.9 (31.)  
 Trefferlage 2.63 mm links, 0.08 mm tief  
 Streuwert 6.27, horizontal: 4.80, vertikal: 7.45

Unterschrift des Schützen


Ergebnis: **372** (390.4)  
 Serien: 91 94 94 93  
 Zähler: 15 22 3 0 0 0 0 0 0 0  
 Innenzehner: 7  
 weiteste: 1919 (39), 1798 (4), 1632 (22)  
 beste Teiler 225.7 (25.) 264.1 (5.) 284.9 (16.)  
 Trefferlage 0.32 mm rechts, 1.83 mm hoch  
 Streuwert 7.37, horizontal: 6.60, vertikal: 8.06




Serie 1:  
 9.3 ↓                      9.9 ↑                      9.2 ↗                      8.7 ↓                      10.6 \*  
 9.7 ↘                      9.2 ↗                      9.3 ←                      9.6 ↘                      10.3 ↑  
 beste Teiler 264.1 (5.) 486.3 (10.) 847.0 (2.)  
 Trefferlage 1.38 mm links, 0.05 mm hoch  
 Streuwert 8.70, horizontal: 6.91, vertikal: 10.18



Serie 2:  
 10.1 ↓                      9.4 ↗                      10.1 ↓                      9.6 →                      9.9 ↗  
 10.6 \*                      9.5 ↑                      10.2 ↑                      9.8 ↘                      9.2 ↑  
 beste Teiler 284.9 (16.) 596.6 (18.) 642.7 (11.)  
 Trefferlage 2.79 mm rechts, 2.34 mm hoch  
 Streuwert 6.45, horizontal: 4.97, vertikal: 7.64



Serie 3:  
 9.7 ↑                      8.9 ↘                      10.1 ↘                      9.7 ↘                      10.7 \*  
 10.4 \*                      9.2 ↘                      10.5 \*                      10.5 \*                      9.4 →  
 beste Teiler 225.7 (25.) 355.8 (29.) 393.2 (28.)  
 Trefferlage 0.21 mm rechts, 0.13 mm tief  
 Streuwert 7.13, horizontal: 6.95, vertikal: 7.31





Serie 4:  
 10.0 ↘                      9.0 ↘                      10.1 ←                      9.9 ←                      10.2 ↗  
 10.5 \*                      9.7 →                      9.5 →                      8.6 ↘                      9.6 ↑  
 beste Teiler 324.7 (36.) 598.4 (35.) 685.5 (33.)  
 Trefferlage 0.30 mm links, 5.05 mm hoch  
 Streuwert 7.23, horizontal: 7.60, vertikal: 6.83


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **366** (385.8)  
 Serien: 92 91 92 91  
 Zähler: 10 26 4 0 0 0 0 0 0 0  
 Innenzehner: 2  
 weiteste: 2301 (2), 1996 (19), 1925 (7)  
 beste Teiler 309.0 (5.) 332.2 (16.) 503.2 (34.)  
 Trefferlage 0.41 mm rechts, 0.63 mm tief  
 Streuwert 8.04, horizontal: 9.37, vertikal: 6.43




Serie 1:  
 9.6 ↑                      8.1 ↗                      10.3 ↑                      9.5 ↖                      10.6 \*  
 10.1 ←                      8.5 ↘                      9.7 ←                      10.0 →                      9.7 ←  
 beste Teiler 309.0 (5.) 542.0 (3.) 687.7 (6.)  
 Trefferlage 0.29 mm rechts, 1.93 mm hoch  
 Streuwert 9.00, horizontal: 10.26, vertikal: 7.54



Serie 2:  
 10.2 ↖                      9.5 ↙                      9.9 ↓                      9.9 ↗                      9.4 ←  
 10.5 \*                      10.1 ↘                      8.9 ↘                      8.5 →                      9.8 →  
 beste Teiler 332.2 (16.) 595.6 (11.) 687.9 (17.)  
 Trefferlage 1.16 mm rechts, 2.49 mm tief  
 Streuwert 8.21, horizontal: 10.24, vertikal: 5.47



Serie 3:  
 9.7 ↓                      10.1 ↑                      9.1 ↙                      9.5 ↑                      10.0 ↘  
 9.2 ↘                      9.1 ←                      9.7 →                      9.8 ←                      9.7 ←  
 beste Teiler 644.7 (22.) 744.8 (25.) 916.8 (29.)  
 Trefferlage 2.41 mm links, 2.10 mm tief  
 Streuwert 7.90, horizontal: 8.92, vertikal: 6.73





Serie 4:  
 9.6 →                      9.5 ↗                      9.2 ↘                      10.3 ↗                      9.4 ↘  
 9.9 ↗                      9.9 ←                      9.8 →                      9.9 ↖                      9.6 ↖  
 beste Teiler 503.2 (34.) 823.6 (37.) 840.4 (39.)  
 Trefferlage 2.61 mm rechts, 0.10 mm hoch  
 Streuwert 7.37, horizontal: 8.71, vertikal: 5.73


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **386.8** (370)  
 Serien: 95.8 99.3 94.8 96.9  
 Zähler: 16 18 6 0 0 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 2387 (24), 2248 (20), 1869 (40)  
 beste Teiler 228.0 (17.) 294.7 (11.) 319.3 (32.)  
 Trefferlage 0.04 mm links, 2.59 mm hoch  
 Streuwert 7.93, horizontal: 9.23, vertikal: 6.37




Serie 1:  
 9.7 ↘                      9.3 ↙                      9.7 ↓                      8.9 ↗                      8.9 ↖  
 9.5 ←                      9.9 ↓                      9.7 ←                      10.1 ↘                      10.1 ↖  
 beste Teiler 652.5 (10.) 669.2 (9.) 842.8 (7.)  
 Trefferlage 4.38 mm links, 2.32 mm tief  
 Streuwert 7.73, horizontal: 7.95, vertikal: 7.50



Serie 2:  
 10.6 \*                      9.8 ↗                      9.6 ↖                      9.7 ↗                      10.3 ↑  
 10.4 \*                      10.7 \*                      10.1 ←                      10.0 →                      8.1 ↖  
 beste Teiler 228.0 (17.) 294.7 (11.) 428.9 (16.)  
 Trefferlage 1.34 mm links, 3.93 mm hoch  
 Streuwert 6.68, horizontal: 7.99, vertikal: 5.03



Serie 3:  
 9.2 ↘                      9.5 ↗                      9.4 ↖                      8.0 →                      10.0 ↗  
 10.1 ←                      10.1 ↖                      8.8 ←                      9.7 ↑                      10.0 ↗  
 beste Teiler 646.2 (27.) 706.3 (26.) 721.4 (30.)  
 Trefferlage 1.94 mm rechts, 4.64 mm hoch  
 Streuwert 8.73, horizontal: 11.48, vertikal: 4.52





Serie 4:  
 10.2 ↖                      10.6 \*                      9.2 →                      9.4 ↑                      10.2 ↖  
 9.3 ↗                      10.4 \*                      9.3 ↑                      9.7 ↘                      8.6 →  
 beste Teiler 319.3 (32.) 443.2 (37.) 605.7 (35.)  
 Trefferlage 3.61 mm rechts, 4.13 mm hoch  
 Streuwert 7.29, horizontal: 8.27, vertikal: 6.14

Unterschrift des Schützen


Meyton Elektronik




Ergebnis: **370** (387.4)  
 Serien: 89 95 95 91  
 Zähler: 17 16 7 0 0 0 0 0 0 0  
 Innenzehner: 8  
 weiteste: 2163 (13), 1984 (33), 1928 (36)  
 beste Teiler 117.2 (40.) 183.1 (23.) 312.2 (34.)  
 Trefferlage 0.33 mm rechts, 0.15 mm tief  
 Streuwert 8.21, horizontal: 8.29, vertikal: 8.14




Serie 1:  
 8.8 ←                      9.2 ←                      9.7 ←                      8.6 →                      9.6 ↓  
 9.0 ↗                      8.7 ↓                      10.0 ↘                      9.5 →                      10.4 \*  
 beste Teiler 427.4 (10.) 784.0 (8.) 994.2 (3.)  
 Trefferlage 0.55 mm rechts, 2.83 mm tief  
 Streuwert 9.83, horizontal: 11.66, vertikal: 7.55



Serie 2:  
 9.2 ↖                      10.2 ↗                      8.2 ↓                      10.5 \*                      9.8 ↓  
 9.9 ↖                      10.0 ↗                      10.4 \*                      10.2 ↖                      10.1 →  
 beste Teiler 343.8 (14.) 470.3 (18.) 584.2 (12.)  
 Trefferlage 2.45 mm links, 2.99 mm tief  
 Streuwert 7.01, horizontal: 5.72, vertikal: 8.10



Serie 3:  
 9.7 →                      9.8 ↖                      10.7 \*                      10.2 ↗                      10.3 ↓  
 9.0 ↑                      9.3 ↑                      10.5 \*                      10.0 →                      9.8 ↖  
 beste Teiler 183.1 (23.) 394.8 (28.) 534.2 (25.)  
 Trefferlage 1.17 mm rechts, 2.99 mm hoch  
 Streuwert 6.40, horizontal: 5.04, vertikal: 7.52





Serie 4:  
 8.8 ←                      9.4 →                      8.5 ↑                      10.6 \*                      10.2 ↓  
 8.5 →                      10.4 \*                      9.5 ↑                      9.4 ↘                      10.8 \*  
 beste Teiler 117.2 (40.) 312.2 (34.) 453.0 (37.)  
 Trefferlage 2.04 mm rechts, 2.21 mm hoch  
 Streuwert 9.07, horizontal: 9.54, vertikal: 8.58


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **376** (395.8)  
 Serien: 92 97 96 91  
 Zähler: 19 18 3 0 0 0 0 0 0  
 Innenzehner: 8  
 weiteste: 1742 (32), 1724 (5), 1689 (38)  
 beste Teiler 210.4 (4.) 252.6 (18.) 267.2 (21.)  
 Trefferlage 0.10 mm rechts, 1.80 mm hoch  
 Streuwert 6.59, horizontal: 6.93, vertikal: 6.23




Serie 1:  
 9.5 ↓                      9.5 ←                      9.5 ↗                      10.7 \*                      8.8 ←  
 9.5 →                      9.9 ↘                      10.0 ↑                      10.2 ↓                      9.7 ←  
 beste Teiler 210.4 (4.) 582.9 (9.) 796.0 (8.)  
 Trefferlage 2.69 mm links, 1.98 mm tief  
 Streuwert 7.50, horizontal: 8.38, vertikal: 6.50



Serie 2:  
 10.2 ←                      9.4 ↗                      10.1 ↖                      10.2 ↗                      10.6 \*  
 10.3 ↓                      10.5 \*                      10.6 \*                      9.9 ↓                      9.3 ↑  
 beste Teiler 252.6 (18.) 296.7 (15.) 388.8 (17.)  
 Trefferlage 0.54 mm rechts, 1.32 mm hoch  
 Streuwert 5.45, horizontal: 3.86, vertikal: 6.67



Serie 3:  
 10.6 \*                      9.6 ↗                      9.6 ←                      9.7 ↖                      10.5 \*  
 10.1 →                      10.0 ↑                      9.9 ↑                      10.3 ↖                      10.5 \*  
 beste Teiler 267.2 (21.) 357.5 (30.) 383.2 (25.)  
 Trefferlage 0.40 mm links, 3.13 mm hoch  
 Streuwert 5.09, horizontal: 5.97, vertikal: 4.02





Serie 4:  
 9.9 →                      8.8 ↖                      9.2 ↗                      9.7 →                      10.4 ←  
 10.4 \*                      9.3 ↑                      8.8 ↗                      10.3 →                      9.8 ←  
 beste Teiler 451.2 (36.) 476.7 (35.) 514.9 (39.)  
 Trefferlage 2.96 mm rechts, 4.75 mm hoch  
 Streuwert 7.30, horizontal: 8.32, vertikal: 6.12


Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **376** (392.6)  
 Serien: 93 93 95 95  
 Zähler: 19 18 3 0 0 0 0 0 0 0  
 Innenzehner: 8  
 weiteste: 2007 (12), 1646 (39), 1610 (29)  
 beste Teiler 178.6 (31.) 204.8 (32.) 254.0 (34.)  
 Trefferlage 0.81 mm links, 0.94 mm hoch  
 Streuwert 7.22, horizontal: 7.90, vertikal: 6.47




Serie 1:  
 10.1 ↗ 9.9 ↓ 9.7 ↑ 9.5 ↘ 10.3 ↘  
 9.2 ↖ 9.2 ↑ 10.1 ← 9.2 ← 9.5 ↑  
 beste Teiler 514.4 (5.) 647.8 (8.) 673.2 (1.)  
 Trefferlage 1.08 mm links, 2.71 mm hoch  
 Streuwert 7.72, horizontal: 7.67, vertikal: 7.78



Serie 2:  
 10.1 ← 8.4 ↙ 10.5 \* 10.6 \* 9.8 ↑  
 9.9 ↗ 10.0 ↖ 9.2 ↘ 9.1 ↗ 9.9 →  
 beste Teiler 269.9 (14.) 357.5 (13.) 663.3 (11.)  
 Trefferlage 1.34 mm links, 1.50 mm hoch  
 Streuwert 7.91, horizontal: 8.65, vertikal: 7.09



Serie 3:  
 10.2 ↓ 10.2 ↘ 10.3 ↑ 10.1 → 9.0 →  
 9.6 ← 9.3 ↑ 10.4 \* 8.9 → 10.5 \*  
 beste Teiler 386.1 (30.) 406.9 (28.) 487.6 (23.)  
 Trefferlage 3.96 mm rechts, 1.33 mm hoch  
 Streuwert 6.67, horizontal: 7.58, vertikal: 5.60



Serie 4:  
 10.7 \* 10.7 \* 10.1 ↓ 10.6 \* 9.6 ↓  
 9.1 ↙ 10.0 ↖ 10.5 \* 8.9 ← 9.7 ←  
 beste Teiler 178.6 (31.) 204.8 (32.) 254.0 (34.)  
 Trefferlage 4.80 mm links, 1.77 mm tief  
 Streuwert 5.60, horizontal: 5.97, vertikal: 5.20

Unterschrift des Schützen

Meyton Elektronik