





Ergebnis: **357** (374.5)
 Serien: 89 91 87 90
 Zähler: 10 19 9 2 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 2893 (11), 2498 (22), 2258 (9)
 beste Teiler 272.5 (18.) 436.8 (12.) 444.9 (32.)
 Trefferlage 1.89 mm rechts, 5.19 mm hoch
 Streuwert 9.32, horizontal: 10.31, vertikal: 8.21




Serie 1:
 9.0 ↘ 9.5 ↓ 8.8 ↑ 9.7 ↗ 9.5 ↗
 10.3 ↗ 9.7 ↗ 9.5 ↘ 8.1 ↖ 9.4 →
 beste Teiler 542.3 (6.) 995.0 (4.) 1008.5 (7.)
 Trefferlage 4.58 mm rechts, 3.07 mm hoch
 Streuwert 9.29, horizontal: 9.65, vertikal: 8.90



Serie 2:
 7.3 ↗ 10.4 * 9.8 ↘ 10.2 ↙ 10.3 ↘
 8.4 ← 8.5 → 10.6 * 9.2 ↘ 10.1 →
 beste Teiler 272.5 (18.) 436.8 (12.) 496.8 (15.)
 Trefferlage 1.06 mm rechts, 4.01 mm hoch
 Streuwert 10.27, horizontal: 11.71, vertikal: 8.59



Serie 3:
 9.0 ↗ 7.8 ↗ 9.7 ↖ 9.4 ↖ 8.8 →
 10.2 ↗ 9.8 ↑ 9.6 ↗ 9.8 → 8.4 ←
 beste Teiler 623.2 (26.) 922.4 (27.) 950.8 (29.)
 Trefferlage 2.99 mm rechts, 6.10 mm hoch
 Streuwert 9.75, horizontal: 12.52, vertikal: 5.79





Serie 4:
 9.7 ↙ 10.4 * 8.6 ↑ 8.8 ↖ 10.1 ↖
 9.0 ↑ 9.3 ↑ 10.3 ↗ 9.0 ↑ 8.5 ↗
 beste Teiler 444.9 (32.) 512.0 (38.) 700.6 (35.)
 Trefferlage 1.06 mm links, 7.58 mm hoch
 Streuwert 8.52, horizontal: 7.31, vertikal: 9.57


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **369.2** (350)
 Serien: 88.7 95.4 92.7 92.4
 Zähler: 7 20 9 4 0 0 0 0 0 0
 Innenzehner: 1
 weiteste: 2779 (4), 2619 (6), 2532 (31)
 beste Teiler 363.6 (34.) 509.5 (11.) 549.7 (18.)
 Trefferlage 5.21 mm links, 3.00 mm hoch
 Streuwert 9.97, horizontal: 10.38, vertikal: 9.54




Serie 1:
 8.2 ↓ 10.0 ↙ 9.4 ← 7.5 ← 8.6 ↓
 7.7 → 9.8 ↓ 10.0 ↗ 9.5 ↘ 8.0 ←
 beste Teiler 733.4 (2.) 767.0 (8.) 894.2 (7.)
 Trefferlage 6.38 mm links, 4.41 mm tief
 Streuwert 12.27, horizontal: 14.35, vertikal: 9.76



Serie 2:
 10.3 ↗ 9.2 ↗ 9.7 ↑ 9.0 ↖ 9.7 ←
 8.6 ↘ 9.9 ↗ 10.3 ↗ 8.9 ↖ 9.8 ↓
 beste Teiler 509.5 (11.) 549.7 (18.) 868.4 (17.)
 Trefferlage 2.48 mm links, 5.06 mm hoch
 Streuwert 8.08, horizontal: 9.23, vertikal: 6.73



Serie 3:
 9.1 ↑ 10.1 ↑ 9.6 ↙ 9.2 ↘ 8.2 ↑
 9.8 ↗ 9.9 ↘ 8.3 ↘ 9.8 ← 8.7 ←
 beste Teiler 641.1 (22.) 830.0 (27.) 881.2 (26.)
 Trefferlage 3.87 mm links, 6.88 mm hoch
 Streuwert 8.91, horizontal: 8.75, vertikal: 9.06





Serie 4:
 7.8 ↖ 10.0 ↓ 7.8 ↘ 10.5 * 9.7 ↖
 9.3 ↓ 8.7 ← 9.1 ↘ 9.7 ↖ 9.8 ↑
 beste Teiler 363.6 (34.) 773.5 (32.) 907.2 (40.)
 Trefferlage 8.12 mm links, 4.46 mm hoch
 Streuwert 9.08, horizontal: 8.83, vertikal: 9.33


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **361** (381.2)
 Serien: 93 89 91 88
 Zähler: 11 20 8 1 0 0 0 0 0 0
 Innenzehner: 2
 weiteste: 2470 (32), 2030 (40), 1923 (17)
 beste Teiler 382.0 (8.) 388.8 (3.) 512.1 (7.)
 Trefferlage 1.51 mm links, 3.48 mm hoch
 Streuwert 8.44, horizontal: 8.20, vertikal: 8.66




Serie 1:
 9.3 ↗ 9.7 ↘ 10.5 * 8.9 ↘ 9.6 ↘
 9.8 ↗ 10.3 ↘ 10.5 * 10.1 ↘ 9.7 ↗
 beste Teiler 382.0 (8.) 388.8 (3.) 512.1 (7.)
 Trefferlage 3.55 mm rechts, 2.78 mm hoch
 Streuwert 6.42, horizontal: 6.63, vertikal: 6.21



Serie 2:
 8.9 → 9.7 ↙ 9.1 ↘ 10.0 ↑ 9.7 →
 8.6 ↘ 8.5 ↑ 10.0 ↙ 9.6 ↑ 9.7 ↑
 beste Teiler 738.0 (14.) 758.7 (18.) 967.5 (20.)
 Trefferlage 0.28 mm links, 5.86 mm hoch
 Streuwert 8.82, horizontal: 8.77, vertikal: 8.87



Serie 3:
 10.2 ↑ 9.7 ← 8.8 ↓ 9.0 ↙ 9.9 ←
 8.6 → 9.7 ↙ 10.1 ↘ 10.3 ↙ 9.5 ↑
 beste Teiler 535.2 (29.) 625.0 (21.) 666.7 (28.)
 Trefferlage 1.99 mm links, 1.71 mm tief
 Streuwert 8.54, horizontal: 8.65, vertikal: 8.42





Serie 4:
 9.7 ↘ 7.9 ↘ 8.8 ↑ 9.3 ← 10.2 ↙
 9.4 ↑ 9.4 ← 9.8 ← 10.3 ↓ 8.4 ↘
 beste Teiler 525.7 (39.) 592.4 (35.) 951.0 (38.)
 Trefferlage 7.31 mm links, 7.00 mm hoch
 Streuwert 7.57, horizontal: 5.29, vertikal: 9.30


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **351** (370.4)
 Serien: 91 90 87 83
 Zähler: 8 19 10 2 1 0 0 0 0 0
 Innenzehner: 2
 weiteste: 3821 (35), 2520 (39), 2477 (29)
 beste Teiler 221.8 (25.) 304.1 (2.) 509.1 (13.)
 Trefferlage 3.95 mm links, 1.25 mm hoch
 Streuwert 10.47, horizontal: 10.89, vertikal: 10.03




Serie 1:
 9.4 ↙ 10.6 * 10.3 ← 8.7 ← 9.7 ↗
 9.4 ↓ 9.1 ← 9.8 ↘ 9.5 ↓ 9.9 ↗
 beste Teiler 304.1 (2.) 559.3 (3.) 801.5 (10.)
 Trefferlage 4.81 mm links, 2.22 mm tief
 Streuwert 7.35, horizontal: 6.36, vertikal: 8.22



Serie 2:
 9.4 ↙ 9.4 ← 10.3 ↓ 8.9 ↓ 9.7 ←
 9.6 ↘ 9.5 → 9.0 ↓ 8.6 ↗ 10.0 ↑
 beste Teiler 509.1 (13.) 776.0 (20.) 984.6 (15.)
 Trefferlage 0.33 mm links, 2.34 mm tief
 Streuwert 9.28, horizontal: 9.18, vertikal: 9.38



Serie 3:
 8.8 ↗ 10.2 ↘ 10.0 ↘ 9.9 ↙ 10.7 *
 8.8 ↘ 8.0 ↗ 9.5 ← 7.9 ↘ 8.5 ↑
 beste Teiler 221.8 (25.) 639.5 (22.) 799.2 (23.)
 Trefferlage 0.64 mm links, 2.98 mm hoch
 Streuwert 11.49, horizontal: 12.56, vertikal: 10.32





Serie 4:
 9.3 ↘ 8.9 ↗ 9.0 ↓ 8.4 ← 6.2 ↘
 9.0 ↘ 8.7 → 9.8 ↘ 7.8 ↘ 10.2 ←
 beste Teiler 640.0 (40.) 951.0 (38.) 1320.7 (31.)
 Trefferlage 10.01 mm links, 6.62 mm hoch
 Streuwert 11.69, horizontal: 12.77, vertikal: 10.51


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **357** (374.1)
 Serien: 88 91 88 90
 Zähler: 9 21 8 2 0 0 0 0 0 0
 Innenzehner: 2
 weiteste: 3049 (38), 2956 (28), 2341 (2)
 beste Teiler 289.0 (39.) 381.7 (32.) 618.6 (14.)
 Trefferlage 0.62 mm rechts, 6.53 mm hoch
 Streuwert 9.09, horizontal: 8.94, vertikal: 9.23




Serie 1:
 9.9 ↗ 8.0 ↘ 8.8 ↗ 9.7 ↗ 9.7 ↗
 9.8 ↘ 9.0 ↘ 10.1 → 9.5 → 8.3 ↘
 beste Teiler 646.6 (8.) 845.4 (1.) 918.2 (6.)
 Trefferlage 6.94 mm rechts, 1.34 mm hoch
 Streuwert 9.36, horizontal: 8.96, vertikal: 9.74



Serie 2:
 10.0 ↘ 9.8 ↗ 9.8 ↘ 10.2 ↖ 10.1 ↗
 8.3 ↘ 9.6 ← 9.9 ↗ 8.9 ↗ 9.5 ↘
 beste Teiler 618.6 (14.) 695.5 (15.) 778.1 (11.)
 Trefferlage 2.29 mm links, 8.03 mm hoch
 Streuwert 6.08, horizontal: 6.91, vertikal: 5.13



Serie 3:
 9.4 ↑ 9.4 → 9.1 ↑ 9.6 ↘ 10.0 →
 10.1 ↑ 9.5 ↘ 7.3 ↑ 8.4 ↑ 8.7 ←
 beste Teiler 679.6 (26.) 734.8 (25.) 1046.5 (24.)
 Trefferlage 0.86 mm links, 7.29 mm hoch
 Streuwert 10.43, horizontal: 8.38, vertikal: 12.13





Serie 4:
 9.1 ↘ 10.5 * 10.2 ↖ 8.4 ↑ 9.6 ↗
 9.6 ↗ 9.5 → 7.1 ↘ 10.6 * 9.1 ↑
 beste Teiler 289.0 (39.) 381.7 (32.) 628.0 (33.)
 Trefferlage 1.26 mm links, 9.45 mm hoch
 Streuwert 8.55, horizontal: 9.36, vertikal: 7.65


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **361** (379.6)
 Serien: 88 91 89 93
 Zähler: 11 19 10 0 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 2379 (7), 2259 (36), 2130 (23)
 beste Teiler 115.7 (33.) 207.8 (13.) 230.3 (12.)
 Trefferlage 2.16 mm links, 0.34 mm tief
 Streuwert 9.14, horizontal: 9.88, vertikal: 8.35




Serie 1:
 8.7 ↙ 9.9 → 9.5 ↙ 9.4 ↙ 10.0 ←
 9.3 ← 8.0 → 9.5 ↓ 8.9 → 9.8 ↘
 beste Teiler 778.2 (5.) 840.0 (2.) 939.7 (10.)
 Trefferlage 0.41 mm links, 4.54 mm tief
 Streuwert 9.88, horizontal: 12.25, vertikal: 6.72



Serie 2:
 9.7 ↘ 10.7 * 10.7 * 8.7 ↘ 10.5 *
 9.5 ↗ 8.9 → 10.4 * 8.7 ↙ 9.4 ↗
 beste Teiler 207.8 (13.) 230.3 (12.) 370.2 (15.)
 Trefferlage 1.11 mm rechts, 0.34 mm hoch
 Streuwert 8.63, horizontal: 7.85, vertikal: 9.34



Serie 3:
 8.8 ↘ 10.1 ↘ 8.3 ↙ 9.0 → 10.1 ←
 9.4 ← 9.7 ↗ 9.0 ↘ 8.8 ← 9.2 ↙
 beste Teiler 661.7 (25.) 667.4 (22.) 1003.0 (27.)
 Trefferlage 3.08 mm links, 0.19 mm tief
 Streuwert 10.55, horizontal: 11.69, vertikal: 9.27



Serie 4:
 9.4 ↘ 9.9 ↘ 10.8 * 10.2 ← 9.3 ↗
 8.1 ↙ 9.2 ↘ 10.3 ← 10.0 ↗ 9.8 ←
 beste Teiler 115.7 (33.) 504.5 (38.) 566.6 (34.)
 Trefferlage 6.29 mm links, 3.00 mm hoch
 Streuwert 6.72, horizontal: 6.24, vertikal: 7.16

Unterschrift des Schützen

Meyton Elektronik