





Ergebnis: **359** (377.7)  
 Serien: 93 88 89 89  
 Zähler: 12 17 9 2 0 0 0 0 0 0  
 Innenzehner: 4  
 weiteste: 3002 (11), 2415 (28), 2227 (23)  
 beste Teiler 70.4 (13.) 214.5 (10.) 323.9 (33.)  
 Trefferlage 1.40 mm links, 5.14 mm tief  
 Streuwert 9.02, horizontal: 8.54, vertikal: 9.49




Serie 1:  
 9.2 ↙ 10.0 ↘ 8.8 ↘ 9.9 ↘ 9.8 ↙  
 10.1 ↖ 10.2 ↗ 9.9 ↖ 9.9 ↑ 10.7 \*  
 beste Teiler 214.5 (10.) 606.0 (7.) 698.6 (6.)  
 Trefferlage 1.63 mm links, 1.99 mm tief  
 Streuwert 6.96, horizontal: 6.04, vertikal: 7.78



Serie 2:  
 7.2 ↙ 8.9 ↙ 10.9 \* 9.2 ↘ 8.7 ↘  
 9.7 → 10.2 ↗ 10.1 ↗ 8.4 ↓ 9.1 ↘  
 beste Teiler 70.4 (13.) 566.0 (17.) 701.2 (18.)  
 Trefferlage 0.70 mm links, 8.86 mm tief  
 Streuwert 9.85, horizontal: 11.18, vertikal: 8.31



Serie 3:  
 9.4 → 10.5 \* 8.2 ↙ 9.2 ↓ 9.0 ↙  
 9.1 ↓ 10.2 ← 7.9 ↓ 8.8 ↘ 10.1 →  
 beste Teiler 398.8 (22.) 621.0 (27.) 695.0 (30.)  
 Trefferlage 1.37 mm links, 9.25 mm tief  
 Streuwert 8.88, horizontal: 8.41, vertikal: 9.34





Serie 4:  
 10.0 ↓ 9.8 ↘ 10.5 \* 8.6 ↖ 8.9 ↖  
 9.3 → 9.4 ↓ 9.9 ← 8.9 ↓ 9.1 ↖  
 beste Teiler 323.9 (33.) 791.3 (31.) 874.5 (38.)  
 Trefferlage 1.89 mm links, 0.44 mm tief  
 Streuwert 9.66, horizontal: 9.10, vertikal: 10.18


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **368** (385.6)  
 Serien: 91 93 91 93  
 Zähler: 17 15 7 1 0 0 0 0 0 0  
 Innenzehner: 8  
 weiteste: 3073 (6), 2239 (3), 1942 (31)  
 beste Teiler 213.8 (21.) 217.5 (37.) 334.6 (8.)  
 Trefferlage 2.11 mm links, 0.61 mm hoch  
 Streuwert 8.55, horizontal: 9.17, vertikal: 7.89




Serie 1:  
 10.2 ↘                      8.8 ↘                      8.2 ↓                      9.4 ↙                      10.3 ↗  
 7.1 ←                      9.8 ↑                      10.5 \*                      10.0 ←                      10.4 \*  
 beste Teiler 334.6 (8.) 406.2 (10.) 543.3 (5.)  
 Trefferlage 5.61 mm links, 0.86 mm tief  
 Streuwert 10.01, horizontal: 10.22, vertikal: 9.80



Serie 2:  
 10.5 \*                      9.4 ↖                      9.4 ↓                      10.2 ↗                      9.9 ←  
 10.0 ←                      9.7 ↖                      8.6 ↗                      10.1 ↗                      9.5 ↘  
 beste Teiler 394.6 (11.) 567.2 (14.) 674.6 (19.)  
 Trefferlage 3.40 mm links, 0.86 mm hoch  
 Streuwert 7.40, horizontal: 7.04, vertikal: 7.75



Serie 3:  
 10.7 \*                      9.3 ↓                      9.9 →                      8.6 ↗                      8.9 ↘  
 9.5 ←                      10.4 \*                      10.3 ↘                      10.4 \*                      8.7 ↘  
 beste Teiler 213.8 (21.) 466.1 (29.) 474.8 (27.)  
 Trefferlage 2.10 mm rechts, 0.27 mm tief  
 Streuwert 8.62, horizontal: 8.87, vertikal: 8.36





Serie 4:  
 8.5 →                      9.6 ↖                      10.5 \*                      10.2 ↗                      9.5 ↗  
 10.0 ←                      10.7 \*                      9.3 ↘                      9.0 ↖                      9.6 ←  
 beste Teiler 217.5 (37.) 395.4 (33.) 569.8 (34.)  
 Trefferlage 1.54 mm links, 2.75 mm hoch  
 Streuwert 8.09, horizontal: 9.79, vertikal: 5.93


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **371** (388.4)  
 Serien: 94 93 93 91  
 Zähler: 15 21 4 0 0 0 0 0 0  
 Innenzehner: 10  
 weiteste: 2291 (1), 2193 (14), 1859 (18)  
 beste Teiler 72.4 (26.) 154.4 (2.) 207.8 (24.)  
 Trefferlage 1.43 mm links, 0.36 mm hoch  
 Streuwert 8.12, horizontal: 8.67, vertikal: 7.53




Serie 1:  
 8.1 ↗ 10.8 \* 10.0 ↘ 9.7 ↖ 9.8 ↖  
 10.4 \* 10.6 \* 9.6 ↖ 10.3 ↗ 9.0 ←  
 beste Teiler 154.4 (2.) 249.9 (7.) 429.3 (6.)  
 Trefferlage 1.72 mm links, 3.41 mm hoch  
 Streuwert 7.63, horizontal: 8.79, vertikal: 6.25



Serie 2:  
 9.6 ↖ 10.2 ↘ 9.7 ↖ 8.2 ↘ 9.6 ←  
 10.5 \* 10.5 \* 8.6 ↗ 10.7 \* 10.6 \*  
 beste Teiler 216.9 (19.) 296.0 (20.) 351.7 (16.)  
 Trefferlage 1.80 mm links, 0.30 mm hoch  
 Streuwert 8.15, horizontal: 8.15, vertikal: 8.16



Serie 3:  
 9.4 ← 9.1 ← 10.3 ↘ 10.7 \* 8.7 ↗  
 10.9 \* 9.0 ↘ 9.5 ← 10.0 ← 9.4 ↘  
 beste Teiler 72.4 (26.) 207.8 (24.) 530.0 (23.)  
 Trefferlage 0.08 mm links, 1.28 mm tief  
 Streuwert 8.51, horizontal: 10.33, vertikal: 6.16





Serie 4:  
 9.4 ↘ 9.1 ← 9.1 ↗ 9.8 ↗ 10.5 \*  
 9.8 ↘ 9.8 ↘ 9.1 ← 9.0 ↑ 9.3 ↘  
 beste Teiler 341.2 (35.) 911.4 (36.) 938.8 (34.)  
 Trefferlage 2.13 mm links, 0.99 mm tief  
 Streuwert 8.91, horizontal: 8.50, vertikal: 9.30


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **383.3** (366)  
 Serien: 97.3 94.6 96.2 95.2  
 Zähler: 14 19 6 1 0 0 0 0 0 0  
 Innenzehner: 6  
 weiteste: 2761 (20), 2146 (27), 2011 (39)  
 beste Teiler 165.2 (17.) 221.8 (6.) 240.3 (22.)  
 Trefferlage 2.68 mm links, 0.16 mm tief  
 Streuwert 8.68, horizontal: 9.12, vertikal: 8.22




Serie 1:  
 10.6 \*                      10.0 ↑                      8.6 ↙                      9.9 ↓                      9.2 ←  
 10.7 \*                      9.7 ←                      10.3 ←                      9.7 ↑                      8.6 ↙  
 beste Teiler 221.8 (6.) 276.4 (1.) 509.4 (8.)  
 Trefferlage 5.80 mm links, 0.78 mm tief  
 Streuwert 7.16, horizontal: 6.79, vertikal: 7.51



Serie 2:  
 10.2 →                      10.0 ↑                      9.1 ↑                      9.3 ↙                      9.8 ↑  
 8.6 ↙                      10.7 \*                      9.8 ↙                      9.6 →                      7.5 ←  
 beste Teiler 165.2 (17.) 620.8 (11.) 795.0 (12.)  
 Trefferlage 2.80 mm links, 0.35 mm hoch  
 Streuwert 10.03, horizontal: 11.10, vertikal: 8.83



Serie 3:  
 10.0 ←                      10.7 \*                      10.0 ↘                      9.0 ↙                      9.9 ←  
 9.0 ↙                      8.3 ←                      10.0 ↑                      10.0 ↑                      9.3 ↘  
 beste Teiler 240.3 (22.) 726.0 (29.) 767.9 (28.)  
 Trefferlage 4.92 mm links, 2.20 mm tief  
 Streuwert 7.94, horizontal: 8.95, vertikal: 6.78





Serie 4:  
 8.7 →                      9.9 ↓                      10.4 \*                      9.1 ↑                      10.6 \*  
 9.4 ↑                      9.7 ↑                      9.5 ↘                      8.4 ↓                      9.5 →  
 beste Teiler 319.5 (35.) 417.7 (33.) 804.4 (32.)  
 Trefferlage 2.78 mm rechts, 1.99 mm hoch  
 Streuwert 9.04, horizontal: 7.85, vertikal: 10.10


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **358** (377.5)  
 Serien: 84 93 89 92  
 Zähler: 10 21 6 3 0 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 2781 (2), 2643 (29), 2517 (5)  
 beste Teiler 125.8 (30.) 332.3 (12.) 371.7 (19.)  
 Trefferlage 4.36 mm links, 0.15 mm tief  
 Streuwert 9.28, horizontal: 9.09, vertikal: 9.46




Serie 1:  
 8.9 ↙ 7.5 ↘ 8.9 ↙ 8.4 ↗ 7.8 ↙  
 9.9 ↓ 9.7 ← 9.9 ↙ 10.4 \* 9.7 ↓  
 beste Teiler 470.8 (9.) 872.1 (6.) 880.0 (8.)  
 Trefferlage 6.89 mm links, 2.97 mm tief  
 Streuwert 11.05, horizontal: 9.39, vertikal: 12.49



Serie 2:  
 10.2 ↗ 10.5 \* 9.9 ← 9.6 ↘ 9.2 ↙  
 8.6 ← 9.4 ↗ 10.1 ↘ 10.5 \* 9.4 ←  
 beste Teiler 332.3 (12.) 371.7 (19.) 568.3 (11.)  
 Trefferlage 5.93 mm links, 0.34 mm hoch  
 Streuwert 6.69, horizontal: 6.40, vertikal: 6.98





Serie 3:  
 9.9 ↘ 9.1 ↗ 9.1 ↓ 9.8 ← 9.6 ↓  
 9.5 → 8.2 → 10.2 ↘ 7.6 ↘ 10.8 \*  
 beste Teiler 125.8 (30.) 581.3 (28.) 877.5 (21.)  
 Trefferlage 1.18 mm links, 1.77 mm hoch  
 Streuwert 10.56, horizontal: 11.70, vertikal: 9.28




Serie 4:  
 8.9 ↙ 9.7 ↑ 9.1 ↙ 9.2 ↘ 9.2 ↗  
 10.3 ↑ 9.3 ← 10.4 \* 9.0 ↘ 10.1 ↘  
 beste Teiler 418.3 (38.) 505.6 (36.) 681.9 (40.)  
 Trefferlage 3.41 mm links, 0.24 mm hoch  
 Streuwert 8.76, horizontal: 8.35, vertikal: 9.16

Unterschrift des Schützen


Ergebnis: **355** (374.3)  
 Serien: 87 89 89 90  
 Zähler: 7 23 8 2 0 0 0 0 0 0  
 Innenzehner: 2  
 weiteste: 2654 (30), 2541 (10), 2207 (36)  
 beste Teiler 302.2 (7.) 444.9 (40.) 575.2 (14.)  
 Trefferlage 1.24 mm rechts, 2.26 mm tief  
 Streuwert 9.70, horizontal: 9.74, vertikal: 9.67




Serie 1:  
 9.0 →                      9.3 ↓                      9.0 ↓                      9.7 ↙                      8.7 ↗  
 9.6 ↘                      10.6 \*                      9.6 ↖                      8.8 ↙                      7.8 ↘  
 beste Teiler 302.2 (7.) 984.2 (4.) 1043.8 (8.)  
 Trefferlage 0.82 mm links, 0.64 mm tief  
 Streuwert 11.17, horizontal: 9.91, vertikal: 12.30



Serie 2:  
 9.6 ↖                      9.7 ↘                      9.6 →                      10.2 ↗                      9.4 →  
 8.5 ↗                      8.8 ↙                      8.6 ↖                      10.1 ↗                      9.1 ↙  
 beste Teiler 575.2 (14.) 711.4 (19.) 1021.0 (12.)  
 Trefferlage 0.95 mm rechts, 0.56 mm tief  
 Streuwert 10.04, horizontal: 11.31, vertikal: 8.58



Serie 3:  
 9.9 ↙                      9.1 ↘                      9.2 ↖                      8.6 ↘                      10.0 ←  
 9.6 ↓                      9.1 ↗                      10.0 →                      9.9 →                      7.6 ↘  
 beste Teiler 768.6 (28.) 770.5 (25.) 806.3 (21.)  
 Trefferlage 5.25 mm rechts, 3.69 mm tief  
 Streuwert 9.63, horizontal: 10.64, vertikal: 8.51





Serie 4:  
 10.0 ↙                      9.8 ↑                      8.9 ↓                      9.3 ↘                      9.5 →  
 8.2 ↙                      9.9 ↓                      9.8 ↑                      9.8 ↖                      10.4 \*  
 beste Teiler 444.9 (40.) 743.1 (31.) 808.3 (37.)  
 Trefferlage 0.41 mm links, 4.17 mm tief  
 Streuwert 8.41, horizontal: 6.80, vertikal: 9.76

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	<b>366</b>	(384.9)
Serien:	90 92 92 92	
Zähler:	18 13 6 3 0 0 0 0 0 0	
Innenzehner:	8	
weiteste:	3035 (18), 2547 (33), 2491 (2)	
beste Teiler	231.6 (1.) 245.4 (15.) 249.6 (23.)	
Trefferlage	4.70 mm links, 2.25 mm tief	
Streuwert	8.25, horizontal: 9.10, vertikal: 7.29	




Serie 1:

10.7 *	7.8 ←	8.5 →	8.6 ←	10.0 ←
10.1 ↗	9.7 ↓	9.7 ↓	10.3 ↙	9.3 ←
beste Teiler	231.6 (1.) 537.7 (9.) 681.8 (6.)			
Trefferlage	5.04 mm links, 2.25 mm tief			
Streuwert	9.39, horizontal: 12.11, vertikal: 5.44			




Serie 2:

8.9 ←	10.5 *	9.3 ←	10.4 ↙	10.6 *
10.2 ←	9.2 ↗	7.2 ↓	10.2 ←	9.1 ↘
beste Teiler	245.4 (15.) 353.2 (12.) 477.6 (14.)			
Trefferlage	5.13 mm links, 3.76 mm tief			
Streuwert	9.08, horizontal: 7.93, vertikal: 10.11			



Serie 3:

9.5 ←	9.6 ←	10.6 *	9.9 ↓	8.8 ↘
8.8 ↓	9.3 ↖	10.2 ↗	10.0 ←	10.6 *
beste Teiler	249.6 (23.) 271.2 (30.) 575.7 (28.)			
Trefferlage	5.39 mm links, 0.58 mm tief			
Streuwert	7.11, horizontal: 5.97, vertikal: 8.10			





Serie 4:

10.2 ↗	9.7 ←	7.8 ←	8.8 ↖	9.9 ↘
10.6 *	10.4 *	10.5 *	9.4 ↘	10.0 ↓
beste Teiler	273.1 (36.) 395.9 (38.) 466.4 (37.)			
Trefferlage	3.24 mm links, 2.41 mm tief			
Streuwert	8.31, horizontal: 10.53, vertikal: 5.21			


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **358** (376.4)  
 Serien: 86 91 91 90  
 Zähler: 10 21 8 0 0 1 0 0 0 0  
 Innenzehner: 3  
 weiteste: 4067 (1), 2354 (11), 2119 (29)  
 beste Teiler 272.6 (15.) 324.3 (2.) 407.3 (30.)  
 Trefferlage 2.61 mm rechts, 2.66 mm tief  
 Streuwert 9.76, horizontal: 8.07, vertikal: 11.20




Serie 1:  
 5.9 ↓                      10.5 \*                      8.8 ↘                      9.5 ↘                      9.8 ↑  
 9.2 ↓                      9.4 →                      9.2 ←                      8.5 ↓                      10.1 ↗  
 beste Teiler 324.3 (2.) 681.5 (10.) 952.1 (5.)  
 Trefferlage 2.28 mm rechts, 6.48 mm tief  
 Streuwert 12.25, horizontal: 8.82, vertikal: 14.91



Serie 2:  
 8.0 ↘                      9.9 ←                      10.3 ↘                      9.7 →                      10.6 \*  
 9.6 ←                      9.8 ←                      9.7 ↗                      9.9 ←                      9.6 →  
 beste Teiler 272.6 (15.) 503.1 (13.) 839.8 (19.)  
 Trefferlage 0.28 mm links, 0.57 mm tief  
 Streuwert 8.35, horizontal: 9.21, vertikal: 7.39



Serie 3:  
 9.1 ←                      10.3 →                      8.6 ↑                      10.0 ↘                      9.8 ↗  
 8.7 ↑                      9.6 ↓                      10.0 ↑                      8.3 ↓                      10.4 \*  
 beste Teiler 407.3 (30.) 513.8 (22.) 730.6 (28.)  
 Trefferlage 1.17 mm rechts, 0.54 mm hoch  
 Streuwert 9.66, horizontal: 6.03, vertikal: 12.25



Serie 4:  
 9.7 →                      9.7 ↓                      10.1 ↓                      8.4 ↘                      10.2 ↘  
 9.4 ↓                      9.1 ↑                      8.4 →                      9.2 ↓                      9.4 →  
 beste Teiler 607.8 (35.) 675.5 (33.) 984.7 (31.)  
 Trefferlage 7.27 mm rechts, 4.13 mm tief  
 Streuwert 8.02, horizontal: 6.89, vertikal: 9.01

Unterschrift des Schützen

Meyton Elektronik