





Ergebnis: **375** (391.7)
 Serien: 91 94 95 95
 Zähler: 20 15 5 0 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 2007 (37), 2003 (1), 1741 (3)
 beste Teiler 116.1 (39.) 231.7 (26.) 347.3 (17.)
 Trefferlage 1.35 mm rechts, 0.20 mm hoch
 Streuwert 7.37, horizontal: 7.80, vertikal: 6.92




Serie 1:
 8.4 ← 9.3 → 8.8 ↗ 10.3 ↗ 9.6 →
 10.0 ↘ 10.0 ↗ 10.1 ↑ 9.0 ↘ 8.9 ↘
 beste Teiler 538.7 (4.) 714.3 (8.) 759.0 (7.)
 Trefferlage 2.19 mm rechts, 3.16 mm hoch
 Streuwert 9.28, horizontal: 11.03, vertikal: 7.12



Serie 2:
 9.5 ↓ 9.6 ↙ 9.4 ↙ 10.2 ↖ 9.6 ←
 10.4 * 10.5 * 9.7 ↑ 9.5 ↓ 10.5 *
 beste Teiler 347.3 (17.) 367.7 (20.) 434.3 (16.)
 Trefferlage 3.03 mm links, 2.48 mm tief
 Streuwert 6.20, horizontal: 5.64, vertikal: 6.71



Serie 3:
 10.0 ↗ 9.2 → 9.7 ↓ 9.8 ↗ 8.9 ↗
 10.7 * 10.5 * 10.2 ↘ 10.1 ↙ 10.1 →
 beste Teiler 231.7 (26.) 365.2 (27.) 570.8 (28.)
 Trefferlage 4.82 mm rechts, 0.59 mm tief
 Streuwert 5.82, horizontal: 5.65, vertikal: 5.98





Serie 4:
 9.7 ↓ 10.4 * 10.4 * 10.0 → 10.2 ↙
 10.1 ↑ 8.4 ↗ 9.4 → 10.8 * 9.8 ↙
 beste Teiler 116.1 (39.) 417.0 (33.) 471.6 (32.)
 Trefferlage 1.45 mm rechts, 0.72 mm hoch
 Streuwert 7.06, horizontal: 6.55, vertikal: 7.54


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	368	(387.3)
Serien:	95	89 91 93
Zähler:	19	12 7 2 0 0 0 0 0 0
Innenzehner:	9	
weiteste:	2470 (29),	2453 (19), 2113 (11)
beste Teiler	25.0 (30.)	93.8 (17.) 170.6 (16.)
Trefferlage	3.84 mm rechts,	0.91 mm hoch
Streuwert	8.15,	horizontal: 8.56, vertikal: 7.72




Serie 1:	10.1 ↘	9.3 ↙	10.2 ↑	10.4 *	10.2 ↗
	8.4 ↗	9.3 ↘	9.0 ↗	10.7 *	10.2 ↘
beste Teiler	232.8 (9.)	457.7 (4.)	568.6 (10.)		
Trefferlage	3.05 mm rechts, 1.45 mm hoch				
Streuwert	7.75, horizontal: 8.57, vertikal: 6.84				



Serie 2:	8.3 →	9.6 ↗	8.7 ↗	10.5 *	9.9 ↑
	10.7 *	10.8 *	9.8 ←	7.9 ↗	9.1 ↙
beste Teiler	93.8 (17.)	170.6 (16.)	343.6 (14.)		
Trefferlage	4.72 mm rechts, 3.51 mm hoch				
Streuwert	9.17, horizontal: 9.92, vertikal: 8.35				



Serie 3:	8.4 ↗	9.9 ←	10.1 ↘	9.4 ↑	8.8 →
	10.0 ↘	10.3 ↑	10.5 *	7.9 →	10.9 *
beste Teiler	25.0 (30.)	324.3 (28.)	509.1 (27.)		
Trefferlage	5.28 mm rechts, 3.44 mm hoch				
Streuwert	8.43, horizontal: 10.55, vertikal: 5.55				





Serie 4:	10.1 ↙	9.9 ↘	9.4 ↗	10.7 *	10.1 ↘
	10.4 *	8.9 ↓	9.9 ↘	10.0 ↙	8.6 ↘
beste Teiler	226.2 (34.)	424.6 (36.)	652.0 (31.)		
Trefferlage	2.32 mm rechts, 4.74 mm tief				
Streuwert	6.66, horizontal: 5.33, vertikal: 7.76				

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	370	(390.2)
Serien:	91 93 95 91	
Zähler:	18 15 6 1 0 0 0 0 0 0	
Innenzehner:	9	
weiteste:	2509 (3), 2390 (15), 2293 (30)	
beste Teiler	49.6 (29.) 151.1 (36.) 166.8 (4.)	
Trefferlage	2.62 mm rechts, 3.04 mm hoch	
Streuwert	7.64, horizontal: 8.34, vertikal: 6.87	




Serie 1:

10.2 ↗	9.2 ↗	7.8 ↖	10.7 *	9.1 ↗
9.7 ↓	8.8 ↙	10.6 *	10.2 ←	9.2 ↑
beste Teiler	166.8 (4.)	306.4 (8.)	603.8 (9.)	
Trefferlage	1.48 mm links, 0.82 mm hoch			
Streuwert	9.69, horizontal: 10.44, vertikal: 8.88			




Serie 2:

8.9 ↗	9.3 →	9.7 →	10.1 ↑	8.0 ↗
10.0 ↑	10.3 →	9.5 ↗	10.4 *	10.2 ↗
beste Teiler	475.3 (19.)	533.1 (17.)	609.1 (20.)	
Trefferlage	7.31 mm rechts, 6.13 mm hoch			
Streuwert	5.46, horizontal: 6.37, vertikal: 4.36			



Serie 3:

9.5 ↘	10.7 *	10.0 ↗	10.2 ↑	10.3 →
9.8 ↓	10.5 *	9.7 ↖	10.9 *	8.1 →
beste Teiler	49.6 (29.)	173.0 (22.)	354.8 (27.)	
Trefferlage	2.47 mm rechts, 0.37 mm hoch			
Streuwert	7.13, horizontal: 8.11, vertikal: 6.00			





Serie 4:

9.9 ↖	10.6 *	8.8 →	9.9 ↗	9.4 ↑
10.8 *	8.8 ↗	10.7 *	9.9 ↙	9.8 ↖
beste Teiler	151.1 (36.)	235.6 (38.)	253.9 (32.)	
Trefferlage	2.20 mm rechts, 4.83 mm hoch			
Streuwert	6.54, horizontal: 6.51, vertikal: 6.56			


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **391.7** (374)
 Serien: 97.7 98.6 97.3 98.1
 Zähler: 16 22 2 0 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 1733 (35), 1647 (23), 1585 (31)
 beste Teiler 107.2 (11.) 255.8 (38.) 262.3 (29.)
 Trefferlage 1.89 mm links, 0.18 mm hoch
 Streuwert 7.16, horizontal: 7.22, vertikal: 7.10




Serie 1:
 9.5 → 9.4 ↖ 9.4 ← 9.3 ↘ 9.3 ↑
 9.8 ← 10.5 * 10.2 ↓ 10.4 * 9.9 ↑
 beste Teiler 333.3 (7.) 462.4 (9.) 601.7 (8.)
 Trefferlage 3.51 mm links, 2.18 mm hoch
 Streuwert 6.89, horizontal: 7.36, vertikal: 6.39



Serie 2:
 10.8 * 10.1 → 9.6 ↘ 9.3 ↗ 10.0 ←
 9.4 ↘ 10.1 ← 9.9 ↓ 10.0 ↗ 9.4 ↖
 beste Teiler 107.2 (11.) 664.7 (17.) 669.6 (12.)
 Trefferlage 1.89 mm links, 2.33 mm hoch
 Streuwert 6.63, horizontal: 7.47, vertikal: 5.67



Serie 3:
 10.2 ↓ 10.3 ← 8.9 ← 9.1 ↑ 9.8 ↓
 9.6 ↓ 9.0 ← 10.3 → 10.6 * 9.5 ↗
 beste Teiler 262.3 (29.) 508.3 (28.) 540.4 (22.)
 Trefferlage 2.41 mm links, 0.92 mm tief
 Streuwert 7.83, horizontal: 8.21, vertikal: 7.43





Serie 4:
 9.0 ↘ 10.1 ← 9.8 ↘ 9.3 ↗ 8.8 ↗
 10.4 * 10.5 * 10.6 * 9.7 ↓ 9.9 ↗
 beste Teiler 255.8 (38.) 351.7 (37.) 462.1 (36.)
 Trefferlage 0.23 mm rechts, 2.85 mm tief
 Streuwert 7.40, horizontal: 6.36, vertikal: 8.32


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **371** (387.9)
 Serien: 92 93 94 92
 Zähler: 19 14 6 1 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 2424 (38), 1993 (37), 1761 (21)
 beste Teiler 73.1 (27.) 124.8 (2.) 171.7 (20.)
 Trefferlage 0.88 mm links, 3.23 mm hoch
 Streuwert 7.94, horizontal: 7.90, vertikal: 7.99




Serie 1:
 9.4 ← 10.8 * 8.9 ↑ 9.3 ↓ 9.6 ↑
 10.1 ← 10.0 ↗ 9.1 ↙ 9.6 ↑ 9.1 ↑
 beste Teiler 124.8 (2.) 714.4 (6.) 794.5 (7.)
 Trefferlage 2.42 mm links, 3.55 mm hoch
 Streuwert 8.20, horizontal: 6.14, vertikal: 9.84



Serie 2:
 8.9 ↑ 9.1 ↑ 10.5 * 9.8 ↖ 10.5 *
 9.5 ↑ 10.6 * 8.9 ↙ 10.0 ↗ 10.7 *
 beste Teiler 171.7 (20.) 257.5 (17.) 325.6 (15.)
 Trefferlage 0.12 mm links, 4.70 mm hoch
 Streuwert 6.95, horizontal: 5.78, vertikal: 7.94



Serie 3:
 8.7 ↑ 9.1 → 10.0 ↗ 10.0 ↖ 9.4 ←
 9.2 ↖ 10.9 * 9.0 ↓ 10.4 * 10.4 *
 beste Teiler 73.1 (27.) 416.6 (29.) 447.6 (30.)
 Trefferlage 0.29 mm rechts, 2.28 mm hoch
 Streuwert 8.25, horizontal: 8.60, vertikal: 7.88





Serie 4:
 10.3 ← 10.0 ↘ 9.3 ↑ 10.2 ↓ 10.6 *
 8.9 ↖ 8.5 ↗ 7.9 ↖ 10.2 ↓ 10.5 *
 beste Teiler 249.3 (35.) 382.8 (40.) 552.0 (31.)
 Trefferlage 1.27 mm links, 2.39 mm hoch
 Streuwert 9.23, horizontal: 10.96, vertikal: 7.09

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	375	(390.9)
Serien:	95	90 93 97
Zähler:	20	15 5 0 0 0 0 0 0 0
Innenzehner:	5	
weiteste:	1940 (14), 1834 (17), 1816 (15)	
beste Teiler	61.3 (21.) 254.4 (33.) 327.7 (39.)	
Trefferlage	0.21 mm rechts, 2.17 mm hoch	
Streuwert	7.53, horizontal: 7.52, vertikal: 7.53	




Serie 1:

8.8 ↗	9.2 ↘	10.1 ←	10.0 ↘	9.1 ↑
10.3 ↑	10.0 ↘	9.6 ←	10.2 ↖	10.0 ↘
beste Teiler	555.2 (6.) 632.1 (9.) 710.7 (3.)			
Trefferlage	1.94 mm links, 4.10 mm hoch			
Streuwert	7.14, horizontal: 7.99, vertikal: 6.18			




Serie 2:

10.5 *	10.0 ↗	9.3 ↘	8.5 ↗	8.7 ↖
9.8 ↘	8.7 ↗	10.2 →	9.4 ↗	9.7 →
beste Teiler	354.0 (11.) 579.0 (18.) 786.1 (12.)			
Trefferlage	4.05 mm rechts, 1.86 mm hoch			
Streuwert	9.04, horizontal: 9.68, vertikal: 8.35			



Serie 3:

10.9 *	9.0 ↘	9.9 ↓	10.2 ↗	9.0 ↗
10.3 ←	9.0 ↑	8.9 ↑	10.3 ←	9.2 ↖
beste Teiler	61.3 (21.) 501.8 (26.) 532.0 (29.)			
Trefferlage	1.11 mm links, 1.17 mm hoch			
Streuwert	8.69, horizontal: 6.05, vertikal: 10.70			





Serie 4:

10.2 ↑	9.7 ←	10.6 *	9.9 ↖	10.5 *
10.3 →	10.4 ↗	9.7 ↗	10.5 *	10.3 ↗
beste Teiler	254.4 (33.) 327.7 (39.) 361.3 (35.)			
Trefferlage	0.13 mm links, 1.56 mm hoch			
Streuwert	4.75, horizontal: 5.23, vertikal: 4.22			


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **378** (395.2)
 Serien: 93 95 96 94
 Zähler: 20 18 2 0 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 1919 (20), 1642 (7), 1543 (4)
 beste Teiler 151.0 (37.) 193.0 (25.) 261.0 (22.)
 Trefferlage 0.55 mm links, 0.02 mm hoch
 Streuwert 6.92, horizontal: 7.23, vertikal: 6.60




Serie 1:
 10.1 ↘ 9.3 ↗ 10.0 ↓ 9.0 ↘ 10.0 ↘
 9.3 ↗ 8.9 → 10.6 * 9.9 ↓ 9.4 →
 beste Teiler 262.9 (8.) 701.8 (1.) 744.7 (5.)
 Trefferlage 5.51 mm rechts, 1.45 mm tief
 Streuwert 7.12, horizontal: 5.80, vertikal: 8.22



Serie 2:
 9.9 ↓ 9.4 ← 10.2 ↙ 9.2 ↘ 10.5 *
 10.0 ↘ 10.1 ← 10.5 * 10.2 ↓ 8.6 →
 beste Teiler 338.7 (15.) 380.8 (18.) 577.4 (13.)
 Trefferlage 1.69 mm links, 0.06 mm tief
 Streuwert 7.32, horizontal: 8.19, vertikal: 6.33



Serie 3:
 9.9 ↘ 10.6 * 9.3 ↘ 9.5 ↘ 10.7 *
 10.5 * 10.5 * 9.9 ↗ 10.5 * 10.1 ↘
 beste Teiler 193.0 (25.) 261.0 (22.) 330.0 (26.)
 Trefferlage 2.74 mm links, 3.18 mm hoch
 Streuwert 4.63, horizontal: 4.79, vertikal: 4.46





Serie 4:
 10.5 * 9.2 ↗ 10.1 → 9.2 ← 10.2 ↓
 9.9 ↘ 10.8 * 9.7 ↓ 9.8 ← 9.2 ↙
 beste Teiler 151.0 (37.) 400.9 (31.) 581.2 (35.)
 Trefferlage 3.30 mm links, 1.55 mm tief
 Streuwert 6.77, horizontal: 6.85, vertikal: 6.68


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **374** (391.4)
 Serien: 93 95 93 93
 Zähler: 19 16 5 0 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 2377 (28), 2180 (2), 1869 (39)
 beste Teiler 41.7 (31.) 142.4 (8.) 142.7 (29.)
 Trefferlage 0.82 mm rechts, 1.38 mm hoch
 Streuwert 7.69, horizontal: 7.34, vertikal: 8.02




Serie 1:
 9.6 ↗ 8.2 ↗ 8.8 ↘ 9.6 ↗ 10.0 ↓
 10.5 * 10.1 ↗ 10.8 * 9.8 ← 10.3 ↗
 beste Teiler 142.4 (8.) 391.2 (6.) 493.9 (10.)
 Trefferlage 1.59 mm rechts, 2.57 mm hoch
 Streuwert 8.03, horizontal: 8.03, vertikal: 8.03



Serie 2:
 10.3 ← 10.0 → 9.4 ↘ 9.4 ↗ 10.5 *
 10.3 → 9.8 ↘ 9.5 ↗ 9.1 ↑ 10.6 *
 beste Teiler 241.1 (20.) 329.0 (15.) 525.0 (11.)
 Trefferlage 0.50 mm rechts, 3.66 mm hoch
 Streuwert 6.41, horizontal: 6.22, vertikal: 6.60



Serie 3:
 10.1 ↗ 10.0 ↘ 9.9 → 9.4 ← 10.6 *
 8.7 ↘ 10.1 → 8.0 ↗ 10.8 * 9.6 ↘
 beste Teiler 142.7 (29.) 275.8 (25.) 704.1 (21.)
 Trefferlage 0.09 mm links, 0.92 mm tief
 Streuwert 8.86, horizontal: 8.29, vertikal: 9.40



Serie 4:
 10.9 * 9.5 ← 9.5 ↗ 10.3 ↗ 9.0 →
 10.4 * 10.1 ← 9.6 ↗ 8.6 ↓ 9.7 ↑
 beste Teiler 41.7 (31.) 438.7 (36.) 483.8 (34.)
 Trefferlage 1.31 mm rechts, 0.22 mm hoch
 Streuwert 7.98, horizontal: 7.71, vertikal: 8.24

Unterschrift des Schützen

Meyton Elektronik