





Ergebnis: **369** (389.5)  
 Serien: 91 94 94 90  
 Zähler: 14 21 5 0 0 0 0 0 0 0  
 Innenzehner: 8  
 weiteste: 2107 (7), 1920 (11), 1735 (10)  
 beste Teiler 200.2 (12.) 244.6 (15.) 318.8 (39.)  
 Trefferlage 0.48 mm links, 0.69 mm hoch  
 Streuwert 7.73, horizontal: 6.74, vertikal: 8.61




Serie 1:  
 9.5 ↗                      9.7 ↘                      9.4 ↘                      10.2 ↘                      10.4 \*  
 9.5 →                      8.3 ↓                      9.8 ↗                      10.0 ↑                      8.8 ←  
 beste Teiler 474.1 (5.) 604.9 (4.) 766.6 (9.)  
 Trefferlage 1.74 mm rechts, 1.45 mm tief  
 Streuwert 8.94, horizontal: 8.84, vertikal: 9.04



Serie 2:  
 8.6 ↖                      10.7 \*                      9.7 ↖                      9.8 ↖                      10.6 \*  
 10.4 \*                      10.3 ←                      8.9 ↓                      10.5 \*                      10.3 ↑  
 beste Teiler 200.2 (12.) 244.6 (15.) 381.2 (19.)  
 Trefferlage 2.86 mm links, 2.05 mm hoch  
 Streuwert 6.69, horizontal: 4.98, vertikal: 8.04



Serie 3:  
 9.4 ↑                      9.9 ↖                      9.8 ↓                      10.5 \*                      9.1 ↗  
 9.5 ↓                      10.3 ↑                      9.6 ↘                      10.5 \*                      10.1 ↑  
 beste Teiler 353.7 (29.) 378.8 (24.) 548.6 (27.)  
 Trefferlage 0.23 mm rechts, 1.21 mm hoch  
 Streuwert 6.97, horizontal: 5.13, vertikal: 8.41





Serie 4:  
 9.3 ←                      9.2 ↖                      9.7 ←                      9.3 ↘                      9.5 ↘  
 8.9 ↑                      9.6 ↗                      9.8 ↘                      10.6 \*                      9.5 ↑  
 beste Teiler 318.8 (39.) 881.9 (38.) 1029.8 (33.)  
 Trefferlage 1.05 mm links, 0.96 mm hoch  
 Streuwert 8.70, horizontal: 7.40, vertikal: 9.83


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>368</b>	(386.8)
Serien:	91 90 92 95	
Zähler:	18 13 8 1 0 0 0 0 0 0	
Innenzehner:	6	
weiteste:	2659 (14), 2120 (19), 2017 (21)	
beste Teiler	258.1 (23.) 262.1 (38.) 318.6 (35.)	
Trefferlage	1.67 mm rechts, 0.99 mm hoch	
Streuwert	8.31, horizontal: 7.13, vertikal: 9.34	




Serie 1:	9.6 ↘	9.4 ↘	10.4 *	9.3 ↓	8.6 ↑
	8.7 →	10.2 →	8.4 ↗	10.2 ↗	10.1 ↗
beste Teiler	462.5 (3.) 593.2 (7.) 614.3 (9.)				
Trefferlage	6.51 mm rechts, 2.10 mm hoch				
Streuwert	8.14, horizontal: 5.28, vertikal: 10.23				



Serie 2:	9.9 ↖	10.2 ↖	10.2 ↖	7.6 ↗	8.9 ↖
	9.5 ↖	10.2 →	9.0 ↑	8.3 ↑	10.1 ↖
beste Teiler	594.9 (12.) 612.4 (13.) 628.8 (17.)				
Trefferlage	0.15 mm links, 4.75 mm hoch				
Streuwert	9.99, horizontal: 9.24, vertikal: 10.68				



Serie 3:	8.4 ↑	10.0 ↖	10.6 *	10.1 ↗	10.2 ↖
	9.9 ↑	9.9 →	8.7 ↘	10.4 *	8.7 ↘
beste Teiler	258.1 (23.) 428.4 (29.) 565.8 (25.)				
Trefferlage	1.18 mm rechts, 0.20 mm tief				
Streuwert	8.55, horizontal: 6.44, vertikal: 10.23				





Serie 4:	9.9 ↓	9.8 ↘	9.8 ↖	9.8 ↘	10.6 *
	10.0 ↗	9.9 ←	10.6 *	10.2 ↖	10.5 *
beste Teiler	262.1 (38.) 318.6 (35.) 376.0 (40.)				
Trefferlage	0.84 mm links, 2.66 mm tief				
Streuwert	4.96, horizontal: 5.30, vertikal: 4.59				

Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>374</b>	(391.5)
Serien:	91 94 94 95	
Zähler:	20 14 6 0 0 0 0 0 0 0	
Innenzehner:	5	
weiteste:	2383 (19), 2071 (10), 1860 (9)	
beste Teiler	176.8 (23.) 216.3 (11.) 416.2 (5.)	
Trefferlage	0.17 mm rechts, 1.60 mm tief	
Streuwert	7.49, horizontal: 6.70, vertikal: 8.21	



Serie 1:

9.8 ↙	9.1 ↗	9.8 ↓	10.2 ↖	10.4 *
9.2 ↓	10.2 ↙	9.3 →	8.6 ↓	8.4 ↓


beste Teiler 416.2 (5.) 585.0 (7.) 610.3 (4.)  
 Trefferlage 0.27 mm rechts, 7.19 mm tief  
 Streuwert 7.75, horizontal: 6.69, vertikal: 8.69



Serie 2:

10.7 *	10.3 ↖	9.5 ↓	10.0 ↑	8.8 ↖
9.7 ↙	10.4 *	10.3 ↖	8.0 ↘	10.3 ↗


beste Teiler 216.3 (11.) 458.9 (17.) 493.9 (18.)  
 Trefferlage 0.96 mm rechts, 0.04 mm tief  
 Streuwert 8.37, horizontal: 7.23, vertikal: 9.37



Serie 3:

10.2 →	8.8 ↓	10.7 *	9.6 ↙	10.4 *
10.3 ↙	10.0 ↖	8.8 →	9.8 ↙	10.3 →

beste Teiler 176.8 (23.) 440.9 (25.) 510.6 (26.)  
 Trefferlage 0.75 mm rechts, 2.41 mm tief  
 Streuwert 7.00, horizontal: 7.18, vertikal: 6.82



Serie 4:



9.5 →	10.2 ↖	10.3 ←	9.8 ↑	9.8 ↖
9.8 ↑	10.1 ↑	10.3 ↘	9.7 ↖	10.1 ←

beste Teiler 505.3 (38.) 525.7 (33.) 622.4 (32.)  
 Trefferlage 1.31 mm links, 3.21 mm hoch  
 Streuwert 5.50, horizontal: 6.50, vertikal: 4.28


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **387.1** (367)  
 Serien: 98.5 93.6 97.2 97.8  
 Zähler: 11 25 4 0 0 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 1819 (19), 1707 (20), 1674 (15)  
 beste Teiler 226.5 (39.) 341.5 (11.) 392.7 (33.)  
 Trefferlage 2.22 mm rechts, 1.06 mm hoch  
 Streuwert 7.63, horizontal: 7.95, vertikal: 7.31




Serie 1:  
 10.3 ↓                      9.5 ↗                      10.2 ↑                      9.9 ↙                      10.1 →  
 9.2 ↗                      9.8 →                      9.9 ↘                      9.5 ↖                      10.1 →  
 beste Teiler 515.0 (1.) 637.2 (3.) 649.0 (5.)  
 Trefferlage 1.93 mm rechts, 1.78 mm hoch  
 Streuwert 6.47, horizontal: 6.80, vertikal: 6.13



Serie 2:  
 10.5 \*                      9.4 ↗                      9.7 ↘                      9.3 ↗                      8.9 →  
 9.2 ↑                      9.7 ↙                      9.4 →                      8.7 ↑                      8.8 ↑  
 beste Teiler 341.5 (11.) 968.5 (13.) 1014.2 (17.)  
 Trefferlage 5.30 mm rechts, 5.17 mm hoch  
 Streuwert 8.34, horizontal: 7.50, vertikal: 9.11



Serie 3:  
 8.9 ↘                      10.3 ←                      9.3 ↗                      9.9 ↑                      9.4 ↗  
 9.0 ←                      10.4 \*                      9.8 ↖                      9.8 ↓                      10.4 \*  
 beste Teiler 443.8 (27.) 470.2 (30.) 481.2 (22.)  
 Trefferlage 1.26 mm rechts, 0.07 mm hoch  
 Streuwert 7.86, horizontal: 8.95, vertikal: 6.58





Serie 4:  
 9.3 ←                      9.0 ←                      10.5 \*                      9.7 ↘                      9.6 ↙  
 10.0 ↘                      9.9 →                      9.8 →                      10.7 \*                      9.3 ↘  
 beste Teiler 226.5 (39.) 392.7 (33.) 773.0 (36.)  
 Trefferlage 0.40 mm rechts, 2.76 mm tief  
 Streuwert 7.31, horizontal: 8.70, vertikal: 5.58


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **373** (390.5)  
 Serien: 91 96 94 92  
 Zähler: 18 17 5 0 0 0 0 0 0 0  
 Innenzehner: 9  
 weiteste: 1903 (35), 1889 (24), 1841 (7)  
 beste Teiler 26.9 (3.) 228.2 (19.) 254.0 (14.)  
 Trefferlage 0.06 mm rechts, 3.37 mm hoch  
 Streuwert 7.33, horizontal: 6.61, vertikal: 7.98




Serie 1:  
 9.3 ↘ 9.1 ↗ 10.9 \* 8.9 ↑ 10.4 \*  
 9.2 ← 8.6 ↗ 10.2 ↓ 9.4 ↘ 9.0 ↘  
 beste Teiler 26.9 (3.) 457.0 (5.) 590.5 (8.)  
 Trefferlage 1.51 mm links, 4.42 mm hoch  
 Streuwert 8.91, horizontal: 9.11, vertikal: 8.70



Serie 2:  
 9.5 ↗ 9.8 ↘ 10.5 \* 10.6 \* 9.4 ↗  
 10.1 ↙ 10.4 \* 10.1 ← 10.7 \* 9.3 ↙  
 beste Teiler 228.2 (19.) 254.0 (14.) 338.9 (13.)  
 Trefferlage 1.08 mm rechts, 0.41 mm tief  
 Streuwert 6.11, horizontal: 6.14, vertikal: 6.08



Serie 3:  
 10.2 ↘ 10.1 ↑ 10.3 ↙ 8.6 ↑ 10.5 \*  
 9.5 ↘ 9.7 ↗ 8.8 ↑ 10.3 ↘ 10.4 \*  
 beste Teiler 387.8 (25.) 426.2 (30.) 515.4 (23.)  
 Trefferlage 0.54 mm rechts, 4.96 mm hoch  
 Streuwert 6.72, horizontal: 5.46, vertikal: 7.77





Serie 4:  
 9.1 ↑ 9.7 ↑ 10.6 \* 9.5 ↓ 8.6 ↑  
 9.5 ↘ 10.3 ↘ 9.6 ↗ 10.2 ↑ 9.6 ←  
 beste Teiler 294.7 (33.) 520.4 (37.) 618.9 (39.)  
 Trefferlage 0.12 mm rechts, 4.52 mm hoch  
 Streuwert 7.63, horizontal: 5.89, vertikal: 9.04


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **359** (373.9)  
 Serien: 90 90 87 92  
 Zähler: 8 23 9 0 0 0 0 0 0 0  
 Innenzehner: 3  
 weiteste: 2359 (7), 2210 (29), 2186 (14)  
 beste Teiler 201.1 (15.) 282.1 (33.) 468.2 (32.)  
 Trefferlage 0.28 mm links, 1.01 mm tief  
 Streuwert 9.90, horizontal: 8.89, vertikal: 10.82




Serie 1:  
 9.3 ↗ 9.2 ↘ 10.1 ↑ 9.3 ↓ 9.9 ↖  
 9.0 ↖ 8.0 ← 8.8 ↓ 10.2 ↓ 9.9 ↗  
 beste Teiler 613.3 (9.) 696.0 (3.) 823.5 (5.)  
 Trefferlage 4.33 mm links, 1.47 mm tief  
 Streuwert 9.57, horizontal: 9.01, vertikal: 10.10



Serie 2:  
 9.3 ← 9.6 ↙ 9.0 ↓ 8.2 ↘ 10.7 \*  
 9.3 ↑ 9.5 ↘ 10.1 → 9.8 ↖ 8.4 ↙  
 beste Teiler 201.1 (15.) 644.4 (18.) 894.7 (19.)  
 Trefferlage 0.11 mm links, 4.32 mm tief  
 Streuwert 9.62, horizontal: 9.57, vertikal: 9.67



Serie 3:  
 9.6 ↑ 9.0 ↙ 9.2 ↘ 9.6 ← 9.0 ↓  
 8.8 ↙ 8.2 ↑ 9.1 ↓ 8.2 ↗ 9.3 ↗  
 beste Teiler 1061.9 (24.) 1120.6 (21.) 1287.3 (30.)  
 Trefferlage 2.34 mm rechts, 0.81 mm tief  
 Streuwert 11.74, horizontal: 9.93, vertikal: 13.31





Serie 4:  
 9.9 ↑ 10.4 \* 10.6 \* 10.1 ← 10.2 ↙  
 8.7 ↑ 9.1 ↓ 9.2 ↘ 8.3 ↗ 9.8 ↖  
 beste Teiler 282.1 (33.) 468.2 (32.) 628.0 (35.)  
 Trefferlage 0.95 mm rechts, 2.55 mm hoch  
 Streuwert 8.70, horizontal: 6.56, vertikal: 10.41


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **369** (388.9)  
 Serien: 91 95 91 92  
 Zähler: 15 19 6 0 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 1972 (30), 1958 (33), 1922 (5)  
 beste Teiler 68.3 (37.) 216.3 (17.) 235.8 (24.)  
 Trefferlage 0.12 mm links, 0.03 mm hoch  
 Streuwert 7.89, horizontal: 7.68, vertikal: 8.09




Serie 1:  
 8.9 ↗ 10.7 \* 9.8 ↘ 9.3 ↙ 8.5 ↘  
 10.0 ↓ 9.1 ↖ 10.0 ↑ 9.2 ↗ 9.8 ↓  
 beste Teiler 240.7 (2.) 729.8 (8.) 732.7 (6.)  
 Trefferlage 0.34 mm links, 2.30 mm tief  
 Streuwert 8.95, horizontal: 8.10, vertikal: 9.73



Serie 2:  
 10.3 ↖ 10.3 ← 9.7 ↗ 9.8 ↖ 10.3 ←  
 9.8 ← 10.7 \* 10.2 ↓ 9.7 ↓ 9.4 →  
 beste Teiler 216.3 (17.) 512.9 (15.) 525.3 (12.)  
 Trefferlage 0.81 mm links, 0.24 mm hoch  
 Streuwert 6.01, horizontal: 6.53, vertikal: 5.45



Serie 3:  
 8.8 ↑ 9.9 ↖ 9.7 → 10.7 \* 9.8 ↖  
 9.3 ↑ 10.4 \* 9.4 ↓ 10.3 ↓ 8.5 →  
 beste Teiler 235.8 (24.) 422.6 (27.) 540.6 (29.)  
 Trefferlage 1.58 mm rechts, 3.71 mm hoch  
 Streuwert 8.03, horizontal: 7.55, vertikal: 8.48





Serie 4:  
 10.0 ↖ 10.3 ← 8.5 ↖ 10.2 ↑ 9.5 ↓  
 9.1 ↗ 10.9 \* 8.9 ↘ 9.3 ↘ 9.9 ↑  
 beste Teiler 68.3 (37.) 546.5 (32.) 591.6 (34.)  
 Trefferlage 0.93 mm links, 1.50 mm tief  
 Streuwert 8.65, horizontal: 9.27, vertikal: 7.97


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **373** (391.4)  
 Serien: 93 94 95 91  
 Zähler: 17 19 4 0 0 0 0 0 0 0  
 Innenzehner: 8  
 weiteste: 2023 (24), 1851 (33), 1657 (35)  
 beste Teiler 241.1 (4.) 267.3 (7.) 362.2 (31.)  
 Trefferlage 1.02 mm links, 0.63 mm tief  
 Streuwert 7.32, horizontal: 6.47, vertikal: 8.08




Serie 1:  
 9.4 ↘                      9.4 ↖                      9.1 ↘                      10.6 \*                      9.5 ↘  
 10.1 ↗                      10.6 \*                      9.9 ↙                      9.3 ↓                      9.1 ↗  
 beste Teiler 241.1 (4.) 267.3 (7.) 686.4 (6.)  
 Trefferlage 2.22 mm links, 6.15 mm tief  
 Streuwert 6.44, horizontal: 5.77, vertikal: 7.05



Serie 2:  
 9.9 ↘                      10.0 →                      10.2 ↗                      10.4 \*                      9.8 ↑  
 10.5 \*                      8.9 ↑                      9.8 ↘                      9.6 ←                      10.3 ↗  
 beste Teiler 385.2 (16.) 424.0 (14.) 547.1 (20.)  
 Trefferlage 0.07 mm links, 3.63 mm hoch  
 Streuwert 5.90, horizontal: 5.40, vertikal: 6.36



Serie 3:  
 10.0 →                      10.1 ↘                      10.1 ↘                      8.4 ↘                      10.5 \*  
 10.1 →                      10.0 ↓                      9.8 →                      9.5 ↑                      9.3 ←  
 beste Teiler 391.9 (25.) 642.2 (23.) 647.4 (22.)  
 Trefferlage 1.43 mm rechts, 3.67 mm tief  
 Streuwert 7.06, horizontal: 6.75, vertikal: 7.37



Serie 4:  
 10.5 \*                      9.2 ↘                      8.6 ↑                      9.4 ↖                      8.9 ←  
 9.9 ←                      9.9 ↓                      9.9 →                      10.5 \*                      10.4 \*  
 beste Teiler 362.2 (31.) 381.2 (39.) 464.8 (40.)  
 Trefferlage 3.25 mm links, 3.66 mm hoch  
 Streuwert 7.50, horizontal: 7.66, vertikal: 7.33

Unterschrift des Schützen

Meyton Elektronik