





Ergebnis: **362** (379.3)
 Serien: 88 92 94 88
 Zähler: 12 19 8 1 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 2657 (9), 2278 (17), 2234 (25)
 beste Teiler 165.1 (20.) 327.8 (23.) 433.4 (36.)
 Trefferlage 1.56 mm links, 2.80 mm tief
 Streuwert 9.16, horizontal: 8.99, vertikal: 9.32




Serie 1:
 9.6 ↗ 9.4 ↘ 9.6 ↙ 10.0 ← 8.4 ←
 10.2 ↖ 8.7 ↗ 9.8 ↗ 7.6 ↘ 9.6 ↑
 beste Teiler 609.6 (6.) 793.3 (4.) 881.5 (8.)
 Trefferlage 6.54 mm links, 0.76 mm tief
 Streuwert 9.75, horizontal: 9.02, vertikal: 10.44



Serie 2:
 9.9 ↗ 10.4 * 10.4 * 8.8 → 9.9 ↑
 10.3 ↗ 8.1 ↘ 9.2 ↘ 9.1 ← 10.7 *
 beste Teiler 165.1 (20.) 457.9 (12.) 466.6 (13.)
 Trefferlage 1.38 mm links, 0.93 mm hoch
 Streuwert 8.92, horizontal: 9.19, vertikal: 8.64



Serie 3:
 10.1 ↙ 9.1 ↘ 10.5 * 9.9 → 8.2 ↓
 10.1 ↗ 9.8 ↘ 10.1 ← 10.3 ↘ 9.9 ↖
 beste Teiler 327.8 (23.) 536.6 (29.) 666.7 (21.)
 Trefferlage 1.28 mm rechts, 4.30 mm tief
 Streuwert 7.12, horizontal: 6.77, vertikal: 7.46





Serie 4:
 9.2 ↓ 8.4 ↘ 9.0 ↙ 9.4 ↑ 8.9 ←
 10.4 * 9.0 → 8.5 ↓ 9.3 ↓ 9.5 ↓
 beste Teiler 433.4 (36.) 1192.0 (40.) 1210.6 (34.)
 Trefferlage 0.38 mm rechts, 7.09 mm tief
 Streuwert 9.79, horizontal: 9.87, vertikal: 9.71


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **355** (374.8)
 Serien: 88 94 86 87
 Zähler: 12 15 10 2 1 0 0 0 0 0
 Innenzehner: 7
 weiteste: 3357 (26), 2789 (37), 2487 (27)
 beste Teiler 51.6 (22.) 193.8 (6.) 236.7 (18.)
 Trefferlage 0.75 mm links, 1.10 mm tief
 Streuwert 10.52, horizontal: 10.90, vertikal: 10.13




Serie 1:
 9.3 ← 9.9 ↗ 8.7 ↗ 8.9 ↘ 8.0 ↓
 10.7 * 8.5 ↓ 10.4 * 9.2 ↗ 9.2 ↑
 beste Teiler 193.8 (6.) 459.7 (8.) 860.2 (2.)
 Trefferlage 1.46 mm rechts, 1.77 mm tief
 Streuwert 11.04, horizontal: 8.39, vertikal: 13.16



Serie 2:
 9.6 ↑ 10.4 * 8.3 ↓ 10.5 * 9.6 ↘
 10.3 ↓ 8.6 ↙ 10.7 * 10.6 * 10.1 ↓
 beste Teiler 236.7 (18.) 292.0 (19.) 333.1 (14.)
 Trefferlage 0.73 mm links, 3.92 mm tief
 Streuwert 7.47, horizontal: 6.02, vertikal: 8.68



Serie 3:
 10.1 ↗ 10.9 * 9.8 ↘ 8.5 ↙ 10.0 ←
 6.8 ← 7.8 ↘ 9.9 ↘ 9.2 ← 8.6 ↑
 beste Teiler 51.6 (22.) 643.4 (21.) 727.5 (25.)
 Trefferlage 8.64 mm links, 0.84 mm hoch
 Streuwert 11.02, horizontal: 12.35, vertikal: 9.51





Serie 4:
 9.3 ↗ 8.9 ↖ 9.4 ↘ 9.4 ← 9.7 ↓
 8.4 ↘ 7.5 → 10.0 ↘ 9.5 ↗ 9.6 ←
 beste Teiler 797.6 (38.) 1023.6 (35.) 1090.2 (40.)
 Trefferlage 4.87 mm rechts, 0.45 mm hoch
 Streuwert 10.85, horizontal: 12.08, vertikal: 9.47


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **356** (374.9)
 Serien: 94 89 89 84
 Zähler: 13 14 11 1 0 1 0 0 0 0
 Innenzehner: 6
 weiteste: 4107 (18), 2475 (8), 2272 (30)
 beste Teiler 176.3 (15.) 206.0 (21.) 235.3 (10.)
 Trefferlage 2.61 mm links, 1.13 mm tief
 Streuwert 10.42, horizontal: 11.25, vertikal: 9.50




Serie 1:
 9.5 ↘ 10.2 ↓ 9.1 ← 9.0 ↑ 10.1 →
 10.1 ↘ 10.6 * 7.9 ← 10.1 ← 10.7 *
 beste Teiler 235.3 (10.) 285.0 (7.) 590.2 (2.)
 Trefferlage 2.59 mm links, 0.45 mm tief
 Streuwert 8.62, horizontal: 9.84, vertikal: 7.21



Serie 2:
 10.2 ↗ 8.4 ↓ 9.1 ↓ 9.5 ↗ 10.7 *
 10.4 * 10.1 ← 5.8 ↙ 9.0 ↗ 9.4 ←
 beste Teiler 176.3 (15.) 465.0 (16.) 577.9 (11.)
 Trefferlage 0.81 mm links, 7.16 mm tief
 Streuwert 11.68, horizontal: 11.70, vertikal: 11.65



Serie 3:
 10.7 * 9.4 ↑ 8.4 ↘ 9.9 → 9.8 ↑
 9.3 ↑ 8.9 ↘ 9.9 ↑ 10.3 ← 8.1 ↙
 beste Teiler 206.0 (21.) 542.0 (29.) 849.9 (28.)
 Trefferlage 1.61 mm links, 3.08 mm hoch
 Streuwert 9.67, horizontal: 9.54, vertikal: 9.80





Serie 4:
 10.5 * 8.9 ↑ 8.6 ↗ 9.6 ← 8.5 ↖
 8.7 ← 8.7 ← 9.5 ← 8.9 → 8.4 ←
 beste Teiler 368.2 (31.) 1051.8 (34.) 1182.0 (38.)
 Trefferlage 5.41 mm links, 0.02 mm tief
 Streuwert 11.32, horizontal: 14.51, vertikal: 6.76


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **382.5** (365)
 Serien: 97.1 95.9 95.4 94.1
 Zähler: 16 16 6 1 1 0 0 0 0 0
 Innenzehner: 5
 weiteste: 3521 (24), 2421 (32), 2060 (17)
 beste Teiler 271.7 (20.) 277.8 (13.) 398.1 (5.)
 Trefferlage 0.64 mm links, 1.70 mm hoch
 Streuwert 9.18, horizontal: 9.42, vertikal: 8.94




Serie 1:
 9.3 ↗ 8.8 ↘ 10.0 ↓ 9.6 ↙ 10.5 *
 9.9 ↖ 9.5 ← 10.3 ↕ 10.1 → 9.1 ←
 beste Teiler 398.1 (5.) 554.6 (8.) 664.4 (9.)
 Trefferlage 0.03 mm rechts, 1.44 mm tief
 Streuwert 8.03, horizontal: 9.07, vertikal: 6.83



Serie 2:
 8.4 ↑ 9.8 ↖ 10.6 * 9.5 ↑ 9.5 ↓
 10.4 * 8.4 ↗ 9.4 ← 9.3 → 10.6 *
 beste Teiler 271.7 (20.) 277.8 (13.) 439.6 (16.)
 Trefferlage 0.52 mm links, 4.59 mm hoch
 Streuwert 8.69, horizontal: 7.98, vertikal: 9.34



Serie 3:
 9.9 ↓ 9.6 ↗ 10.0 ↙ 6.5 ↗ 8.6 ↑
 10.2 ↑ 10.4 * 10.2 ← 9.9 ← 10.1 ↖
 beste Teiler 417.4 (27.) 579.9 (26.) 590.0 (28.)
 Trefferlage 0.27 mm rechts, 5.31 mm hoch
 Streuwert 9.88, horizontal: 8.32, vertikal: 11.23





Serie 4:
 9.1 ↑ 7.9 ← 10.3 → 10.1 ↘ 9.8 ↓
 8.5 → 9.8 ← 10.1 ← 10.0 → 8.5 ←
 beste Teiler 525.5 (33.) 685.4 (34.) 693.7 (38.)
 Trefferlage 2.34 mm links, 1.62 mm tief
 Streuwert 10.09, horizontal: 12.82, vertikal: 6.28


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **342** (360.0)
 Serien: 85 87 86 84
 Zähler: 5 19 10 5 1 0 0 0 0 0
 Innenzehner: 1
 weiteste: 3386 (10), 2994 (28), 2792 (19)
 beste Teiler 195.0 (8.) 508.9 (11.) 523.1 (9.)
 Trefferlage 1.82 mm links, 0.01 mm hoch
 Streuwert 12.20, horizontal: 12.62, vertikal: 11.78




Serie 1:
 7.8 ↙ 9.1 ↘ 9.6 ← 7.5 → 9.3 ↘
 9.8 ↘ 9.8 ← 10.7 * 10.3 ↑ 6.7 ↑
 beste Teiler 195.0 (8.) 523.1 (9.) 896.5 (6.)
 Trefferlage 0.27 mm rechts, 2.97 mm hoch
 Streuwert 13.23, horizontal: 13.61, vertikal: 12.83



Serie 2:
 10.3 ↗ 9.2 ↖ 10.1 ← 8.7 ↘ 8.4 →
 8.8 ← 9.2 ↙ 9.3 ↘ 7.5 ↙ 9.1 ←
 beste Teiler 508.9 (11.) 678.0 (13.) 1343.3 (18.)
 Trefferlage 5.64 mm links, 2.93 mm tief
 Streuwert 11.20, horizontal: 12.36, vertikal: 9.91





Serie 3:
 8.7 ↗ 8.4 ← 9.3 ↘ 9.7 ↘ 9.1 ↘
 9.0 → 10.3 ↙ 7.2 ↗ 8.0 ↓ 9.8 ↘
 beste Teiler 537.3 (27.) 899.8 (30.) 998.7 (24.)
 Trefferlage 1.96 mm rechts, 1.50 mm hoch
 Streuwert 12.81, horizontal: 12.29, vertikal: 13.32




Serie 4:
 9.9 ↙ 8.6 → 9.3 ↘ 8.8 ↘ 9.1 ←
 9.6 ↘ 8.4 ← 8.6 ↑ 9.1 ← 7.9 ↙
 beste Teiler 843.6 (31.) 1103.4 (36.) 1303.0 (33.)
 Trefferlage 3.90 mm links, 1.48 mm tief
 Streuwert 12.15, horizontal: 12.61, vertikal: 11.68

Unterschrift des Schützen


Ergebnis: **345** (364.2)
 Serien: 84 87 87 87
 Zähler: 7 16 13 3 1 0 0 0 0
 Innenzehner: 4
 weiteste: 3738 (19), 2890 (6), 2612 (8)
 beste Teiler 129.7 (37.) 230.7 (15.) 289.5 (16.)
 Trefferlage 2.83 mm links, 3.55 mm tief
 Streuwert 11.42, horizontal: 10.62, vertikal: 12.16




Serie 1:
 10.3 ↙ 9.3 ↓ 8.9 ↑ 9.4 ↓ 9.1 ←
 7.3 ↗ 9.6 ← 7.7 ← 8.6 ↑ 8.1 ↙
 beste Teiler 492.3 (1.) 1095.8 (7.) 1213.7 (4.)
 Trefferlage 5.65 mm links, 0.91 mm hoch
 Streuwert 12.95, horizontal: 13.30, vertikal: 12.59



Serie 2:
 9.5 ↗ 9.3 ↓ 8.9 ↘ 7.9 ↓ 10.7 *
 10.6 * 10.0 ↖ 8.8 ↓ 6.3 ↓ 10.0 ↘
 beste Teiler 230.7 (15.) 289.5 (16.) 757.0 (17.)
 Trefferlage 2.75 mm rechts, 8.74 mm tief
 Streuwert 10.95, horizontal: 6.96, vertikal: 13.83



Serie 3:
 9.0 ↗ 8.4 ↑ 9.7 ↓ 10.4 * 8.7 ←
 9.8 ↖ 8.8 ↙ 9.4 ↓ 9.0 ↘ 8.7 ↙
 beste Teiler 402.0 (24.) 949.4 (26.) 1009.0 (23.)
 Trefferlage 1.87 mm links, 2.85 mm tief
 Streuwert 10.82, horizontal: 10.21, vertikal: 11.40





Serie 4:
 9.9 ↑ 8.6 ← 9.3 ↙ 8.4 ← 9.9 ↙
 8.1 ↓ 10.8 * 8.1 ↖ 9.1 ↓ 9.8 ↘
 beste Teiler 129.7 (37.) 818.5 (31.) 849.5 (35.)
 Trefferlage 6.57 mm links, 3.54 mm tief
 Streuwert 10.20, horizontal: 9.97, vertikal: 10.43


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **346** (365.6)
 Serien: 86 87 87 86
 Zähler: 6 19 10 5 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 2957 (14), 2953 (21), 2670 (3)
 beste Teiler 235.9 (23.) 321.0 (9.) 358.1 (2.)
 Trefferlage 1.56 mm links, 3.01 mm tief
 Streuwert 11.23, horizontal: 11.18, vertikal: 11.28




Serie 1:
 7.9 ↑ 10.5 * 7.6 ↙ 9.2 ← 9.3 ↘
 8.9 → 8.5 ↗ 9.9 ↓ 10.5 * 9.8 ↘
 beste Teiler 321.0 (9.) 358.1 (2.) 876.3 (8.)
 Trefferlage 1.25 mm links, 1.10 mm hoch
 Streuwert 11.66, horizontal: 10.16, vertikal: 13.00



Serie 2:
 9.2 → 9.3 ↘ 10.4 * 7.3 ← 8.7 ←
 9.8 ← 8.1 → 9.5 ↓ 9.0 ← 9.5 ↑
 beste Teiler 416.0 (13.) 892.6 (16.) 1160.3 (18.)
 Trefferlage 2.12 mm links, 2.91 mm tief
 Streuwert 11.97, horizontal: 15.35, vertikal: 7.15



Serie 3:
 7.3 ↙ 9.5 ← 10.7 * 9.5 ↘ 8.3 ↑
 9.7 ↓ 8.7 ↘ 8.9 ↘ 10.3 → 9.2 ↓
 beste Teiler 235.9 (23.) 548.8 (29.) 1023.7 (26.)
 Trefferlage 3.42 mm links, 2.51 mm tief
 Streuwert 11.38, horizontal: 7.79, vertikal: 14.09





Serie 4:
 7.8 ↓ 10.1 ↗ 8.1 ↘ 8.7 ↓ 9.1 ↘
 9.5 ↙ 9.0 ↘ 9.7 → 8.8 ← 9.8 ←
 beste Teiler 715.8 (32.) 900.7 (40.) 994.8 (38.)
 Trefferlage 0.53 mm rechts, 7.72 mm tief
 Streuwert 10.54, horizontal: 11.53, vertikal: 9.45


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **351** (369.7)
 Serien: 87 91 93 80
 Zähler: 10 18 7 3 2 0 0 0 0 0
 Innenzehner: 4
 weiteste: 3561 (35), 3390 (33), 2837 (16)
 beste Teiler 137.3 (40.) 151.7 (23.) 241.5 (3.)
 Trefferlage 0.83 mm links, 2.40 mm hoch
 Streuwert 11.19, horizontal: 9.73, vertikal: 12.48




Serie 1:
 9.0 ↑ 10.3 ↙ 10.6 * 7.7 ← 9.2 →
 8.8 ↗ 9.1 ↑ 8.7 ↘ 8.6 ← 9.7 →
 beste Teiler 241.5 (3.) 524.0 (2.) 997.6 (10.)
 Trefferlage 1.77 mm links, 5.94 mm hoch
 Streuwert 10.64, horizontal: 13.19, vertikal: 7.24



Serie 2:
 9.2 ← 9.7 ↑ 9.9 ↘ 9.0 ↘ 10.1 ↘
 7.4 ↙ 10.3 ↗ 9.7 ↓ 9.3 ↙ 10.0 ↘
 beste Teiler 505.0 (17.) 678.3 (15.) 756.7 (20.)
 Trefferlage 5.61 mm links, 0.57 mm tief
 Streuwert 9.18, horizontal: 6.04, vertikal: 11.49



Serie 3:
 10.0 ↓ 10.5 * 10.8 * 9.3 → 9.6 ←
 9.9 ↓ 10.0 ↘ 9.3 → 9.7 ↑ 8.8 ↓
 beste Teiler 151.7 (23.) 348.3 (22.) 751.4 (21.)
 Trefferlage 2.50 mm rechts, 2.44 mm tief
 Streuwert 7.16, horizontal: 6.97, vertikal: 7.35



Serie 4:
 8.7 → 8.7 ← 6.7 ↑ 9.4 ↓ 6.5 ↗
 9.5 ↑ 9.0 ↑ 8.7 ↑ 7.5 ↙ 10.8 *
 beste Teiler 137.3 (40.) 1190.0 (36.) 1274.7 (34.)
 Trefferlage 1.54 mm rechts, 6.69 mm hoch
 Streuwert 15.35, horizontal: 10.29, vertikal: 19.12

Unterschrift des Schützen