





Ergebnis: **374** (392.6)
 Serien: 94 93 93 94
 Zähler: 20 14 6 0 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 2110 (31), 1940 (17), 1910 (2)
 beste Teiler 76.0 (9.) 169.4 (13.) 216.9 (11.)
 Trefferlage 3.79 mm links, 2.41 mm tief
 Streuwert 6.96, horizontal: 7.24, vertikal: 6.67




Serie 1:
 10.3 ↘ 8.6 ↙ 10.3 ↙ 9.5 → 10.2 ↓
 10.0 ← 9.9 ↑ 10.0 ← 10.9 * 8.7 ←
 beste Teiler 76.0 (9.) 526.7 (3.) 540.5 (1.)
 Trefferlage 4.53 mm links, 1.88 mm tief
 Streuwert 6.93, horizontal: 8.23, vertikal: 5.32



Serie 2:
 10.7 * 10.0 ← 10.7 * 9.9 ↓ 10.3 ↗
 10.6 * 8.5 ↙ 9.7 ← 8.6 ↗ 9.6 ↙
 beste Teiler 169.4 (13.) 216.9 (11.) 273.0 (16.)
 Trefferlage 2.39 mm links, 1.12 mm tief
 Streuwert 7.66, horizontal: 7.54, vertikal: 7.78



Serie 3:
 9.9 ↘ 9.0 ↙ 10.5 * 9.7 ↖ 9.8 ←
 9.6 ← 10.6 * 9.5 ↘ 10.3 ↘ 9.1 ←
 beste Teiler 305.3 (27.) 393.0 (23.) 493.4 (29.)
 Trefferlage 3.13 mm links, 2.23 mm tief
 Streuwert 6.98, horizontal: 8.01, vertikal: 5.76





Serie 4:
 8.3 ↙ 10.6 * 10.6 * 10.0 ↙ 10.3 ↓
 9.0 ← 8.6 ↓ 10.4 * 10.3 ← 9.5 ↘
 beste Teiler 279.8 (33.) 291.5 (32.) 467.0 (38.)
 Trefferlage 5.10 mm links, 4.40 mm tief
 Streuwert 6.97, horizontal: 5.74, vertikal: 8.01


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **359** (377.1)
 Serien: 89 89 91 90
 Zähler: 9 22 8 1 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 2808 (6), 2141 (11), 2107 (23)
 beste Teiler 212.8 (30.) 305.5 (12.) 377.6 (32.)
 Trefferlage 2.27 mm rechts, 4.42 mm tief
 Streuwert 8.94, horizontal: 8.60, vertikal: 9.26




Serie 1:
 8.6 ↓ 9.9 ↓ 9.1 ↘ 9.7 ↖ 9.3 ↓
 7.4 ← 9.1 ↘ 9.2 ↗ 10.4 ↓ 10.1 ←
 beste Teiler 479.8 (9.) 667.3 (10.) 867.3 (2.)
 Trefferlage 0.08 mm links, 4.66 mm tief
 Streuwert 10.53, horizontal: 12.71, vertikal: 7.76



Serie 2:
 8.3 → 10.6 * 9.0 ↓ 8.6 ↗ 8.6 ↓
 9.7 → 9.0 ↗ 10.0 ↘ 9.4 ↓ 9.8 →
 beste Teiler 305.5 (12.) 722.2 (18.) 882.1 (20.)
 Trefferlage 6.01 mm rechts, 2.15 mm tief
 Streuwert 9.61, horizontal: 7.93, vertikal: 11.05



Serie 3:
 9.4 ↗ 9.2 ↗ 8.3 ↑ 9.5 ↘ 9.9 ↓
 9.4 → 10.3 ↓ 9.3 ↓ 9.3 ↘ 10.7 *
 beste Teiler 212.8 (30.) 560.8 (27.) 827.0 (25.)
 Trefferlage 0.86 mm rechts, 3.89 mm tief
 Streuwert 8.73, horizontal: 6.93, vertikal: 10.22





Serie 4:
 10.4 * 10.5 * 9.6 ↗ 8.9 ↓ 9.7 ↓
 9.4 ↘ 8.9 ↓ 10.3 → 8.7 ↓ 9.6 ↗
 beste Teiler 377.6 (32.) 440.5 (31.) 543.0 (38.)
 Trefferlage 2.30 mm rechts, 7.01 mm tief
 Streuwert 6.94, horizontal: 4.96, vertikal: 8.46


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **368** (389.7)
 Serien: 88 93 93 94
 Zähler: 13 23 3 1 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 2645 (5), 2120 (4), 2087 (29)
 beste Teiler 134.1 (36.) 143.5 (34.) 219.9 (33.)
 Trefferlage 1.17 mm rechts, 0.38 mm tief
 Streuwert 7.89, horizontal: 7.06, vertikal: 8.63




Serie 1:
 9.9 ↓ 10.0 ↘ 9.9 ↓ 8.3 ↑ 7.6 →
 9.5 ↗ 9.3 ↗ 8.8 ↖ 10.0 ↓ 9.2 ↓
 beste Teiler 724.4 (2.) 755.5 (9.) 811.7 (3.)
 Trefferlage 3.10 mm rechts, 0.77 mm hoch
 Streuwert 10.81, horizontal: 10.22, vertikal: 11.37



Serie 2:
 9.5 ↗ 10.7 * 10.6 * 10.3 ↖ 9.6 ↖
 9.8 ↓ 9.8 ↓ 9.6 ↗ 9.8 ↑ 9.3 ↑
 beste Teiler 239.3 (12.) 296.6 (13.) 526.1 (14.)
 Trefferlage 0.81 mm rechts, 2.87 mm hoch
 Streuwert 6.43, horizontal: 5.66, vertikal: 7.12





Serie 3:
 9.8 ↗ 9.9 ↓ 10.6 * 9.6 ↖ 9.6 ↖
 10.5 * 9.7 ↓ 10.2 ↘ 8.3 ↓ 10.0 ↖
 beste Teiler 304.8 (23.) 341.8 (26.) 575.8 (28.)
 Trefferlage 0.90 mm links, 2.67 mm tief
 Streuwert 7.30, horizontal: 5.62, vertikal: 8.66




Serie 4:
 9.3 ↘ 9.9 ↓ 10.7 * 10.8 * 9.6 ↖
 10.8 * 9.1 ↓ 9.5 ↗ 10.6 * 9.7 ↓
 beste Teiler 134.1 (36.) 143.5 (34.) 219.9 (33.)
 Trefferlage 1.70 mm rechts, 2.52 mm tief
 Streuwert 6.42, horizontal: 6.22, vertikal: 6.60

Unterschrift des Schützen


Ergebnis: **394.6** (374)
 Serien: 100.3 96.6 98.8 98.9
 Zähler: 18 18 4 0 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 2057 (39), 1868 (16), 1794 (10)
 beste Teiler 282.8 (38.) 294.9 (40.) 298.1 (6.)
 Trefferlage 0.89 mm rechts, 0.84 mm hoch
 Streuwert 6.85, horizontal: 6.12, vertikal: 7.52




Serie 1:
 9.6 ↗ 10.1 ↘ 9.8 ↗ 9.8 ↖ 10.5 *
 10.6 * 10.6 * 10.5 * 10.1 ↙ 8.7 ←
 beste Teiler 298.1 (6.) 313.3 (7.) 344.9 (5.)
 Trefferlage 0.64 mm links, 0.19 mm hoch
 Streuwert 6.40, horizontal: 7.71, vertikal: 4.75



Serie 2:
 9.2 ↗ 10.0 ↗ 9.7 ↘ 10.2 ↓ 9.8 ←
 8.6 ↑ 10.0 ↘ 9.8 → 9.5 ↗ 9.8 ↗
 beste Teiler 604.5 (14.) 751.3 (17.) 755.2 (12.)
 Trefferlage 3.54 mm rechts, 3.61 mm hoch
 Streuwert 7.12, horizontal: 5.57, vertikal: 8.39





Serie 3:
 9.5 ↘ 8.8 ↑ 9.9 ← 10.1 ← 9.8 ←
 10.4 ↗ 10.1 ↑ 10.1 ↗ 9.9 ↗ 10.2 ↘
 beste Teiler 477.3 (26.) 634.3 (30.) 662.1 (27.)
 Trefferlage 2.00 mm links, 4.70 mm hoch
 Streuwert 5.63, horizontal: 5.56, vertikal: 5.70



Serie 4:
 9.5 ↘ 9.8 ↘ 10.5 * 9.6 ↘ 9.8 ↗
 9.9 ↓ 10.2 ↓ 10.6 * 8.4 ↓ 10.6 *
 beste Teiler 282.8 (38.) 294.9 (40.) 386.8 (33.)
 Trefferlage 2.69 mm rechts, 5.15 mm tief
 Streuwert 5.96, horizontal: 4.16, vertikal: 7.33


Unterschrift des Schützen

Ergebnis:	376	(396.4)
Serien:	93 95 97 91	
Zähler:	20 16 4 0 0 0 0 0 0	
Innenzehner:	10	
weiteste:	1962 (38), 1846 (36), 1785 (11)	
beste Teiler	74.9 (18.) 107.0 (27.) 239.8 (34.)	
Trefferlage	0.15 mm rechts, 2.19 mm hoch	
Streuwert	6.61, horizontal: 6.52, vertikal: 6.70	




Serie 1:

9.6 ↘	8.9 ↘	9.0 ↘	10.4 *	9.8 ↗
10.5 *	10.1 ↙	9.9 ↙	10.1 ↑	9.9 ↑
beste Teiler	390.8 (6.) 457.7 (4.) 675.8 (7.)			
Trefferlage	3.29 mm links, 2.06 mm hoch			
Streuwert	6.81, horizontal: 6.15, vertikal: 7.40			




Serie 2:

8.7 →	10.4 *	10.6 *	9.8 ↗	10.1 ↗
9.4 ↘	9.9 ↑	10.9 *	10.1 ↘	10.5 *
beste Teiler	74.9 (18.) 243.2 (13.) 358.3 (20.)			
Trefferlage	3.46 mm rechts, 1.67 mm hoch			
Streuwert	5.86, horizontal: 6.00, vertikal: 5.72			



Serie 3:

10.2 ↗	9.8 ↙	9.8 ↓	10.3 ↘	10.6 *
9.7 →	10.8 *	10.0 ↗	10.1 ↗	10.5 *
beste Teiler	107.0 (27.) 306.1 (25.) 332.3 (30.)			
Trefferlage	1.83 mm rechts, 0.96 mm hoch			
Streuwert	4.76, horizontal: 4.67, vertikal: 4.85			





Serie 4:

10.1 →	9.8 ←	9.5 ←	10.7 *	9.6 ↙
8.6 ↑	10.0 ↘	8.5 ↘	9.5 →	9.7 ↑
beste Teiler	239.8 (34.) 655.2 (31.) 745.5 (37.)			
Trefferlage	1.38 mm links, 4.08 mm hoch			
Streuwert	8.22, horizontal: 7.57, vertikal: 8.81			


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **372** (392.2)
 Serien: 93 93 95 91
 Zähler: 15 22 3 0 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 2130 (34), 1998 (20), 1914 (7)
 beste Teiler 228.2 (29.) 232.4 (8.) 237.9 (16.)
 Trefferlage 0.34 mm links, 3.18 mm tief
 Streuwert 7.01, horizontal: 6.87, vertikal: 7.16




Serie 1:
 9.9 ↘ 10.3 → 9.1 ↙ 10.0 ↗ 10.4 *
 9.8 ↓ 8.6 ↖ 10.7 * 9.2 ↘ 9.5 ↓
 beste Teiler 232.4 (8.) 411.3 (5.) 486.8 (2.)
 Trefferlage 0.14 mm rechts, 5.11 mm tief
 Streuwert 7.16, horizontal: 8.36, vertikal: 5.71



Serie 2:
 10.6 * 9.9 ↖ 10.6 * 10.1 ↑ 9.7 ↙
 10.7 * 9.5 ↗ 9.6 ↗ 9.8 → 8.5 ↘
 beste Teiler 237.9 (16.) 246.6 (13.) 275.5 (11.)
 Trefferlage 2.71 mm rechts, 1.28 mm tief
 Streuwert 6.93, horizontal: 6.51, vertikal: 7.32



Serie 3:
 10.5 * 9.9 ← 10.4 * 10.1 ↗ 9.5 ↙
 10.1 → 9.9 ↓ 9.3 ↓ 10.7 * 9.9 ←
 beste Teiler 228.2 (29.) 358.6 (21.) 411.3 (23.)
 Trefferlage 1.32 mm links, 2.46 mm tief
 Streuwert 5.60, horizontal: 5.17, vertikal: 6.00





Serie 4:
 9.0 ↙ 9.8 ↖ 9.9 ↓ 8.3 ↙ 10.0 ↓
 9.8 ↙ 10.5 * 9.5 ↓ 9.5 ↖ 9.1 ↗
 beste Teiler 366.4 (37.) 773.9 (35.) 816.2 (33.)
 Trefferlage 2.91 mm links, 3.89 mm tief
 Streuwert 8.27, horizontal: 6.81, vertikal: 9.51


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **375** (395.6)
 Serien: 94 94 94 93
 Zähler: 18 19 3 0 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 2277 (36), 1769 (15), 1687 (32)
 beste Teiler 36.4 (18.) 208.2 (31.) 254.0 (9.)
 Trefferlage 1.26 mm links, 1.22 mm hoch
 Streuwert 6.89, horizontal: 5.97, vertikal: 7.70




Serie 1:
 9.9 ↙ 9.9 ↘ 9.0 ↓ 10.2 ↗ 9.8 ↘
 10.4 * 9.7 ↗ 9.3 ↑ 10.6 * 10.2 ↙
 beste Teiler 254.0 (9.) 423.6 (6.) 572.9 (4.)
 Trefferlage 0.30 mm rechts, 1.79 mm tief
 Streuwert 6.77, horizontal: 4.27, vertikal: 8.57



Serie 2:
 10.2 ← 9.8 ↑ 10.4 ↘ 10.1 ↓ 8.7 ↘
 9.8 ↙ 10.2 ↗ 10.9 * 9.2 ↘ 9.5 ↘
 beste Teiler 36.4 (18.) 477.8 (13.) 591.0 (11.)
 Trefferlage 4.88 mm links, 3.38 mm hoch
 Streuwert 5.80, horizontal: 5.78, vertikal: 5.83



Serie 3:
 10.6 * 9.1 ← 9.8 ↑ 10.6 * 9.7 ↙
 9.8 → 9.2 ↑ 10.5 * 10.5 * 9.7 ↘
 beste Teiler 277.0 (24.) 310.1 (21.) 337.0 (28.)
 Trefferlage 1.51 mm rechts, 0.59 mm hoch
 Streuwert 6.72, horizontal: 6.71, vertikal: 6.73





Serie 4:
 10.7 * 8.8 ← 10.0 ↘ 10.3 ↓ 10.6 *
 8.1 ↑ 9.8 ↑ 10.3 ↓ 9.8 ↙ 9.9 ↑
 beste Teiler 208.2 (31.) 288.2 (35.) 482.6 (34.)
 Trefferlage 1.99 mm links, 2.71 mm hoch
 Streuwert 7.66, horizontal: 5.58, vertikal: 9.29


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **375** (392.9)
 Serien: 94 94 94 93
 Zähler: 18 19 3 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 2220 (21), 2052 (36), 1910 (17)
 beste Teiler 65.1 (29.) 303.4 (16.) 304.4 (15.)
 Trefferlage 0.84 mm links, 1.08 mm tief
 Streuwert 7.31, horizontal: 7.34, vertikal: 7.27




Serie 1:
 10.0 ↗ 10.3 → 10.4 * 9.2 ↙ 9.8 ↖
 9.7 ↘ 9.6 ↑ 9.9 ↑ 9.9 → 10.4 *
 beste Teiler 428.3 (10.) 452.1 (3.) 502.0 (2.)
 Trefferlage 0.72 mm links, 3.40 mm hoch
 Streuwert 6.00, horizontal: 6.64, vertikal: 5.27



Serie 2:
 9.3 ↓ 9.9 → 9.5 → 10.5 * 10.6 *
 10.6 * 8.6 ↙ 9.4 ↙ 10.0 ← 10.4 *
 beste Teiler 303.4 (16.) 304.4 (15.) 335.1 (14.)
 Trefferlage 1.35 mm links, 3.04 mm tief
 Streuwert 7.03, horizontal: 7.97, vertikal: 5.95



Serie 3:
 8.2 ↘ 10.1 ↖ 9.2 ↗ 9.9 → 9.8 ↖
 10.2 ↑ 9.7 → 10.2 → 10.9 * 10.6 *
 beste Teiler 65.1 (29.) 311.0 (30.) 590.0 (28.)
 Trefferlage 2.25 mm rechts, 1.32 mm hoch
 Streuwert 7.48, horizontal: 7.31, vertikal: 7.64



Serie 4:
 9.3 ↓ 9.5 ← 9.2 ↙ 9.0 ↙ 10.1 ↗
 8.4 ↙ 10.5 * 10.1 ↙ 10.3 → 9.7 ↓
 beste Teiler 327.3 (37.) 502.3 (39.) 657.7 (35.)
 Trefferlage 3.55 mm links, 6.02 mm tief
 Streuwert 7.10, horizontal: 7.31, vertikal: 6.88

Unterschrift des Schützen