




Ergebnis:	<b>367</b>	(385.0)
Serien:	90 89 93 95	
Zähler:	16 18 4 1 1 0 0 0 0 0	
Innenzehner:	5	
weiteste:	3261 (6), 2839 (15), 1991 (18)	
beste Teiler	132.6 (29.) 233.6 (34.) 305.6 (9.)	
Trefferlage	0.18 mm rechts, 3.51 mm hoch	
Streuwert	8.59, horizontal: 9.52, vertikal: 7.55	



Serie 1:

8.6 ↓	10.5 *	10.3 ↓	9.6 ↑	10.2 →
6.9 ↗	9.9 ↘	8.8 ↑	10.6 *	10.1 ↑


beste Teiler 305.6 (9.) 396.8 (2.) 538.9 (3.)  
 Trefferlage 1.85 mm rechts, 3.46 mm hoch  
 Streuwert 10.26, horizontal: 9.50, vertikal: 10.97



Serie 2:

10.4 ↑	10.0 ↖	10.3 ↗	8.7 ↘	7.4 →
9.4 ↓	9.7 ↖	8.5 ↗	9.9 ↑	9.5 ↗


beste Teiler 480.4 (11.) 538.9 (13.) 784.4 (12.)  
 Trefferlage 2.93 mm rechts, 4.29 mm hoch  
 Streuwert 10.13, horizontal: 12.77, vertikal: 6.50



Serie 3:

10.0 ↑	9.7 ↘	9.5 ↑	9.6 ↑	10.1 →
9.8 ←	9.1 ↖	9.6 ↑	10.8 *	9.0 ↙

beste Teiler 132.6 (29.) 719.7 (25.) 732.4 (21.)  
 Trefferlage 2.18 mm links, 3.98 mm hoch  
 Streuwert 7.04, horizontal: 6.34, vertikal: 7.68



Serie 4:



9.1 ←	9.6 ↗	10.1 ↑	10.7 *	10.1 ↖
9.3 ←	9.4 ↘	9.3 ↗	10.3 ↘	10.6 *

beste Teiler 233.6 (34.) 319.0 (40.) 555.9 (39.)  
 Trefferlage 1.85 mm links, 2.29 mm hoch  
 Streuwert 7.07, horizontal: 8.77, vertikal: 4.80


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **359** (377.5)  
 Serien: 87 95 83 94  
 Zähler: 13 16 8 3 0 0 0 0 0 0  
 Innenzehner: 8  
 weiteste: 3011 (30), 2580 (10), 2519 (23)  
 beste Teiler 241.9 (40.) 283.8 (39.) 317.5 (36.)  
 Trefferlage 3.95 mm links, 0.89 mm tief  
 Streuwert 9.58, horizontal: 8.23, vertikal: 10.76




Serie 1:  
 10.3 ↙ 8.6 ↖ 9.6 ↙ 9.9 ↘ 8.0 ↗  
 8.4 ↖ 9.4 ↓ 9.4 ↓ 10.5 \* 7.7 ↓  
 beste Teiler 371.5 (9.) 528.9 (1.) 874.3 (4.)  
 Trefferlage 6.71 mm links, 3.58 mm tief  
 Streuwert 10.41, horizontal: 8.27, vertikal: 12.18



Serie 2:  
 9.4 ↓ 9.9 ↑ 9.3 ↑ 10.0 ↓ 10.4 \*  
 10.4 \* 10.2 ↘ 9.1 ↘ 9.4 ↑ 10.4 \*  
 beste Teiler 439.5 (20.) 448.0 (16.) 472.8 (15.)  
 Trefferlage 2.73 mm links, 3.51 mm hoch  
 Streuwert 6.47, horizontal: 2.99, vertikal: 8.64





Serie 3:  
 8.0 ↖ 8.9 ↗ 7.8 ↓ 9.5 ↓ 9.9 ↗  
 10.2 ↘ 8.9 ↓ 8.9 ↖ 9.4 ↖ 7.2 ↓  
 beste Teiler 590.4 (26.) 872.9 (25.) 1150.8 (24.)  
 Trefferlage 5.41 mm links, 6.02 mm tief  
 Streuwert 12.08, horizontal: 10.12, vertikal: 13.77




Serie 4:  
 10.4 \* 9.7 ↘ 10.0 ← 8.5 → 9.4 ↖  
 10.6 \* 9.1 ↖ 9.6 ↗ 10.6 \* 10.6 \*  
 beste Teiler 241.9 (40.) 283.8 (39.) 317.5 (36.)  
 Trefferlage 0.95 mm links, 2.50 mm hoch  
 Streuwert 7.39, horizontal: 9.57, vertikal: 4.21

Unterschrift des Schützen


Ergebnis: **355** (373.5)  
 Serien: 88 89 88 90  
 Zähler: 6 25 7 2 0 0 0 0 0 0  
 Innenzehner: 3  
 weiteste: 2833 (18), 2666 (24), 2354 (11)  
 beste Teiler 108.7 (31.) 325.3 (16.) 464.1 (19.)  
 Trefferlage 6.72 mm links, 1.60 mm tief  
 Streuwert 9.08, horizontal: 9.19, vertikal: 8.96




Serie 1:  
 9.7 ↗                      9.8 ↘                      9.9 ←                      9.9 ↖                      9.8 ←  
 9.7 ←                      9.3 →                      9.1 ↖                      8.1 ←                      8.1 ↓  
 beste Teiler 802.9 (3.) 862.0 (4.) 893.0 (5.)  
 Trefferlage 4.86 mm links, 0.17 mm tief  
 Streuwert 9.74, horizontal: 10.27, vertikal: 9.18



Serie 2:  
 8.0 ←                      9.8 ↘                      8.1 ↖                      9.9 ←                      9.0 ↘  
 10.5 \*                      9.5 ↘                      7.4 ←                      10.4 \*                      10.0 ↗  
 beste Teiler 325.3 (16.) 464.1 (19.) 799.5 (20.)  
 Trefferlage 6.99 mm links, 2.68 mm tief  
 Streuwert 10.40, horizontal: 10.81, vertikal: 9.97



Serie 3:  
 9.4 ↘                      9.7 ↓                      9.7 ↘                      7.6 ↘                      10.2 ←  
 9.6 ↖                      9.0 ↖                      9.0 ↗                      8.4 ↘                      9.8 ←  
 beste Teiler 576.5 (25.) 893.0 (30.) 979.2 (23.)  
 Trefferlage 7.05 mm links, 1.38 mm tief  
 Streuwert 9.62, horizontal: 8.83, vertikal: 10.35





Serie 4:  
 10.8 \*                      9.8 ↖                      9.4 ↘                      8.4 ←                      9.9 ↓  
 9.9 ↘                      8.2 ↘                      9.0 ←                      10.1 ↑                      9.6 ←  
 beste Teiler 108.7 (31.) 672.0 (39.) 835.3 (36.)  
 Trefferlage 7.99 mm links, 2.18 mm tief  
 Streuwert 7.52, horizontal: 7.74, vertikal: 7.30


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **387.4** (371)  
 Serien: 95.1 99.6 95.6 97.1  
 Zähler: 14 24 1 1 0 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 2798 (4), 1799 (26), 1564 (35)  
 beste Teiler 125.1 (39.) 368.2 (15.) 369.4 (37.)  
 Trefferlage 0.48 mm links, 0.68 mm hoch  
 Streuwert 8.01, horizontal: 8.19, vertikal: 7.83




Serie 1:  
 9.3 ↓                      10.0 ↙                      9.9 →                      7.5 ←                      9.1 ↗  
 10.0 ↑                      9.0 ↑                      10.0 ↑                      9.9 ↙                      10.4 \*  
 beste Teiler 442.0 (10.) 737.0 (8.) 737.3 (2.)  
 Trefferlage 1.71 mm links, 1.24 mm hoch  
 Streuwert 9.72, horizontal: 10.20, vertikal: 9.21



Serie 2:  
 9.8 ↑                      9.9 ↑                      10.1 ↓                      9.8 ↘                      10.5 \*  
 10.5 \*                      9.8 ←                      10.2 ↘                      9.5 ↘                      9.5 ↓  
 beste Teiler 368.2 (15.) 389.1 (16.) 626.5 (18.)  
 Trefferlage 1.67 mm links, 1.28 mm hoch  
 Streuwert 6.13, horizontal: 4.51, vertikal: 7.40



Serie 3:  
 9.2 ↘                      9.8 ←                      9.6 ↖                      10.1 →                      9.9 ↙  
 8.7 ↘                      9.4 ↙                      9.4 →                      10.0 ↑                      9.5 ↘  
 beste Teiler 711.2 (24.) 757.8 (29.) 837.9 (25.)  
 Trefferlage 0.43 mm rechts, 1.61 mm tief  
 Streuwert 8.58, horizontal: 9.88, vertikal: 7.04





Serie 4:  
 9.2 ↓                      9.3 →                      9.6 ↘                      9.1 ↗                      9.0 ↖  
 10.2 ↘                      10.5 \*                      10.2 ←                      10.8 \*                      9.2 ↘  
 beste Teiler 125.1 (39.) 369.4 (37.) 581.6 (36.)  
 Trefferlage 1.01 mm rechts, 1.82 mm hoch  
 Streuwert 8.09, horizontal: 7.90, vertikal: 8.27


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **367** (384.4)  
 Serien: 88 93 93 93  
 Zähler: 17 15 7 0 1 0 0 0 0 0  
 Innenzehner: 8  
 weiteste: 3426 (8), 2307 (26), 2228 (19)  
 beste Teiler 60.7 (2.) 126.6 (14.) 321.0 (29.)  
 Trefferlage 1.15 mm links, 3.40 mm hoch  
 Streuwert 8.76, horizontal: 9.08, vertikal: 8.43




Serie 1:  
 10.3 ↘                      10.9 \*                      8.6 ↙                      8.8 ↘                      9.3 →  
 9.7 ↘                      9.3 ←                      6.7 ↖                      9.5 ↖                      10.3 ↘  
 beste Teiler 60.7 (2.) 488.6 (1.) 492.6 (10.)  
 Trefferlage 4.50 mm links, 0.79 mm tief  
 Streuwert 11.17, horizontal: 12.69, vertikal: 9.42



Serie 2:  
 9.4 ↗                      8.7 ↗                      10.5 \*                      10.8 \*                      10.3 ↗  
 10.5 \*                      9.2 ↑                      10.2 ↗                      8.2 ↘                      9.8 ↗  
 beste Teiler 126.6 (14.) 334.0 (13.) 351.5 (16.)  
 Trefferlage 1.88 mm rechts, 7.75 mm hoch  
 Streuwert 6.31, horizontal: 5.07, vertikal: 7.34



Serie 3:  
 8.4 ↑                      10.0 ↙                      10.5 \*                      9.3 ↗                      10.0 ↓  
 8.1 ↗                      9.8 ←                      10.2 ↑                      10.5 \*                      9.1 ↑  
 beste Teiler 321.0 (29.) 380.6 (23.) 586.3 (28.)  
 Trefferlage 1.72 mm rechts, 5.27 mm hoch  
 Streuwert 8.44, horizontal: 7.02, vertikal: 9.65





Serie 4:  
 10.1 →                      9.0 ↗                      10.3 ↗                      9.3 ←                      8.8 ↖  
 9.7 ↙                      10.5 \*                      9.5 ←                      9.9 ←                      10.4 \*  
 beste Teiler 377.0 (37.) 467.0 (40.) 539.1 (33.)  
 Trefferlage 3.70 mm links, 1.38 mm hoch  
 Streuwert 7.27, horizontal: 9.07, vertikal: 4.83


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **366** (385.5)  
 Serien: 90 91 92 93  
 Zähler: 16 15 8 1 0 0 0 0 0 0  
 Innenzehner: 9  
 weiteste: 2404 (6), 2396 (20), 1974 (35)  
 beste Teiler 97.3 (26.) 142.6 (40.) 154.2 (8.)  
 Trefferlage 0.97 mm links, 2.95 mm tief  
 Streuwert 8.41, horizontal: 8.04, vertikal: 8.76




Serie 1:  
 8.9 ↙ 9.9 ↗ 9.0 ↘ 10.4 \* 9.5 ↘  
 7.9 ↙ 9.2 ↘ 10.8 \* 10.4 \* 9.5 ↗  
 beste Teiler 154.2 (8.) 470.6 (9.) 470.7 (4.)  
 Trefferlage 1.64 mm links, 4.64 mm tief  
 Streuwert 8.93, horizontal: 8.83, vertikal: 9.03



Serie 2:  
 10.7 \* 9.8 ↗ 8.8 ↘ 9.1 ↘ 10.3 ↗  
 9.3 ↙ 9.0 ↘ 10.2 ↖ 9.6 ↘ 8.0 ↗  
 beste Teiler 205.4 (11.) 492.8 (15.) 574.8 (18.)  
 Trefferlage 0.24 mm rechts, 0.78 mm tief  
 Streuwert 9.94, horizontal: 9.03, vertikal: 10.77



Serie 3:  
 10.2 → 8.9 ← 9.2 ↙ 10.0 ↘ 8.8 →  
 10.8 \* 8.9 ↘ 9.1 ↘ 10.3 ↖ 10.0 ↘  
 beste Teiler 97.3 (26.) 497.3 (29.) 562.0 (21.)  
 Trefferlage 0.35 mm rechts, 3.62 mm tief  
 Streuwert 8.43, horizontal: 9.88, vertikal: 6.66





Serie 4:  
 8.9 ↘ 10.0 ← 9.5 ↘ 9.8 ↗ 8.5 ↓  
 10.5 \* 10.5 \* 10.6 \* 9.9 ↓ 10.8 \*  
 beste Teiler 142.6 (40.) 295.2 (38.) 332.0 (36.)  
 Trefferlage 2.86 mm links, 2.78 mm tief  
 Streuwert 6.97, horizontal: 3.88, vertikal: 9.06


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **367** (385.8)  
 Serien: 93 89 93 92  
 Zähler: 15 20 3 1 1 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 3724 (34), 2440 (20), 2112 (27)  
 beste Teiler 93.6 (3.) 229.0 (6.) 327.9 (15.)  
 Trefferlage 1.57 mm rechts, 0.13 mm hoch  
 Streuwert 8.73, horizontal: 8.32, vertikal: 9.13




Serie 1:  
 9.4 ↘ 10.5 \* 10.8 \* 10.2 ↙ 9.5 →  
 10.7 \* 9.0 ↙ 8.8 ↘ 9.5 ↘ 9.6 ↘  
 beste Teiler 93.6 (3.) 229.0 (6.) 375.3 (2.)  
 Trefferlage 0.37 mm links, 2.76 mm tief  
 Streuwert 7.59, horizontal: 8.30, vertikal: 6.80



Serie 2:  
 9.3 ↗ 9.7 ↙ 10.1 ↗ 9.2 ↘ 10.5 \*  
 8.6 ↗ 9.7 → 9.9 → 9.8 ↗ 7.9 ↑  
 beste Teiler 327.9 (15.) 674.0 (13.) 807.1 (18.)  
 Trefferlage 3.45 mm rechts, 4.92 mm hoch  
 Streuwert 8.69, horizontal: 5.46, vertikal: 11.01





Serie 3:  
 10.1 ↘ 9.1 ↗ 10.1 ↗ 9.6 ↑ 9.8 ↓  
 9.8 → 8.3 → 10.2 ↗ 9.7 ↗ 10.1 ↘  
 beste Teiler 565.3 (28.) 641.6 (23.) 656.9 (21.)  
 Trefferlage 5.27 mm rechts, 3.29 mm hoch  
 Streuwert 6.84, horizontal: 6.88, vertikal: 6.80




Serie 4:  
 10.0 ↑ 9.9 ↙ 10.1 → 6.3 ↙ 9.9 ↘  
 9.2 ↘ 10.5 \* 10.3 ← 10.2 ↓ 9.9 ↘  
 beste Teiler 376.3 (37.) 505.3 (38.) 628.2 (39.)  
 Trefferlage 2.05 mm links, 4.93 mm tief  
 Streuwert 9.72, horizontal: 10.76, vertikal: 8.55

Unterschrift des Schützen


Ergebnis: **370** (385.5)  
 Serien: 94 93 91 92  
 Zähler: 17 17 5 1 0 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 2891 (25), 2264 (18), 2177 (23)  
 beste Teiler 196.5 (33.) 236.5 (9.) 262.0 (10.)  
 Trefferlage 2.16 mm links, 0.63 mm hoch  
 Streuwert 8.41, horizontal: 8.30, vertikal: 8.53




Serie 1:  
 10.1 ↖ 9.3 ↖ 10.0 ↓ 9.2 ↗ 9.8 ↑  
 10.0 ↖ 8.9 ↘ 9.5 ↑ 10.7 \* 10.6 \*  
 beste Teiler 236.5 (9.) 262.0 (10.) 676.1 (1.)  
 Trefferlage 0.04 mm links, 2.44 mm hoch  
 Streuwert 7.37, horizontal: 6.66, vertikal: 8.03



Serie 2:  
 10.0 ↖ 9.6 ← 10.1 ← 9.2 ↖ 10.5 \*  
 9.6 ↓ 9.6 ↓ 8.1 ↗ 9.7 → 10.4 \*  
 beste Teiler 368.7 (15.) 441.8 (20.) 659.9 (13.)  
 Trefferlage 4.14 mm links, 2.99 mm tief  
 Streuwert 7.58, horizontal: 6.92, vertikal: 8.18



Serie 3:  
 8.4 ↖ 10.0 ↗ 8.2 ↘ 10.1 ← 7.3 ↗  
 10.1 ↖ 10.0 ↖ 9.2 ↑ 10.0 ↓ 9.1 ←  
 beste Teiler 645.7 (24.) 674.6 (26.) 744.5 (27.)  
 Trefferlage 0.39 mm rechts, 4.50 mm hoch  
 Streuwert 11.03, horizontal: 11.77, vertikal: 10.23



Serie 4:  
 9.8 ← 10.3 ↗ 10.7 \* 9.9 ↗ 10.1 ↑  
 9.9 ↓ 8.6 ← 9.9 ↑ 9.7 ↖ 9.3 ↖  
 beste Teiler 196.5 (33.) 559.4 (32.) 708.4 (35.)  
 Trefferlage 4.85 mm links, 1.42 mm tief  
 Streuwert 6.42, horizontal: 6.56, vertikal: 6.27

Unterschrift des Schützen

Meyton Elektronik