





Ergebnis: **374** (393.3)
 Serien: 93 93 97 91
 Zähler: 20 15 4 1 0 0 0 0 0 0
 Innenzehner: 16
 weiteste: 814 (40), 658 (33), 632 (18)
 beste Teiler 15.0 (32.) 36.3 (20.) 55.5 (9.)
 Trefferlage 0.18 mm rechts, 0.50 mm tief
 Streuwert 2.36, horizontal: 3.06, vertikal: 1.33




Serie 1:
 9.4 → 9.0 ↖ 10.0 ↓ 8.9 ↘ 9.7 ←
 9.7 ↓ 10.0 → 9.4 → 10.7 * 10.0 ←
 beste Teiler 55.5 (9.) 226.1 (7.) 228.2 (10.)
 Trefferlage 0.47 mm rechts, 0.66 mm tief
 Streuwert 2.47, horizontal: 3.12, vertikal: 1.57



Serie 2:
 10.6 * 9.3 ↘ 10.6 * 10.4 * 9.5 ←
 8.6 ← 9.9 ← 8.4 → 10.3 * 10.8 *
 beste Teiler 36.3 (20.) 78.4 (11.) 100.2 (13.)
 Trefferlage 0.06 mm links, 0.44 mm tief
 Streuwert 2.53, horizontal: 3.41, vertikal: 1.10



Serie 3:
 10.2 * 9.9 → 10.6 * 10.7 * 9.5 ←
 10.4 * 10.2 * 10.4 * 10.0 ↗ 9.8 ↖
 beste Teiler 56.8 (24.) 95.8 (23.) 140.4 (26.)
 Trefferlage 0.10 mm links, 0.02 mm tief
 Streuwert 1.63, horizontal: 1.93, vertikal: 1.26



Serie 4:
 9.9 ↘ 10.9 * 8.3 ← 9.7 ← 9.3 →
 10.6 * 9.5 ↗ 10.2 * 10.3 * 7.7 →
 beste Teiler 15.0 (32.) 86.3 (36.) 174.5 (39.)
 Trefferlage 0.43 mm rechts, 0.89 mm tief
 Streuwert 2.92, horizontal: 3.88, vertikal: 1.41

Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **377** (394.7)

Serien: 93 97 97 90

Zähler: 19 20 0 1 0 0 0 0 0 0



Innenzehner: 14

weiteste: 923 (31), 469 (29), 464 (35)

beste Teiler 88.4 (15.) 92.0 (17.) 123.7 (38.)

Trefferlage 0.51 mm rechts, 0.70 mm tief

Streuwert 2.14, horizontal: 2.50, vertikal: 1.71




Serie 1:

9.9 ↓	10.3 *	10.2 *	10.2 *	9.3 →
9.9 ↖	9.9 ↗	9.7 ↘	9.4 ↗	9.9 ↓

beste Teiler 169.9 (2.) 187.1 (4.) 192.7 (3.)

Trefferlage 0.80 mm rechts, 0.16 mm tief

Streuwert 2.00, horizontal: 2.06, vertikal: 1.93




Serie 2:

9.8 ↖	10.3 *	9.7 ↖	10.4 *	10.6 *
9.1 ↘	10.6 *	10.1 ↘	10.0 ↘	10.1 ↖

beste Teiler 88.4 (15.) 92.0 (17.) 127.1 (14.)

Trefferlage 0.14 mm links, 0.88 mm tief

Streuwert 1.74, horizontal: 2.07, vertikal: 1.31




Serie 3:

10.0 ↖	10.4 *	9.6 ↖	10.3 *	10.3 *
10.5 *	10.0 ↖	10.4 *	9.1 ↘	9.9 ↗

beste Teiler 125.5 (26.) 129.5 (28.) 148.7 (22.)

Trefferlage 0.31 mm links, 0.32 mm tief

Streuwert 1.85, horizontal: 1.88, vertikal: 1.82



Serie 4:

7.3 →	9.5 ↖	9.6 ↘	9.9 ↘	9.1 ↘
9.3 ↘	9.4 ↖	10.5 *	9.8 ↗	10.4 *

beste Teiler 123.7 (38.) 140.0 (40.) 263.2 (34.)



Trefferlage 1.71 mm rechts, 1.44 mm tief

Streuwert 2.73, horizontal: 3.48, vertikal: 1.66

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	362	(377.7)
Serien:	84	91 91 96
Zähler:	15	14 9 2 0 0 0 0 0 0
Innenzehner:	11	
weiteste:	992	(5), 934 (2), 728 (6)
beste Teiler	98.0	(12.) 118.7 (25.) 119.2 (18.)
Trefferlage	0.56 mm	rechts, 0.55 mm tief
Streuwert	3.13,	horizontal: 3.88, vertikal: 2.15




Serie 1:

10.4 *	7.2 →	10.4 *	10.1 →	7.0 ←
8.0 →	8.3 ↓	8.3 ↗	8.7 →	8.7 ←
beste Teiler	137.0 (3.)	142.1 (1.)	202.3 (4.)	
Trefferlage	1.60 mm rechts, 0.44 mm tief			
Streuwert	4.55, horizontal: 5.76, vertikal: 2.88			




Serie 2:

9.4 ↙	10.6 *	9.6 ↘	9.8 ↓	8.2 →
9.1 ←	8.7 ↙	10.5 *	9.0 →	10.1 ↓
beste Teiler	98.0 (12.)	119.2 (18.)	219.1 (20.)	
Trefferlage	0.69 mm rechts, 1.62 mm tief			
Streuwert	2.75, horizontal: 3.54, vertikal: 1.61			



Serie 3:

9.7 ↑	9.1 ←	9.9 ↑	9.9 ↖	10.5 *
10.3 *	9.2 ↗	10.3 *	8.4 →	8.3 ←
beste Teiler	118.7 (25.)	169.8 (26.)	169.8 (28.)	
Trefferlage	0.05 mm rechts, 0.39 mm hoch			
Streuwert	2.96, horizontal: 3.61, vertikal: 2.12			





Serie 4:

9.3 ↘	10.3 *	10.1 ←	9.9 ↘	9.6 ←
9.8 ↓	10.3 *	10.1 →	10.2 *	10.4 *
beste Teiler	133.8 (40.)	159.2 (37.)	170.0 (32.)	
Trefferlage	0.09 mm links, 0.56 mm tief			
Streuwert	1.84, horizontal: 2.11, vertikal: 1.52			


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **388.6** (370)
 Serien: 94.3 96.9 98.8 98.6
 Zähler: 14 23 2 1 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 810 (1), 665 (18), 538 (4)
 beste Teiler 66.1 (34.) 85.5 (27.) 114.0 (40.)
 Trefferlage 0.59 mm links, 0.64 mm tief
 Streuwert 2.38, horizontal: 2.82, vertikal: 1.82




Serie 1:
 7.7 ↙ 10.1 ↘ 9.4 ↓ 8.8 ↙ 9.1 ↖
 9.3 ↘ 9.2 ↙ 10.2 * 10.1 ↓ 10.4 *
 beste Teiler 149.4 (10.) 198.3 (8.) 219.1 (9.)
 Trefferlage 1.82 mm links, 1.41 mm tief
 Streuwert 2.69, horizontal: 3.35, vertikal: 1.79



Serie 2:
 9.7 ↘ 10.1 → 9.6 ↖ 10.2 * 9.9 ↘
 10.1 ↓ 9.9 ← 8.3 ↓ 9.7 ↙ 9.4 →
 beste Teiler 199.2 (14.) 213.2 (12.) 216.4 (16.)
 Trefferlage 0.04 mm rechts, 1.32 mm tief
 Streuwert 2.35, horizontal: 2.64, vertikal: 2.02



Serie 3:
 9.5 ↘ 10.2 * 9.5 ← 9.9 ↖ 10.4 *
 9.6 ↖ 10.6 * 9.4 ↘ 10.1 → 9.6 ←
 beste Teiler 85.5 (27.) 139.7 (25.) 190.8 (22.)
 Trefferlage 0.31 mm links, 0.27 mm hoch
 Streuwert 2.13, horizontal: 2.54, vertikal: 1.61





Serie 4:
 9.5 ↗ 9.4 ↙ 9.7 ↖ 10.7 * 9.9 ↖
 10.5 * 9.2 ↘ 9.6 ↙ 9.6 → 10.5 *
 beste Teiler 66.1 (34.) 114.0 (40.) 124.1 (36.)
 Trefferlage 0.29 mm links, 0.11 mm tief
 Streuwert 2.20, horizontal: 2.75, vertikal: 1.45


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **371** (388.8)
 Serien: 89 95 93 94
 Zähler: 16 19 5 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 627 (8), 569 (26), 549 (27)
 beste Teiler 13.6 (32.) 76.4 (11.) 118.1 (3.)
 Trefferlage 0.35 mm rechts, 1.36 mm tief
 Streuwert 2.23, horizontal: 2.79, vertikal: 1.47




Serie 1:
 9.4 ↘ 9.0 ↘ 10.5 * 9.5 ← 8.9 ↓
 9.7 ↘ 9.7 ↘ 8.4 → 8.8 ← 10.3 *
 beste Teiler 118.1 (3.) 170.0 (10.) 304.7 (6.)
 Trefferlage 0.18 mm rechts, 1.52 mm tief
 Streuwert 2.86, horizontal: 3.54, vertikal: 1.97



Serie 2:
 10.6 * 9.3 ↙ 9.1 → 10.3 * 10.3 *
 9.8 → 9.2 → 9.7 ↓ 10.1 ↓ 10.2 *
 beste Teiler 76.4 (11.) 155.5 (15.) 163.0 (14.)
 Trefferlage 1.15 mm rechts, 1.28 mm tief
 Streuwert 1.83, horizontal: 2.21, vertikal: 1.35





Serie 3:
 10.4 * 9.7 ← 9.8 ↘ 9.2 ↘ 10.1 ↓
 8.7 ↙ 8.8 ← 10.0 ↘ 10.2 * 10.3 *
 beste Teiler 128.1 (21.) 169.0 (30.) 188.4 (29.)
 Trefferlage 0.61 mm links, 1.54 mm tief
 Streuwert 2.26, horizontal: 2.89, vertikal: 1.37




Serie 4:
 9.0 → 10.9 * 9.8 ↘ 9.9 ↘ 10.0 →
 9.8 ↘ 9.8 ↘ 10.1 ↙ 9.3 ← 10.2 *
 beste Teiler 13.6 (32.) 179.2 (40.) 202.2 (38.)
 Trefferlage 0.70 mm rechts, 1.12 mm tief
 Streuwert 1.97, horizontal: 2.48, vertikal: 1.27

Unterschrift des Schützen


Ergebnis: **367** (383.2)
 Serien: 91 94 91 91
 Zähler: 13 21 6 0 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 731 (29), 725 (22), 648 (31)
 beste Teiler 41.2 (25.) 43.0 (8.) 135.7 (16.)
 Trefferlage 1.30 mm rechts, 0.86 mm tief
 Streuwert 2.52, horizontal: 2.92, vertikal: 2.03




Serie 1:
 8.7 → 9.6 ↘ 9.5 ↓ 9.8 ← 9.1 →
 10.4 * 10.3 * 10.8 * 8.6 ↘ 9.5 ↘
 beste Teiler 43.0 (8.) 146.0 (6.) 155.3 (7.)
 Trefferlage 1.55 mm rechts, 1.28 mm tief
 Streuwert 2.37, horizontal: 2.68, vertikal: 2.01



Serie 2:
 9.1 ↗ 9.2 ↘ 10.1 ↖ 9.4 ↘ 9.5 ←
 10.4 * 8.6 ↘ 10.1 ↓ 10.3 * 10.2 *
 beste Teiler 135.7 (16.) 158.4 (19.) 198.0 (20.)
 Trefferlage 1.09 mm rechts, 0.62 mm tief
 Streuwert 2.43, horizontal: 2.42, vertikal: 2.44



Serie 3:
 9.8 ↗ 8.1 → 9.0 ↙ 9.2 ↘ 10.8 *
 9.6 ↓ 10.3 * 9.7 ↘ 8.0 → 10.0 ↖
 beste Teiler 41.2 (25.) 154.5 (27.) 234.3 (30.)
 Trefferlage 1.54 mm rechts, 1.46 mm tief
 Streuwert 2.81, horizontal: 3.42, vertikal: 2.02





Serie 4:
 8.4 → 9.7 → 9.6 ← 10.1 ↖ 10.3 *
 9.6 ↙ 9.7 ← 9.3 → 9.3 → 9.5 ↘
 beste Teiler 163.0 (35.) 213.4 (34.) 318.9 (37.)
 Trefferlage 1.04 mm rechts, 0.09 mm tief
 Streuwert 2.70, horizontal: 3.47, vertikal: 1.57


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **374** (392.1)
 Serien: 94 94 92 94
 Zähler: 17 20 3 0 0 0 0 0 0 0
 Innenzehner: 13
 weiteste: 597 (10), 597 (39), 568 (21)
 beste Teiler 65.1 (3.) 94.8 (24.) 102.0 (15.)
 Trefferlage 0.20 mm links, 0.45 mm tief
 Streuwert 2.27, horizontal: 2.83, vertikal: 1.52




Serie 1:
 9.7 → 10.3 * 10.7 * 9.8 ↘ 10.0 ←
 10.4 * 9.9 ↙ 9.9 ↓ 10.3 * 8.6 →
 beste Teiler 65.1 (3.) 130.8 (6.) 163.1 (9.)
 Trefferlage 0.59 mm rechts, 0.30 mm tief
 Streuwert 2.07, horizontal: 2.62, vertikal: 1.31



Serie 2:
 9.7 ↘ 10.1 ↗ 10.2 * 9.3 ← 10.5 *
 9.6 ↙ 10.2 * 9.5 ← 9.1 ↗ 9.1 ↘
 beste Teiler 102.0 (15.) 191.2 (17.) 195.3 (13.)
 Trefferlage 1.18 mm links, 0.76 mm tief
 Streuwert 2.24, horizontal: 2.61, vertikal: 1.80



Serie 3:
 8.7 ← 9.1 → 9.3 ↗ 10.6 * 10.3 *
 9.7 ← 9.6 ↘ 9.9 → 9.7 ↓ 10.0 ←
 beste Teiler 94.8 (24.) 165.1 (25.) 229.0 (30.)
 Trefferlage 0.11 mm links, 0.50 mm tief
 Streuwert 2.54, horizontal: 3.10, vertikal: 1.80





Serie 4:
 10.5 * 9.7 ← 10.2 * 9.2 ← 10.5 *
 10.0 ↓ 9.6 ↙ 10.4 * 8.6 → 9.6 →
 beste Teiler 111.0 (31.) 121.9 (35.) 130.0 (38.)
 Trefferlage 0.11 mm links, 0.27 mm tief
 Streuwert 2.37, horizontal: 3.10, vertikal: 1.26


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **378** (392.7)
 Serien: 94 98 93 93
 Zähler: 21 16 3 0 0 0 0 0 0 0
 Innenzehner: 15
 weiteste: 663 (24), 559 (1), 535 (39)
 beste Teiler 53.3 (27.) 71.3 (10.) 82.7 (15.)
 Trefferlage 0.76 mm rechts, 0.42 mm tief
 Streuwert 2.21, horizontal: 2.60, vertikal: 1.74




Serie 1:
 8.7 → 9.4 ↘ 10.2 * 9.5 ↙ 10.1 →
 10.4 * 10.1 ↘ 9.3 ↘ 9.3 ↑ 10.7 *
 beste Teiler 71.3 (10.) 145.3 (6.) 188.1 (3.)
 Trefferlage 1.15 mm rechts, 0.09 mm hoch
 Streuwert 2.32, horizontal: 2.58, vertikal: 2.03



Serie 2:
 10.0 ↘ 9.8 ← 10.0 ← 10.2 * 10.6 *
 10.4 * 10.1 ↘ 9.8 → 10.6 * 10.2 *
 beste Teiler 82.7 (15.) 84.2 (19.) 147.0 (16.)
 Trefferlage 0.00 mm , 0.17 mm tief
 Streuwert 1.55, horizontal: 1.85, vertikal: 1.18



Serie 3:
 10.4 * 9.1 → 9.9 ↙ 8.3 → 9.0 ↙
 9.1 ↘ 10.7 * 10.3 * 10.2 * 9.7 ↙
 beste Teiler 53.3 (27.) 132.2 (21.) 157.4 (28.)
 Trefferlage 1.09 mm rechts, 1.13 mm tief
 Streuwert 2.50, horizontal: 2.99, vertikal: 1.88



Serie 4:
 10.2 * 9.4 ↘ 9.8 → 10.1 ↓ 9.5 ↘
 10.2 * 9.2 → 9.0 ← 8.8 → 10.4 *
 beste Teiler 127.0 (40.) 178.2 (36.) 197.5 (31.)
 Trefferlage 0.81 mm rechts, 0.49 mm tief
 Streuwert 2.49, horizontal: 3.06, vertikal: 1.75

Unterschrift des Schützen

Meyton Elektronik