





Ergebnis: **378** (394.0)
 Serien: 95 96 94 93
 Zähler: 21 16 3 0 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 1824 (25), 1718 (31), 1685 (4)
 beste Teiler 147.2 (23.) 303.9 (16.) 304.1 (9.)
 Trefferlage 1.26 mm rechts, 0.78 mm tief
 Streuwert 6.85, horizontal: 7.08, vertikal: 6.62




Serie 1:
 10.3 ↙ 9.3 ↘ 10.2 ↗ 8.8 ↘ 10.1 ↘
 10.2 ↘ 10.2 ↗ 9.7 ↘ 10.6 * 9.7 ↙
 beste Teiler 304.1 (9.) 518.9 (1.) 591.3 (3.)
 Trefferlage 0.96 mm links, 4.54 mm tief
 Streuwert 6.03, horizontal: 6.36, vertikal: 5.67



Serie 2:
 9.3 ↓ 9.8 ↘ 9.2 → 9.5 → 10.2 →
 10.6 * 10.4 * 10.4 * 10.2 ↑ 10.4 *
 beste Teiler 303.9 (16.) 407.9 (18.) 415.0 (20.)
 Trefferlage 3.27 mm rechts, 1.65 mm tief
 Streuwert 5.79, horizontal: 5.96, vertikal: 5.62



Serie 3:
 9.4 ← 10.2 ↘ 10.8 * 10.1 → 8.7 →
 9.2 ↗ 10.1 ↓ 10.0 → 9.9 ↘ 9.9 →
 beste Teiler 147.2 (23.) 586.5 (22.) 664.1 (24.)
 Trefferlage 3.70 mm rechts, 1.77 mm hoch
 Streuwert 6.79, horizontal: 8.29, vertikal: 4.84





Serie 4:
 8.8 ↑ 10.0 ↘ 10.0 → 9.4 ↘ 10.0 →
 9.6 ↑ 9.8 ↘ 10.1 ← 9.2 ↙ 9.7 ↘
 beste Teiler 672.6 (38.) 752.8 (35.) 761.1 (32.)
 Trefferlage 0.95 mm links, 1.29 mm hoch
 Streuwert 7.88, horizontal: 7.09, vertikal: 8.60


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **378** (394.8)
 Serien: 95 94 95 94
 Zähler: 22 14 4 0 0 0 0 0 0 0
 Innenzehner: 13
 weiteste: 2133 (32), 1987 (39), 1646 (11)
 beste Teiler 158.7 (27.) 178.8 (2.) 273.7 (37.)
 Trefferlage 1.78 mm links, 1.83 mm tief
 Streuwert 7.01, horizontal: 6.24, vertikal: 7.70




Serie 1:
 10.6 * 10.7 * 10.4 * 9.0 ↑ 9.5 ↖
 10.4 * 9.4 ↓ 9.2 ↗ 9.5 ↖ 10.0 ↘
 beste Teiler 178.8 (2.) 310.1 (1.) 436.0 (6.)
 Trefferlage 2.20 mm links, 1.03 mm tief
 Streuwert 7.10, horizontal: 5.31, vertikal: 8.53



Serie 2:
 8.9 ↖ 10.2 ↘ 10.6 * 9.2 ↖ 9.9 ↓
 10.2 ↘ 9.1 ↓ 10.4 * 9.2 ↓ 10.0 ↑
 beste Teiler 289.6 (13.) 417.3 (18.) 580.3 (12.)
 Trefferlage 2.02 mm links, 1.38 mm tief
 Streuwert 7.68, horizontal: 6.51, vertikal: 8.69



Serie 3:
 10.2 ← 8.9 ↙ 10.3 ↓ 9.7 ↓ 10.1 ↘
 9.9 ← 10.8 * 10.1 ↖ 10.2 ↓ 9.5 ↘
 beste Teiler 158.7 (27.) 528.3 (23.) 584.7 (29.)
 Trefferlage 3.82 mm links, 4.19 mm tief
 Streuwert 4.94, horizontal: 4.88, vertikal: 5.00





Serie 4:
 10.5 * 8.3 ↓ 10.4 * 10.4 * 9.5 ↑
 10.5 * 10.6 * 10.6 * 8.5 → 9.4 ↙
 beste Teiler 273.7 (37.) 314.7 (38.) 376.2 (36.)
 Trefferlage 0.90 mm rechts, 0.74 mm tief
 Streuwert 8.27, horizontal: 7.83, vertikal: 8.69


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **383** (399.1)
 Serien: 97 97 93 96
 Zähler: 25 13 2 0 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 1934 (29), 1878 (15), 1443 (21)
 beste Teiler 54.0 (13.) 97.2 (1.) 139.3 (31.)
 Trefferlage 0.56 mm links, 2.63 mm tief
 Streuwert 6.14, horizontal: 5.90, vertikal: 6.37




Serie 1:
 10.8 * 9.2 ↘ 10.0 ↗ 10.3 ↘ 10.0 ↗
 9.7 ↗ 10.5 * 10.2 ↑ 9.3 ↗ 10.0 ↗
 beste Teiler 97.2 (1.) 333.6 (7.) 512.1 (4.)
 Trefferlage 0.09 mm links, 1.77 mm tief
 Streuwert 6.16, horizontal: 5.65, vertikal: 6.62



Serie 2:
 10.2 ↘ 10.2 ↘ 10.9 * 10.0 ↗ 8.6 ↗
 10.6 * 9.9 ↘ 10.1 ↓ 10.1 ↗ 10.1 ↘
 beste Teiler 54.0 (13.) 272.4 (16.) 573.1 (11.)
 Trefferlage 1.88 mm links, 4.48 mm tief
 Streuwert 5.12, horizontal: 4.99, vertikal: 5.25



Serie 3:
 9.1 ↘ 9.7 ↑ 9.8 ↖ 10.0 ↘ 9.3 ↓
 10.7 * 10.7 * 10.5 * 8.5 ↗ 9.8 ↘
 beste Teiler 178.6 (26.) 234.0 (27.) 389.5 (28.)
 Trefferlage 0.29 mm links, 3.59 mm tief
 Streuwert 7.36, horizontal: 6.91, vertikal: 7.78





Serie 4:
 10.8 * 9.5 ↖ 9.9 ↗ 10.3 ↘ 10.1 ↓
 10.5 * 9.4 ↗ 9.2 ↗ 10.0 → 10.6 *
 beste Teiler 139.3 (31.) 244.9 (40.) 328.7 (36.)
 Trefferlage 0.00 mm , 0.67 mm tief
 Streuwert 6.22, horizontal: 6.61, vertikal: 5.81


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **399.2** (379)
 Serien: 98.5 101.1 96.6 103.0
 Zähler: 22 16 1 1 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 2530 (30), 1995 (29), 1504 (5)
 beste Teiler 73.8 (11.) 117.8 (39.) 122.4 (21.)
 Trefferlage 0.38 mm links, 2.92 mm tief
 Streuwert 6.22, horizontal: 5.84, vertikal: 6.57




Serie 1:
 9.6 ↙ 9.6 → 9.9 ↓ 10.0 ↓ 9.1 ↗
 10.1 ↓ 10.5 * 9.5 ← 9.9 ↖ 10.3 ↘
 beste Teiler 366.4 (7.) 507.8 (10.) 670.9 (6.)
 Trefferlage 1.05 mm links, 3.05 mm tief
 Streuwert 6.57, horizontal: 7.63, vertikal: 5.29



Serie 2:
 10.9 * 9.4 ↘ 10.2 → 10.1 ↖ 10.3 →
 9.8 ↓ 9.9 ↗ 10.5 * 9.8 ↓ 10.2 ↗
 beste Teiler 73.8 (11.) 377.9 (18.) 551.0 (15.)
 Trefferlage 1.59 mm rechts, 1.78 mm tief
 Streuwert 5.22, horizontal: 4.23, vertikal: 6.04



Serie 3:
 10.8 * 9.8 ↗ 10.5 * 9.9 ↘ 9.9 ↖
 9.4 ← 10.0 → 10.0 ↓ 8.5 ↓ 7.8 ↓
 beste Teiler 122.4 (21.) 337.2 (23.) 769.1 (27.)
 Trefferlage 2.28 mm links, 5.41 mm tief
 Streuwert 8.20, horizontal: 7.29, vertikal: 9.01





Serie 4:
 10.1 → 10.3 ↖ 10.6 * 9.4 ↓ 10.6 *
 10.6 * 9.7 ↓ 10.6 * 10.8 * 10.3 →
 beste Teiler 117.8 (39.) 271.5 (35.) 272.8 (36.)
 Trefferlage 0.19 mm rechts, 1.45 mm tief
 Streuwert 4.48, horizontal: 3.06, vertikal: 5.55


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **376** (397.7)
 Serien: 94 93 96 93
 Zähler: 16 24 0 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 1514 (6), 1467 (13), 1350 (15)
 beste Teiler 140.7 (32.) 183.1 (38.) 233.1 (2.)
 Trefferlage 1.64 mm links, 0.09 mm hoch
 Streuwert 6.22, horizontal: 7.26, vertikal: 4.96




Serie 1:
 10.3 ↗ 10.7 * 9.3 ↖ 9.8 → 9.8 ↖
 9.1 ← 10.6 * 10.6 * 9.6 ↙ 9.9 ↘
 beste Teiler 233.1 (2.) 271.4 (7.) 274.4 (8.)
 Trefferlage 2.45 mm links, 0.65 mm tief
 Streuwert 6.37, horizontal: 7.88, vertikal: 4.38



Serie 2:
 10.0 ↗ 10.2 ↘ 9.1 ↘ 10.4 * 9.3 ↖
 9.9 ↖ 9.7 → 9.9 → 9.9 → 9.4 ↙
 beste Teiler 435.6 (14.) 589.4 (12.) 769.5 (11.)
 Trefferlage 0.79 mm links, 0.64 mm hoch
 Streuwert 7.28, horizontal: 8.37, vertikal: 6.00



Serie 3:
 10.2 ↓ 9.3 ← 10.5 * 9.9 ↖ 10.1 ↗
 10.6 * 9.9 ↘ 10.3 → 10.2 ↘ 9.4 ↖
 beste Teiler 277.8 (26.) 388.3 (23.) 497.4 (28.)
 Trefferlage 2.40 mm links, 0.57 mm hoch
 Streuwert 5.76, horizontal: 6.91, vertikal: 4.30





Serie 4:
 9.4 ↓ 10.8 * 9.7 ↗ 10.2 → 9.9 →
 9.7 ← 9.8 ← 10.7 * 9.9 ↗ 9.7 ↖
 beste Teiler 140.7 (32.) 183.1 (38.) 573.3 (34.)
 Trefferlage 0.91 mm links, 0.19 mm tief
 Streuwert 6.21, horizontal: 6.76, vertikal: 5.62


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **372** (391.2)
 Serien: 91 92 93 96
 Zähler: 16 20 4 0 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 1991 (10), 1844 (27), 1779 (7)
 beste Teiler 352.6 (32.) 376.4 (24.) 376.4 (26.)
 Trefferlage 0.86 mm links, 2.29 mm tief
 Streuwert 7.18, horizontal: 6.64, vertikal: 7.68




Serie 1:
 9.5 ↘ 10.4 * 10.3 ↗ 9.3 ← 10.3 ↘
 9.5 ↗ 8.7 ↖ 9.9 ← 9.9 ↙ 8.5 ↓
 beste Teiler 429.1 (2.) 505.2 (5.) 509.7 (3.)
 Trefferlage 3.19 mm links, 2.54 mm tief
 Streuwert 8.19, horizontal: 8.27, vertikal: 8.11



Serie 2:
 9.5 → 9.6 ← 10.1 ↖ 9.6 ↓ 9.7 ←
 9.9 ↖ 8.8 ↓ 10.2 ← 9.7 ↓ 10.0 →
 beste Teiler 606.6 (18.) 710.6 (13.) 755.8 (20.)
 Trefferlage 1.58 mm links, 2.90 mm tief
 Streuwert 7.42, horizontal: 7.37, vertikal: 7.47



Serie 3:
 9.2 ↑ 9.5 ↘ 9.3 ↙ 10.5 * 10.1 ↘
 10.5 * 8.6 ↓ 10.1 ↘ 9.7 ↗ 9.6 ↗
 beste Teiler 376.4 (24.) 376.4 (26.) 655.3 (28.)
 Trefferlage 1.08 mm rechts, 1.44 mm tief
 Streuwert 7.92, horizontal: 5.27, vertikal: 9.88





Serie 4:
 10.4 * 10.5 * 9.5 ↓ 10.3 ↓ 10.4 ↘
 9.9 → 10.3 ↖ 9.2 ↙ 10.4 * 9.8 ↓
 beste Teiler 352.6 (32.) 403.5 (31.) 472.4 (39.)
 Trefferlage 0.26 mm rechts, 2.27 mm tief
 Streuwert 5.61, horizontal: 5.29, vertikal: 5.92


Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **375** (394.8)
 Serien: 94 94 91 96
 Zähler: 16 23 1 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 1665 (21), 1392 (23), 1391 (16)
 beste Teiler 122.2 (11.) 203.0 (24.) 357.2 (38.)
 Trefferlage 1.32 mm links, 1.81 mm tief
 Streuwert 6.54, horizontal: 6.20, vertikal: 6.87




Serie 1:
 9.3 ↓ 10.5 * 10.0 ↓ 9.7 ↖ 10.1 ↗
 10.3 ↑ 9.6 ↓ 9.3 ↘ 9.5 ↘ 9.9 ↘
 beste Teiler 400.9 (2.) 522.0 (6.) 644.7 (5.)
 Trefferlage 0.68 mm links, 4.87 mm tief
 Streuwert 6.16, horizontal: 5.19, vertikal: 7.00



Serie 2:
 10.8 * 10.5 * 10.2 ← 9.4 ↗ 9.5 ↗
 9.2 ↗ 9.7 ↑ 10.3 ↘ 9.6 ↑ 9.3 ←
 beste Teiler 122.2 (11.) 386.7 (12.) 544.4 (18.)
 Trefferlage 1.54 mm links, 4.76 mm hoch
 Streuwert 6.21, horizontal: 5.58, vertikal: 6.79



Serie 3:
 8.9 ↘ 9.9 ↗ 9.2 ↗ 10.7 * 10.4 *
 9.9 ↗ 9.5 ↗ 9.3 ← 9.9 ↖ 9.9 ↓
 beste Teiler 203.0 (24.) 474.7 (25.) 803.9 (29.)
 Trefferlage 3.66 mm links, 4.12 mm tief
 Streuwert 6.59, horizontal: 8.16, vertikal: 4.51



Serie 4:
 10.2 ↘ 10.0 → 9.7 ↓ 10.2 ↘ 9.5 ↗
 9.9 ↗ 10.3 ↓ 10.5 * 10.3 ↘ 9.9 ↗
 beste Teiler 357.2 (38.) 482.3 (37.) 487.7 (39.)
 Trefferlage 0.57 mm rechts, 3.01 mm tief
 Streuwert 5.20, horizontal: 5.59, vertikal: 4.77

Unterschrift des Schützen

Meyton Elektronik