





Ergebnis: **368** (390.0)
 Serien: 89 91 97 91
 Zähler: 17 15 7 1 0 0 0 0 0 0
 Innenzehner: 12
 weiteste: 2762 (19), 1945 (31), 1918 (34)
 beste Teiler 45.3 (38.) 111.7 (17.) 113.1 (27.)
 Trefferlage 2.40 mm links, 0.47 mm hoch
 Streuwert 8.07, horizontal: 8.40, vertikal: 7.74




Serie 1:
 10.4 * 9.9 ↙ 9.2 ↘ 9.5 ↑ 8.7 ↙
 9.6 ↑ 9.3 → 10.5 * 8.7 ↘ 8.7 ↙
 beste Teiler 385.3 (8.) 440.5 (1.) 854.2 (2.)
 Trefferlage 4.71 mm links, 1.86 mm hoch
 Streuwert 8.96, horizontal: 8.54, vertikal: 9.36



Serie 2:
 10.8 * 10.5 * 9.4 ← 10.7 * 10.0 →
 8.8 → 10.8 * 9.9 ↘ 7.5 → 8.6 ↓
 beste Teiler 111.7 (17.) 158.0 (11.) 196.5 (14.)
 Trefferlage 2.38 mm rechts, 0.37 mm hoch
 Streuwert 9.53, horizontal: 11.20, vertikal: 7.50



Serie 3:
 10.4 * 10.0 ↓ 10.5 * 9.6 ← 10.3 →
 9.2 ↘ 10.8 * 9.1 ↙ 10.6 * 10.3 ←
 beste Teiler 113.1 (27.) 300.3 (29.) 372.3 (23.)
 Trefferlage 3.83 mm links, 0.90 mm tief
 Streuwert 5.44, horizontal: 5.64, vertikal: 5.24





Serie 4:
 8.5 ↓ 9.9 → 10.1 ↘ 8.6 ↘ 9.6 ←
 9.8 ↓ 9.9 ↑ 10.9 * 10.7 * 9.7 ↙
 beste Teiler 45.3 (38.) 213.2 (39.) 713.6 (33.)
 Trefferlage 3.45 mm links, 0.58 mm hoch
 Streuwert 7.89, horizontal: 6.38, vertikal: 9.15


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **369** (384.2)
 Serien: 92 92 93 92
 Zähler: 18 14 7 1 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2507 (12), 2204 (18), 2162 (6)
 beste Teiler 217.5 (14.) 308.8 (5.) 337.7 (11.)
 Trefferlage 2.99 mm links, 1.66 mm tief
 Streuwert 8.44, horizontal: 8.83, vertikal: 8.02




Serie 1:
 9.3 ↘ 10.1 ↙ 8.9 ↙ 9.8 ↘ 10.6 *
 8.2 → 10.5 * 9.5 ↙ 9.6 ↘ 10.0 ↗
 beste Teiler 308.8 (5.) 350.0 (7.) 699.5 (2.)
 Trefferlage 2.69 mm links, 2.22 mm hoch
 Streuwert 8.29, horizontal: 9.74, vertikal: 6.53



Serie 2:
 10.5 * 7.8 ↙ 9.2 ↗ 10.7 * 9.6 ↗
 9.4 ↓ 10.0 ↘ 8.2 ↙ 10.1 ↓ 10.4 *
 beste Teiler 217.5 (14.) 337.7 (11.) 417.6 (20.)
 Trefferlage 3.68 mm links, 1.96 mm tief
 Streuwert 9.30, horizontal: 9.21, vertikal: 9.40



Serie 3:
 9.2 ↓ 10.1 ↙ 8.4 ← 8.5 ↓ 10.2 ↓
 9.5 → 10.1 ↙ 10.0 ↓ 9.9 ↑ 10.2 ←
 beste Teiler 567.0 (25.) 604.0 (30.) 681.7 (27.)
 Trefferlage 3.81 mm links, 5.04 mm tief
 Streuwert 7.59, horizontal: 7.79, vertikal: 7.39





Serie 4:
 8.3 ↙ 10.0 ↓ 9.0 ↘ 10.4 * 9.8 →
 9.6 ← 10.2 ↘ 9.4 ↗ 8.8 ↓ 10.2 ↗
 beste Teiler 450.9 (34.) 593.0 (37.) 619.3 (40.)
 Trefferlage 1.80 mm links, 1.88 mm tief
 Streuwert 8.90, horizontal: 9.73, vertikal: 7.99


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **375** (393.2)
 Serien: 90 98 94 93
 Zähler: 16 23 1 0 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 1994 (3), 1549 (22), 1428 (25)
 beste Teiler 65.2 (16.) 76.6 (34.) 163.9 (26.)
 Trefferlage 3.51 mm links, 0.87 mm tief
 Streuwert 6.72, horizontal: 6.73, vertikal: 6.71




Serie 1:
 9.2 ↘ 9.4 ↖ 8.5 ← 9.8 ✓ 9.6 ↖
 9.8 ✓ 9.8 → 10.0 ✓ 9.3 ✓ 9.2 ↖
 beste Teiler 770.6 (8.) 897.3 (6.) 904.5 (4.)
 Trefferlage 5.38 mm links, 1.98 mm tief
 Streuwert 8.27, horizontal: 9.09, vertikal: 7.35



Serie 2:
 10.5 * 9.3 ↑ 10.1 ✓ 10.4 * 10.2 ↑
 10.9 * 10.1 → 10.0 → 9.2 ✓ 10.6 *
 beste Teiler 65.2 (16.) 279.4 (20.) 330.9 (11.)
 Trefferlage 0.33 mm links, 0.01 mm hoch
 Streuwert 5.72, horizontal: 4.88, vertikal: 6.45



Serie 3:
 10.7 * 9.0 ✓ 9.7 ← 9.6 ← 9.2 ←
 10.7 * 9.5 ↓ 10.0 ↑ 10.5 * 9.2 ↓
 beste Teiler 163.9 (26.) 222.1 (21.) 334.5 (29.)
 Trefferlage 4.87 mm links, 3.36 mm tief
 Streuwert 6.23, horizontal: 5.81, vertikal: 6.63





Serie 4:
 9.6 ↖ 9.9 ↖ 10.3 ↓ 10.9 * 10.6 *
 9.5 ↘ 9.6 ✓ 9.7 ↖ 9.8 ↖ 9.3 ↖
 beste Teiler 76.6 (34.) 271.7 (35.) 489.1 (33.)
 Trefferlage 3.45 mm links, 1.81 mm hoch
 Streuwert 6.21, horizontal: 6.22, vertikal: 6.20


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **387.5** (367)
 Serien: 95.8 99.7 96.1 95.9
 Zähler: 16 17 5 2 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 2666 (9), 2505 (23), 2303 (10)
 beste Teiler 85.0 (5.) 118.9 (33.) 220.5 (21.)
 Trefferlage 3.20 mm links, 2.31 mm tief
 Streuwert 8.04, horizontal: 9.22, vertikal: 6.65




Serie 1:
 10.2 ← 10.3 → 9.5 ↙ 9.6 ↗ 10.8 *
 9.9 ↗ 9.4 ← 10.4 * 7.6 ← 8.1 ↙
 beste Teiler 85.0 (5.) 411.9 (8.) 494.8 (2.)
 Trefferlage 5.08 mm links, 1.46 mm tief
 Streuwert 9.24, horizontal: 10.35, vertikal: 7.96



Serie 2:
 10.5 * 10.5 * 10.3 ↙ 9.8 ↖ 9.3 ↙
 9.5 ↑ 9.6 ↙ 10.4 * 10.4 * 9.4 ←
 beste Teiler 336.3 (12.) 390.4 (11.) 408.0 (18.)
 Trefferlage 4.63 mm links, 1.42 mm tief
 Streuwert 5.34, horizontal: 3.47, vertikal: 6.71



Serie 3:
 10.7 * 9.7 ↓ 7.8 → 10.4 * 10.2 →
 9.4 ← 9.8 ← 8.9 ↗ 9.9 ↑ 9.3 ↙
 beste Teiler 220.5 (21.) 428.4 (24.) 595.1 (25.)
 Trefferlage 1.76 mm rechts, 2.33 mm tief
 Streuwert 8.98, horizontal: 10.64, vertikal: 6.95





Serie 4:
 8.6 ← 8.3 ↙ 10.8 * 9.9 ↓ 10.0 ↓
 9.3 ← 10.2 ↙ 9.6 → 10.3 ↘ 8.9 ←
 beste Teiler 118.9 (33.) 538.3 (39.) 590.8 (37.)
 Trefferlage 4.84 mm links, 4.02 mm tief
 Streuwert 8.04, horizontal: 9.95, vertikal: 5.49


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **364** (383.9)
 Serien: 89 93 90 92
 Zähler: 12 21 6 1 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 2797 (6), 2056 (39), 1926 (28)
 beste Teiler 244.0 (15.) 272.2 (12.) 339.4 (18.)
 Trefferlage 2.08 mm links, 2.30 mm tief
 Streuwert 8.29, horizontal: 9.70, vertikal: 6.59




Serie 1:
 9.9 ↙ 9.6 ← 10.3 ↙ 9.6 → 10.3 ↑
 7.5 ← 9.6 ↙ 9.9 ↗ 9.6 ↘ 8.9 ↙
 beste Teiler 498.9 (3.) 558.8 (5.) 821.9 (1.)
 Trefferlage 3.73 mm links, 3.88 mm tief
 Streuwert 8.82, horizontal: 10.45, vertikal: 6.80



Serie 2:
 9.6 ↘ 10.6 * 9.3 ↙ 10.4 * 10.6 *
 8.9 ↗ 9.3 ← 10.5 * 9.9 ↙ 9.5 ↘
 beste Teiler 244.0 (15.) 272.2 (12.) 339.4 (18.)
 Trefferlage 1.06 mm links, 0.61 mm tief
 Streuwert 7.36, horizontal: 8.72, vertikal: 5.70



Serie 3:
 10.1 ↘ 9.6 → 9.8 ↙ 9.3 → 9.4 ↑
 8.9 → 9.7 ← 8.5 ↘ 10.2 ↓ 9.7 ↘
 beste Teiler 605.7 (29.) 661.6 (21.) 890.3 (23.)
 Trefferlage 3.62 mm rechts, 2.21 mm tief
 Streuwert 8.39, horizontal: 9.29, vertikal: 7.37





Serie 4:
 10.3 ↙ 9.1 ↙ 9.0 ↙ 9.4 ↗ 10.4 *
 9.6 ← 10.1 ↘ 10.0 ↙ 8.4 ← 8.6 ←
 beste Teiler 408.3 (35.) 514.2 (31.) 669.0 (37.)
 Trefferlage 7.14 mm links, 2.50 mm tief
 Streuwert 7.62, horizontal: 8.19, vertikal: 7.01


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **365** (383.7)
 Serien: 87 92 94 92
 Zähler: 14 19 5 2 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 2511 (6), 2405 (40), 2084 (3)
 beste Teiler 213.4 (35.) 358.2 (5.) 363.5 (22.)
 Trefferlage 1.05 mm rechts, 0.94 mm hoch
 Streuwert 8.78, horizontal: 9.85, vertikal: 7.57




Serie 1:
 9.5 ↗ 9.5 ← 8.3 ↕ 9.5 ↘ 10.5 *
 7.8 ↗ 9.8 → 9.7 → 8.9 ← 9.7 ←
 beste Teiler 358.2 (5.) 939.0 (7.) 974.2 (10.)
 Trefferlage 1.75 mm rechts, 3.38 mm hoch
 Streuwert 10.28, horizontal: 11.90, vertikal: 8.34



Serie 2:
 8.7 ↖ 9.9 ↓ 10.4 * 9.1 ↙ 10.5 *
 9.3 ↙ 9.3 ↗ 9.0 ← 9.0 ↗ 10.5 *
 beste Teiler 385.4 (15.) 396.8 (20.) 455.7 (13.)
 Trefferlage 3.12 mm links, 1.52 mm tief
 Streuwert 8.76, horizontal: 8.80, vertikal: 8.71



Serie 3:
 9.6 ↗ 10.5 * 9.9 ↘ 10.0 ↘ 9.6 →
 10.5 * 8.5 → 9.4 ← 10.3 ← 10.2 ←
 beste Teiler 363.5 (22.) 386.1 (26.) 550.6 (29.)
 Trefferlage 2.31 mm rechts, 2.16 mm tief
 Streuwert 7.06, horizontal: 8.91, vertikal: 4.51





Serie 4:
 10.3 ↘ 9.7 → 10.2 ← 9.0 ↗ 10.7 *
 10.3 ← 10.3 ↖ 9.1 ↘ 8.8 ↗ 7.9 ↗
 beste Teiler 213.4 (35.) 506.9 (31.) 515.2 (37.)
 Trefferlage 3.29 mm rechts, 4.08 mm hoch
 Streuwert 8.43, horizontal: 9.74, vertikal: 6.86


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **370** (385.8)
 Serien: 89 92 93 96
 Zähler: 18 14 8 0 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2034 (1), 1993 (2), 1970 (17)
 beste Teiler 194.4 (38.) 212.0 (19.) 301.7 (6.)
 Trefferlage 3.04 mm links, 2.06 mm hoch
 Streuwert 8.10, horizontal: 9.12, vertikal: 6.94




Serie 1:
 8.4 ↗ 8.5 ← 9.2 ↙ 10.1 ↘ 9.0 ↗
 10.6 * 8.8 ↗ 10.2 ← 8.6 ↙ 9.0 ↘
 beste Teiler 301.7 (6.) 584.8 (8.) 710.7 (4.)
 Trefferlage 3.00 mm links, 1.29 mm hoch
 Streuwert 10.85, horizontal: 12.49, vertikal: 8.92



Serie 2:
 9.1 ← 10.5 * 9.0 ↘ 10.2 ↘ 10.1 ↓
 9.8 → 8.5 ← 9.9 ↙ 10.7 * 8.6 ↗
 beste Teiler 212.0 (19.) 354.0 (12.) 564.9 (14.)
 Trefferlage 3.59 mm links, 1.14 mm hoch
 Streuwert 8.59, horizontal: 9.68, vertikal: 7.34



Serie 3:
 10.2 ↘ 10.0 ↘ 8.9 ↙ 9.6 ↑ 8.5 ↘
 10.3 ↗ 9.5 ↘ 10.5 * 10.0 ↑ 9.8 ←
 beste Teiler 344.4 (28.) 483.4 (26.) 637.0 (21.)
 Trefferlage 5.64 mm links, 3.87 mm hoch
 Streuwert 6.33, horizontal: 5.90, vertikal: 6.72





Serie 4:
 10.0 ↘ 9.0 ↘ 10.4 * 10.3 ↙ 9.3 →
 9.8 ↗ 10.2 ↙ 10.7 * 9.9 ↗ 10.1 ↘
 beste Teiler 194.4 (38.) 454.8 (33.) 511.7 (34.)
 Trefferlage 0.05 mm rechts, 1.96 mm hoch
 Streuwert 6.40, horizontal: 7.57, vertikal: 4.96


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **371** (391.0)
 Serien: 91 96 93 91
 Zähler: 17 18 4 1 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 2789 (35), 2056 (4), 1891 (34)
 beste Teiler 53.1 (27.) 105.0 (39.) 281.2 (11.)
 Trefferlage 2.58 mm links, 0.96 mm tief
 Streuwert 7.63, horizontal: 8.47, vertikal: 6.70




Serie 1:
 9.3 ← 9.2 ↑ 9.9 ↓ 8.4 ↘ 9.4 ←
 10.4 * 9.0 ↙ 10.1 ← 9.7 ↑ 9.9 ←
 beste Teiler 412.2 (6.) 693.9 (8.) 821.1 (10.)
 Trefferlage 5.97 mm links, 0.00 mm
 Streuwert 7.99, horizontal: 7.18, vertikal: 8.72



Serie 2:
 10.6 * 10.6 * 8.9 → 10.4 * 10.6 *
 10.1 ↘ 9.6 ↙ 10.2 ↘ 9.9 ↓ 10.0 ↓
 beste Teiler 281.2 (11.) 285.4 (15.) 300.5 (12.)
 Trefferlage 0.91 mm rechts, 2.22 mm tief
 Streuwert 5.67, horizontal: 6.62, vertikal: 4.53



Serie 3:
 9.2 ↙ 9.7 → 9.4 ↗ 10.5 * 9.7 ↗
 10.0 ↑ 10.9 * 8.8 ↘ 10.3 ↙ 9.7 ←
 beste Teiler 53.1 (27.) 353.2 (24.) 512.5 (29.)
 Trefferlage 1.53 mm links, 1.05 mm hoch
 Streuwert 7.52, horizontal: 8.45, vertikal: 6.46



Serie 4:
 10.3 ↗ 9.4 ↘ 10.3 ↙ 8.6 ← 7.5 ↙
 10.4 * 9.6 ↘ 9.8 → 10.8 * 9.9 ↓
 beste Teiler 105.0 (39.) 436.7 (36.) 495.3 (33.)
 Trefferlage 3.76 mm links, 2.68 mm tief
 Streuwert 8.95, horizontal: 10.71, vertikal: 6.75

Unterschrift des Schützen

Meyton Elektronik