





Ergebnis:	<b>381</b>	(401.6)
Serien:	96 95 96 94	
Zähler:	22 17 1 0 0 0 0 0 0 0	
Innenzehner:	17	
weiteste:	565 (19), 478 (31), 468 (30)	
beste Teiler	36.7 (22.) 41.6 (16.) 54.2 (37.)	
Trefferlage	0.26 mm rechts, 1.15 mm hoch	
Streuwert	1.68, horizontal: 1.76, vertikal: 1.58	




Serie 1:	10.4 *	10.0 ↘	9.8 ↗	10.6 *	9.9 ↖
	9.6 ←	10.5 *	9.9 ←	10.0 →	10.3 *
beste Teiler	91.0 (4.) 102.8 (7.) 132.0 (1.)				
Trefferlage	0.36 mm links, 0.91 mm hoch				
Streuwert	1.53, horizontal: 2.01, vertikal: 0.79				



Serie 2:	9.9 ←	10.4 *	10.0 ↘	9.7 ↗	9.7 ↗
	10.8 *	10.1 ↗	10.6 *	8.7 ↗	10.7 *
beste Teiler	41.6 (16.) 74.2 (20.) 80.7 (18.)				
Trefferlage	0.77 mm rechts, 0.58 mm hoch				
Streuwert	1.86, horizontal: 1.95, vertikal: 1.77				



Serie 3:	10.5 *	10.8 *	10.4 *	10.1 ↘	9.8 ↗
	9.7 ↑	9.5 ↗	10.4 *	10.6 *	9.1 ↗
beste Teiler	36.7 (22.) 88.4 (29.) 115.8 (21.)				
Trefferlage	0.83 mm rechts, 1.32 mm hoch				
Streuwert	1.49, horizontal: 1.33, vertikal: 1.64				





Serie 4:	9.0 ↘	9.5 ↑	9.4 ↑	9.7 ←	9.9 ↗
	10.2 *	10.7 *	10.7 *	9.4 ↑	10.6 *
beste Teiler	54.2 (37.) 55.1 (38.) 99.0 (40.)				
Trefferlage	0.19 mm links, 1.81 mm hoch				
Streuwert	1.73, horizontal: 1.58, vertikal: 1.87				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>379</b>	(396.2)
Serien:	94 93 97 95	
Zähler:	21 17 2 0 0 0 0 0 0 0	
Innenzehner:	16	
weiteste:	576 (15), 572 (11), 496 (3)	
beste Teiler	73.5 (40.) 85.8 (31.) 86.4 (10.)	
Trefferlage	0.23 mm links, 0.84 mm hoch	
Streuwert	2.00, horizontal: 2.36, vertikal: 1.54	




Serie 1:	9.9 →	9.4 ↘	9.0 ↘	10.3 *	9.3 ←
	10.2 *	9.0 ↑	9.5 ←	10.5 *	10.6 *
beste Teiler	86.4 (10.) 103.4 (9.) 169.3 (4.)				
Trefferlage	1.08 mm links, 1.46 mm hoch				
Streuwert	2.04, horizontal: 2.40, vertikal: 1.60				



Serie 2:	8.7 ↘	10.4 *	9.6 ↑	10.2 *	8.6 ←
	10.3 *	10.1 ←	9.9 ←	10.1 ↘	9.9 ↑
beste Teiler	144.5 (12.) 166.9 (16.) 184.2 (14.)				
Trefferlage	1.48 mm links, 1.47 mm hoch				
Streuwert	1.90, horizontal: 2.36, vertikal: 1.29				



Serie 3:	9.7 ↘	10.2 *	10.1 ↘	10.1 ↘	10.3 *
	10.0 ↘	10.5 *	9.9 →	9.8 →	10.2 *
beste Teiler	110.4 (27.) 156.2 (25.) 191.0 (22.)				
Trefferlage	0.13 mm links, 0.99 mm hoch				
Streuwert	1.53, horizontal: 1.82, vertikal: 1.16				





Serie 4:	10.6 *	9.2 →	10.2 *	9.6 →	10.2 *
	9.4 ↘	10.3 *	9.9 ↘	9.8 ↘	10.7 *
beste Teiler	73.5 (40.) 85.8 (31.) 172.0 (37.)				
Trefferlage	1.75 mm rechts, 0.55 mm tief				
Streuwert	1.46, horizontal: 1.60, vertikal: 1.31				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **382** (399.0)  
 Serien: 100 89 98 95  
 Zähler: 27 9 3 1 0 0 0 0 0 0  
 Innenzehner: 18  
 weiteste: 788 (11), 603 (31), 530 (14)  
 beste Teiler 23.1 (5.) 26.0 (3.) 56.0 (36.)  
 Trefferlage 0.10 mm links, 0.32 mm tief  
 Streuwert 2.09, horizontal: 2.27, vertikal: 1.90




Serie 1:  
 10.0 → 10.3 \* 10.8 \* 10.4 \* 10.9 \*  
 10.1 ↘ 10.4 \* 10.6 \* 10.1 ↑ 10.4 \*  
 beste Teiler 23.1 (5.) 26.0 (3.) 86.6 (8.)  
 Trefferlage 0.74 mm rechts, 0.64 mm hoch  
 Streuwert 0.86, horizontal: 0.84, vertikal: 0.88



Serie 2:  
 7.8 ↘ 9.5 ↙ 8.9 ↙ 8.8 ↙ 10.0 ↘  
 9.8 ↗ 10.1 → 10.2 \* 9.2 ↙ 9.4 ←  
 beste Teiler 184.3 (18.) 208.1 (17.) 243.9 (15.)  
 Trefferlage 1.26 mm links, 1.41 mm tief  
 Streuwert 2.90, horizontal: 2.89, vertikal: 2.90



Serie 3:  
 10.5 \* 10.3 \* 10.1 ↑ 9.8 ↗ 10.4 \*  
 10.3 \* 9.0 → 10.2 \* 10.6 \* 10.1 ↘  
 beste Teiler 88.0 (29.) 115.9 (21.) 142.2 (25.)  
 Trefferlage 1.05 mm rechts, 0.29 mm hoch  
 Streuwert 1.54, horizontal: 1.72, vertikal: 1.33





Serie 4:  
 8.5 ← 10.1 ↘ 9.7 ↙ 10.6 \* 10.0 ↙  
 10.7 \* 10.5 \* 9.8 → 10.4 \* 9.7 ←  
 beste Teiler 56.0 (36.) 98.7 (34.) 112.4 (37.)  
 Trefferlage 0.96 mm links, 0.81 mm tief  
 Streuwert 1.90, horizontal: 2.37, vertikal: 1.26


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **402.6** (386)  
 Serien: 101.0 102.4 97.6 101.6  
 Zähler: 27 12 1 0 0 0 0 0 0 0  
 Innenzehner: 21  
 weiteste: 533 (21), 423 (20), 420 (35)  
 beste Teiler 25.0 (32.) 29.6 (13.) 38.4 (36.)  
 Trefferlage 0.10 mm rechts, 1.15 mm hoch  
 Streuwert 1.63, horizontal: 1.67, vertikal: 1.59




Serie 1:  
 10.3 \*                      9.4 ←                      9.5 ←                      10.6 \*                      10.5 \*  
 10.0 ←                      10.6 \*                      9.9 ←                      10.2 \*                      10.0 ↑  
 beste Teiler 80.0 (4.) 86.3 (7.) 115.7 (5.)  
 Trefferlage 0.97 mm links, 0.56 mm hoch  
 Streuwert 1.52, horizontal: 1.92, vertikal: 0.97



Serie 2:  
 10.2 \*                      10.7 \*                      10.8 \*                      10.3 \*                      10.2 \*  
 10.2 \*                      10.2 \*                      10.0 ↑                      10.5 \*                      9.3 →  
 beste Teiler 29.6 (13.) 68.9 (12.) 123.3 (19.)  
 Trefferlage 1.09 mm rechts, 0.63 mm hoch  
 Streuwert 1.23, horizontal: 1.22, vertikal: 1.24



Serie 3:  
 8.8 →                      10.4 \*                      9.3 ↑                      10.2 \*                      9.3 ↑  
 9.5 ↘                      9.9 ↑                      10.3 \*                      9.4 ↑                      10.5 \*  
 beste Teiler 119.5 (30.) 140.0 (22.) 171.1 (28.)  
 Trefferlage 0.26 mm rechts, 2.52 mm hoch  
 Streuwert 1.55, horizontal: 1.85, vertikal: 1.19





Serie 4:  
 10.6 \*                      10.9 \*                      10.4 \*                      10.0 ↘                      9.3 ↑  
 10.8 \*                      9.9 ↑                      10.1 ↑                      9.5 ↓                      10.1 →  
 beste Teiler 25.0 (32.) 38.4 (36.) 94.0 (31.)  
 Trefferlage 0.04 mm rechts, 0.91 mm hoch  
 Streuwert 1.63, horizontal: 1.04, vertikal: 2.06


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **391** (407.0)  
 Serien: 96 98 99 98  
 Zähler: 31 9 0 0 0 0 0 0 0 0  
 Innenzehner: 25  
 weiteste: 439 (32), 412 (10), 387 (14)  
 beste Teiler 17.0 (24.) 56.2 (7.) 58.5 (22.)  
 Trefferlage 0.24 mm links, 0.06 mm hoch  
 Streuwert 1.54, horizontal: 1.40, vertikal: 1.67




Serie 1:  
 10.5 \*                      10.2 \*                      9.9 ←                      9.7 ←                      10.1 ↗  
 10.0 →                      10.7 \*                      10.0 ↘                      9.5 ←                      9.3 ↑  
 beste Teiler 56.2 (7.) 123.6 (1.) 196.3 (2.)  
 Trefferlage 0.97 mm links, 0.58 mm hoch  
 Streuwert 1.80, horizontal: 1.94, vertikal: 1.64



Serie 2:  
 10.3 \*                      10.3 \*                      10.4 \*                      9.4 ↑                      10.2 \*  
 9.9 ↓                      10.7 \*                      10.2 \*                      10.5 \*                      10.3 \*  
 beste Teiler 65.1 (17.) 103.5 (19.) 150.9 (13.)  
 Trefferlage 0.46 mm links, 0.60 mm hoch  
 Streuwert 1.38, horizontal: 0.91, vertikal: 1.72



Serie 3:  
 10.3 \*                      10.7 \*                      10.4 \*                      10.9 \*                      10.4 \*  
 9.9 ↘                      10.2 \*                      10.4 \*                      10.0 ↘                      10.5 \*  
 beste Teiler 17.0 (24.) 58.5 (22.) 106.4 (30.)  
 Trefferlage 0.22 mm rechts, 0.40 mm tief  
 Streuwert 1.13, horizontal: 1.01, vertikal: 1.24





Serie 4:  
 10.0 ↘                      9.2 ↘                      10.2 \*                      10.5 \*                      9.8 ↑  
 10.3 \*                      10.4 \*                      10.3 \*                      10.1 ↓                      10.4 \*  
 beste Teiler 119.2 (34.) 127.1 (37.) 148.0 (40.)  
 Trefferlage 0.23 mm rechts, 0.52 mm tief  
 Streuwert 1.65, horizontal: 1.32, vertikal: 1.92


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **384** (403.4)  
 Serien: 94 99 97 94  
 Zähler: 24 16 0 0 0 0 0 0 0  
 Innenzehner: 18  
 weiteste: 476 (4), 469 (32), 378 (38)  
 beste Teiler 22.0 (3.) 43.1 (18.) 59.2 (22.)  
 Trefferlage 0.05 mm links, 0.25 mm hoch  
 Streuwert 1.73, horizontal: 1.89, vertikal: 1.55




Serie 1:  
 9.9 ↗ 9.7 ← 10.9 \* 9.0 ↙ 9.7 ↓  
 9.9 ↘ 9.7 ↖ 10.3 \* 10.3 \* 10.1 ↖  
 beste Teiler 22.0 (3.) 162.6 (8.) 173.0 (9.)  
 Trefferlage 1.49 mm links, 0.09 mm hoch  
 Streuwert 1.72, horizontal: 1.66, vertikal: 1.78



Serie 2:  
 10.1 → 10.3 \* 10.0 ↗ 10.3 \* 10.6 \*  
 10.6 \* 10.4 \* 10.8 \* 10.0 ↖ 9.8 ↗  
 beste Teiler 43.1 (18.) 79.6 (15.) 80.9 (16.)  
 Trefferlage 0.16 mm rechts, 1.13 mm hoch  
 Streuwert 1.03, horizontal: 1.21, vertikal: 0.80



Serie 3:  
 10.2 \* 10.7 \* 10.4 \* 9.9 → 10.6 \*  
 10.2 \* 9.8 ↑ 10.6 \* 9.8 ← 10.5 \*  
 beste Teiler 59.2 (22.) 83.9 (25.) 91.2 (28.)  
 Trefferlage 0.58 mm rechts, 0.64 mm hoch  
 Streuwert 1.27, horizontal: 1.47, vertikal: 1.04





Serie 4:  
 9.8 ↙ 9.1 ↙ 10.3 \* 10.1 ↘ 9.5 ↘  
 10.7 \* 10.1 → 9.4 ↘ 9.8 ↑ 9.5 →  
 beste Teiler 62.5 (36.) 155.9 (33.) 209.3 (37.)  
 Trefferlage 0.51 mm rechts, 0.86 mm tief  
 Streuwert 2.13, horizontal: 2.44, vertikal: 1.76


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>382</b>	(400.6)
Serien:	98 97 92 95	
Zähler:	23 16 1 0 0 0 0 0 0 0	
Innenzehner:	15	
weiteste:	535 (39), 484 (10), 475 (30)	
beste Teiler	3.1 (34.) 22.3 (28.) 26.2 (15.)	
Trefferlage	0.59 mm rechts, 0.33 mm hoch	
Streuwert	1.83, horizontal: 1.75, vertikal: 1.91	




Serie 1:	10.0 ↗	9.9 ↗	10.1 →	10.2 *	10.2 *
	10.2 *	10.1 ↗	10.1 ↘	10.6 *	9.0 →
beste Teiler	84.5 (9.)	181.4 (5.)	185.7 (4.)		
Trefferlage	1.48 mm rechts, 0.86 mm hoch				
Streuwert	1.34, horizontal: 1.39, vertikal: 1.29				



Serie 2:	10.0 →	9.9 →	9.9 ↘	10.3 *	10.8 *
	10.1 ←	10.7 *	9.5 ↘	10.4 *	10.5 *
beste Teiler	26.2 (15.)	64.8 (17.)	104.0 (20.)		
Trefferlage	0.81 mm rechts, 0.41 mm tief				
Streuwert	1.39, horizontal: 1.66, vertikal: 1.06				



Serie 3:	9.7 ↘	9.9 ↑	10.4 *	9.3 ↑	9.8 ↑
	9.2 ↘	9.9 ↘	10.9 *	9.7 ↑	9.1 ↘
beste Teiler	22.3 (28.)	136.4 (23.)	251.0 (27.)		
Trefferlage	0.75 mm links, 1.87 mm hoch				
Streuwert	1.86, horizontal: 2.04, vertikal: 1.67				





Serie 4:	9.5 ↗	10.1 →	9.8 ↓	10.9 *	9.9 ↘
	10.3 *	10.5 *	10.3 *	8.8 ↓	10.1 ↘
beste Teiler	3.1 (34.)	112.2 (37.)	157.5 (36.)		
Trefferlage	0.82 mm rechts, 0.96 mm tief				
Streuwert	1.76, horizontal: 1.17, vertikal: 2.20				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **382** (402.0)  
 Serien: 95 97 96 94  
 Zähler: 25 12 3 0 0 0 0 0 0 0  
 Innenzehner: 19  
 weiteste: 548 (7), 539 (22), 536 (38)  
 beste Teiler 6.7 (26.) 34.0 (5.) 42.2 (8.)  
 Trefferlage 0.22 mm rechts, 0.15 mm hoch  
 Streuwert 1.89, horizontal: 2.07, vertikal: 1.70




Serie 1:  
 9.9 ↘ 10.4 \* 10.0 ↗ 9.9 ↓ 10.8 \*  
 10.4 \* 8.8 ↑ 10.8 \* 10.4 \* 9.8 ↘  
 beste Teiler 34.0 (5.) 42.2 (8.) 132.6 (9.)  
 Trefferlage 0.76 mm rechts, 0.68 mm hoch  
 Streuwert 1.74, horizontal: 1.11, vertikal: 2.19



Serie 2:  
 10.1 ↘ 9.5 → 9.3 → 10.2 \* 10.1 ↘  
 10.0 → 10.3 \* 9.4 → 10.1 ↗ 10.2 \*  
 beste Teiler 157.1 (17.) 188.9 (20.) 200.0 (14.)  
 Trefferlage 2.31 mm rechts, 0.03 mm tief  
 Streuwert 1.09, horizontal: 1.03, vertikal: 1.15



Serie 3:  
 10.2 \* 8.8 ↘ 10.4 \* 9.8 ← 9.9 ↗  
 10.9 \* 10.6 \* 10.3 \* 10.6 \* 10.7 \*  
 beste Teiler 6.7 (26.) 60.4 (30.) 78.3 (27.)  
 Trefferlage 0.76 mm links, 0.86 mm hoch  
 Streuwert 1.49, horizontal: 1.69, vertikal: 1.26



Serie 4:  
 10.8 \* 9.7 ↙ 10.2 \* 10.8 \* 10.3 \*  
 9.3 ↘ 10.1 ↘ 8.8 ↙ 9.7 ↙ 9.7 ←  
 beste Teiler 43.5 (34.) 45.2 (31.) 175.8 (35.)  
 Trefferlage 1.41 mm links, 0.90 mm tief  
 Streuwert 1.84, horizontal: 2.02, vertikal: 1.63

Unterschrift des Schützen

Meyton Elektronik