





Ergebnis:	<b>368</b>	(386.7)
Serien:	91 92 93 92	
Zähler:	15 18 7 0 0 0 0 0 0	
Innenzehner:	13	
weiteste:	749 (31), 625 (30), 619 (23)	
beste Teiler	40.6 (26.) 44.3 (40.) 103.1 (18.)	
Trefferlage	0.44 mm links, 0.95 mm hoch	
Streuwert	2.50, horizontal: 3.07, vertikal: 1.73	




Serie 1:	9.3 ←	10.4 *	8.7 ↖	9.3 ↖	10.3 *
	10.2 *	8.9 ←	9.0 ←	9.4 →	9.7 ↘
beste Teiler	135.4 (2.) 153.0 (5.) 195.0 (6.)				
Trefferlage	1.93 mm links, 0.04 mm tief				
Streuwert	2.49, horizontal: 3.15, vertikal: 1.57				



Serie 2:	9.6 ↘	9.3 →	8.8 ↘	9.7 ↖	10.0 ↘
	9.5 ↘	9.3 ↑	10.5 *	9.4 ↖	10.3 *
beste Teiler	103.1 (18.) 157.6 (20.) 233.0 (15.)				
Trefferlage	0.15 mm links, 0.72 mm hoch				
Streuwert	2.53, horizontal: 2.90, vertikal: 2.10				



Serie 3:	10.1 →	9.6 ↘	8.5 ↗	10.4 *	9.0 ↖
	10.8 *	10.2 *	10.2 *	9.9 ↖	8.5 →
beste Teiler	40.6 (26.) 147.0 (24.) 187.9 (27.)				
Trefferlage	0.16 mm rechts, 1.54 mm hoch				
Streuwert	2.48, horizontal: 3.03, vertikal: 1.77				





Serie 4:	8.0 ↖	10.3 *	9.9 ↑	9.9 ↖	8.7 →
	9.7 ↗	9.9 ↗	10.2 *	10.5 *	10.8 *
beste Teiler	44.3 (40.) 110.6 (39.) 175.8 (32.)				
Trefferlage	0.13 mm rechts, 1.59 mm hoch				
Streuwert	2.37, horizontal: 3.19, vertikal: 1.03				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>370</b>	(387.9)
Serien:	91 91 94 94	
Zähler:	14 22 4 0 0 0 0 0 0 0	
Innenzehner:	10	
weiteste:	582 (11), 567 (6), 529 (22)	
beste Teiler	25.0 (13.) 63.0 (37.) 125.1 (7.)	
Trefferlage	0.71 mm links, 0.66 mm hoch	
Streuwert	2.35, horizontal: 2.78, vertikal: 1.83	




Serie 1:	9.5 ↘	9.9 ↗	9.0 →	9.8 →	9.9 ↓
	8.7 ↙	10.5 *	10.0 ←	9.9 ↗	9.2 ↖
beste Teiler	125.1 (7.)	243.8 (8.)	256.0 (9.)		
Trefferlage	0.35 mm rechts, 0.09 mm hoch				
Streuwert	2.62, horizontal: 3.16, vertikal: 1.93				



Serie 2:	8.6 ↖	9.3 ←	10.9 *	8.9 ↑	10.2 *
	9.5 ↓	9.5 ←	10.0 ↘	9.6 ←	9.5 ↖
beste Teiler	25.0 (13.)	176.1 (15.)	228.0 (18.)		
Trefferlage	2.10 mm links, 0.80 mm hoch				
Streuwert	2.19, horizontal: 2.23, vertikal: 2.15				



Serie 3:	9.9 ↘	8.8 ↖	10.4 *	9.4 ←	9.2 ↖
	9.2 →	10.2 *	10.3 *	10.2 *	10.2 *
beste Teiler	126.0 (23.)	174.1 (28.)	181.0 (27.)		
Trefferlage	0.47 mm links, 0.75 mm hoch				
Streuwert	2.28, horizontal: 2.65, vertikal: 1.84				





Serie 4:	9.5 ↗	10.3 *	10.1 ↑	9.3 ←	9.8 ↘
	9.4 ↖	10.7 *	9.4 →	10.1 ↑	9.1 ↖
beste Teiler	63.0 (37.)	152.0 (32.)	207.3 (39.)		
Trefferlage	0.62 mm links, 0.98 mm hoch				
Streuwert	2.25, horizontal: 2.81, vertikal: 1.48				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>375</b>	(390.9)
Serien:	90 95 97 93	
Zähler:	19 17 4 0 0 0 0 0 0 0	
Innenzehner:	11	
weiteste:	706 (31), 614 (4), 567 (40)	
beste Teiler	48.8 (26.) 71.0 (30.) 80.2 (28.)	
Trefferlage	0.36 mm links, 0.28 mm hoch	
Streuwert	2.38, horizontal: 2.86, vertikal: 1.77	




Serie 1:	10.0 ↙	9.9 ↘	9.0 ←	8.5 ←	9.1 ←
	9.0 ↖	10.2 *	8.7 ↖	9.8 ↗	9.9 ↑
beste Teiler	187.4 (7.)	245.6 (1.)	264.6 (2.)		
Trefferlage	2.83 mm links, 1.08 mm hoch				
Streuwert	2.10, horizontal: 2.49, vertikal: 1.61				



Serie 2:	10.6 *	10.0 ↑	9.9 ←	10.0 ↗	10.0 ↘
	9.2 ←	9.6 ↘	10.2 *	9.6 ↗	9.3 ←
beste Teiler	81.0 (11.)	180.2 (18.)	229.0 (12.)		
Trefferlage	1.27 mm links, 1.25 mm hoch				
Streuwert	1.74, horizontal: 1.91, vertikal: 1.54				



Serie 3:	9.5 ↘	10.6 *	9.7 ↑	9.9 ↓	10.3 *
	10.8 *	10.0 ↘	10.6 *	10.2 *	10.7 *
beste Teiler	48.8 (26.)	71.0 (30.)	80.2 (28.)		
Trefferlage	0.66 mm rechts, 0.46 mm tief				
Streuwert	1.46, horizontal: 1.10, vertikal: 1.74				





Serie 4:	8.1 →	10.1 ↘	10.2 *	10.1 ↘	9.7 ↓
	9.2 →	10.1 ↗	9.3 ←	10.6 *	8.7 →
beste Teiler	87.6 (39.)	176.0 (33.)	211.3 (37.)		
Trefferlage	1.98 mm rechts, 0.76 mm tief				
Streuwert	2.36, horizontal: 3.05, vertikal: 1.38				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **390.9** (374)  
 Serien: 97.8 94.8 99.8 98.5  
 Zähler: 20 15 4 1 0 0 0 0 0 0  
 Innenzehner: 10  
 weiteste: 779 (7), 639 (17), 554 (12)  
 beste Teiler 62.1 (30.) 66.0 (20.) 77.4 (36.)  
 Trefferlage 1.16 mm links, 0.16 mm hoch  
 Streuwert 2.25, horizontal: 2.57, vertikal: 1.88




Serie 1:  
 10.1 ↑                      10.6 \*                      10.1 ↘                      10.6 \*                      10.3 \*  
 10.0 ↙                      7.8 ←                      8.9 ←                      9.4 ↗                      10.0 ↘  
 beste Teiler 81.3 (4.) 83.6 (2.) 169.7 (5.)  
 Trefferlage 2.17 mm links, 0.59 mm hoch  
 Streuwert 2.07, horizontal: 2.52, vertikal: 1.49



Serie 2:  
 9.7 ↘                      8.7 ←                      9.3 ↑                      8.9 →                      9.2 ←  
 10.5 \*                      8.4 ↙                      9.8 ↘                      9.6 ↗                      10.7 \*  
 beste Teiler 66.0 (20.) 106.0 (16.) 296.5 (18.)  
 Trefferlage 1.44 mm links, 0.77 mm hoch  
 Streuwert 2.78, horizontal: 3.34, vertikal: 2.08



Serie 3:  
 10.0 ↘                      10.1 ↑                      9.8 ↑                      10.1 ←                      9.4 ↓  
 9.4 →                      10.1 ↘                      9.7 ↗                      10.5 \*                      10.7 \*  
 beste Teiler 62.1 (30.) 101.5 (29.) 203.6 (27.)  
 Trefferlage 0.04 mm rechts, 0.12 mm tief  
 Streuwert 1.95, horizontal: 1.82, vertikal: 2.08





Serie 4:  
 10.2 \*                      9.2 ↙                      10.1 ←                      10.3 \*                      9.6 ↓  
 10.6 \*                      9.2 ↙                      10.1 ↓                      9.5 ←                      9.7 ↘  
 beste Teiler 77.4 (36.) 159.1 (34.) 181.9 (31.)  
 Trefferlage 1.09 mm links, 0.60 mm tief  
 Streuwert 2.02, horizontal: 2.24, vertikal: 1.78


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **368** (385.5)  
 Serien: 92 94 92 90  
 Zähler: 17 14 9 0 0 0 0 0 0  
 Innenzehner: 14  
 weiteste: 643 (2), 620 (40), 611 (7)  
 beste Teiler 63.1 (20.) 70.1 (30.) 110.1 (19.)  
 Trefferlage 0.38 mm links, 0.09 mm tief  
 Streuwert 2.65, horizontal: 3.24, vertikal: 1.90




Serie 1:  
 8.6 → 8.4 ← 9.9 ↓ 10.1 ↓ 10.3 \*  
 10.4 \* 8.5 ↖ 10.3 \* 9.1 ← 10.3 \*  
 beste Teiler 147.8 (6.) 169.1 (5.) 170.4 (10.)  
 Trefferlage 1.41 mm links, 0.28 mm tief  
 Streuwert 2.74, horizontal: 3.17, vertikal: 2.24



Serie 2:  
 10.2 \* 8.8 ↖ 8.9 ← 10.0 ↓ 9.8 ↖  
 9.1 ← 10.2 \* 10.4 \* 10.5 \* 10.7 \*  
 beste Teiler 63.1 (20.) 110.1 (19.) 148.2 (18.)  
 Trefferlage 1.71 mm links, 0.43 mm hoch  
 Streuwert 2.01, horizontal: 2.23, vertikal: 1.76



Serie 3:  
 9.4 ↓ 9.8 ↖ 10.3 \* 9.9 ↑ 10.3 \*  
 9.1 ← 9.1 ↖ 8.8 ← 9.0 → 10.7 \*  
 beste Teiler 70.1 (30.) 162.2 (23.) 174.7 (25.)  
 Trefferlage 1.55 mm links, 0.23 mm tief  
 Streuwert 2.42, horizontal: 2.79, vertikal: 1.98





Serie 4:  
 10.0 → 9.5 → 9.7 ↑ 10.4 \* 9.4 ↓  
 8.9 → 10.4 \* 9.0 ↘ 8.8 → 8.5 →  
 beste Teiler 134.0 (37.) 138.2 (34.) 230.0 (31.)  
 Trefferlage 3.12 mm rechts, 0.30 mm tief  
 Streuwert 1.94, horizontal: 2.09, vertikal: 1.77


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **382** (400.0)  
 Serien: 96 95 96 95  
 Zähler: 22 18 0 0 0 0 0 0 0 0  
 Innenzehner: 13  
 weiteste: 478 (40), 438 (29), 410 (11)  
 beste Teiler 72.5 (21.) 82.7 (23.) 91.4 (30.)  
 Trefferlage 0.09 mm rechts, 0.15 mm hoch  
 Streuwert 1.83, horizontal: 2.15, vertikal: 1.44




Serie 1:  
 10.2 \* 10.4 \* 9.6 ↓ 9.8 ↘ 9.8 ↙  
 10.3 \* 10.5 \* 10.2 \* 9.8 ↙ 10.4 \*  
 beste Teiler 120.3 (7.) 136.6 (10.) 141.7 (2.)  
 Trefferlage 0.38 mm links, 0.27 mm tief  
 Streuwert 1.67, horizontal: 1.60, vertikal: 1.73



Serie 2:  
 9.3 → 9.8 ↙ 10.0 ↘ 10.1 → 9.9 ↗  
 10.1 ↙ 10.2 \* 10.1 → 9.8 → 9.8 ↘  
 beste Teiler 198.0 (17.) 208.6 (16.) 215.9 (14.)  
 Trefferlage 1.30 mm rechts, 0.14 mm tief  
 Streuwert 1.74, horizontal: 1.98, vertikal: 1.47



Serie 3:  
 10.7 \* 10.5 \* 10.6 \* 10.1 ↑ 10.3 \*  
 9.8 ← 9.8 ← 9.7 → 9.2 ← 10.6 \*  
 beste Teiler 72.5 (21.) 82.7 (23.) 91.4 (30.)  
 Trefferlage 0.98 mm links, 0.43 mm hoch  
 Streuwert 1.56, horizontal: 1.96, vertikal: 1.02





Serie 4:  
 10.5 \* 10.1 ↘ 10.0 ↘ 10.0 → 9.9 ↙  
 9.9 → 9.4 ← 9.7 → 10.1 ↓ 9.0 →  
 beste Teiler 125.5 (31.) 206.3 (39.) 225.6 (32.)  
 Trefferlage 0.44 mm rechts, 0.59 mm hoch  
 Streuwert 2.07, horizontal: 2.55, vertikal: 1.45


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **373** (389.6)  
 Serien: 95 92 94 92  
 Zähler: 17 19 4 0 0 0 0 0 0  
 Innenzehner: 11  
 weiteste: 730 (25), 549 (39), 502 (15)  
 beste Teiler 31.3 (32.) 88.2 (22.) 99.6 (3.)  
 Trefferlage 1.40 mm rechts, 0.60 mm hoch  
 Streuwert 2.12, horizontal: 2.48, vertikal: 1.69




Serie 1:  
 10.2 \*                      8.9 →                      10.6 \*                      10.2 \*                      10.1 ↘  
 9.2 ↙                      9.6 ↘                      10.2 \*                      9.5 ↗                      10.2 \*  
 beste Teiler 99.6 (3.) 176.7 (4.) 177.1 (10.)  
 Trefferlage 0.50 mm rechts, 0.34 mm tief  
 Streuwert 2.15, horizontal: 2.41, vertikal: 1.87



Serie 2:  
 9.6 ↖                      9.7 →                      10.1 ↑                      9.8 ↙                      8.9 →  
 10.4 \*                      9.7 ←                      9.1 →                      10.0 →                      9.9 ↗  
 beste Teiler 135.6 (16.) 202.5 (13.) 237.9 (19.)  
 Trefferlage 0.91 mm rechts, 0.68 mm hoch  
 Streuwert 2.27, horizontal: 2.74, vertikal: 1.68



Serie 3:  
 10.3 \*                      10.6 \*                      10.2 \*                      10.1 ↗                      8.0 →  
 9.7 ↖                      10.1 ↓                      9.0 →                      9.3 →                      9.3 ↘  
 beste Teiler 88.2 (22.) 162.2 (21.) 176.7 (23.)  
 Trefferlage 2.10 mm rechts, 0.70 mm hoch  
 Streuwert 2.18, horizontal: 2.55, vertikal: 1.73





Serie 4:  
 9.6 ↗                      10.8 \*                      10.2 \*                      9.3 ↗                      9.0 →  
 9.7 →                      10.0 →                      9.8 ↗                      8.8 →                      9.9 ↖  
 beste Teiler 31.3 (32.) 184.6 (33.) 248.3 (37.)  
 Trefferlage 2.07 mm rechts, 1.38 mm hoch  
 Streuwert 1.73, horizontal: 2.15, vertikal: 1.17


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>381</b>	(401.0)
Serien:	98 95 93 95	
Zähler:	23 15 2 0 0 0 0 0 0 0	
Innenzehner:	19	
weiteste:	598 (27), 527 (23), 457 (1)	
beste Teiler	54.8 (3.) 55.9 (25.) 72.8 (14.)	
Trefferlage	0.19 mm rechts, 0.99 mm hoch	
Streuwert	1.75, horizontal: 2.03, vertikal: 1.42	




Serie 1:	9.1 ↘	10.3 *	10.7 *	10.3 *	10.4 *
	9.7 ↗	10.7 *	10.4 *	10.6 *	10.6 *
beste Teiler	54.8 (3.) 74.5 (7.) 81.3 (9.)				
Trefferlage	0.24 mm rechts, 0.92 mm hoch				
Streuwert	1.36, horizontal: 1.38, vertikal: 1.33				



Serie 2:	9.4 ↗	10.1 ↗	10.3 *	10.7 *	10.4 *
	10.5 *	9.9 ↙	9.8 ↘	9.9 ←	9.5 ↗
beste Teiler	72.8 (14.) 117.1 (16.) 134.1 (15.)				
Trefferlage	0.48 mm rechts, 0.62 mm hoch				
Streuwert	1.73, horizontal: 1.97, vertikal: 1.45				



Serie 3:	10.3 *	9.8 ↘	8.8 ↙	9.7 ↑	10.7 *
	10.1 ↗	8.6 ↗	10.2 *	9.9 ↙	10.4 *
beste Teiler	55.9 (25.) 150.0 (30.) 162.4 (21.)				
Trefferlage	0.04 mm links, 1.51 mm hoch				
Streuwert	2.08, horizontal: 2.64, vertikal: 1.30				



Serie 4:	10.1 ↓	9.8 ←	9.5 →	9.3 ↙	10.5 *
	9.4 ↗	9.9 ↗	10.0 ↘	10.4 *	10.3 *
beste Teiler	119.3 (35.) 142.3 (39.) 156.5 (40.)				
Trefferlage	0.09 mm rechts, 0.89 mm hoch				
Streuwert	1.96, horizontal: 2.22, vertikal: 1.66				

Unterschrift des Schützen

Meyton Elektronik