





Ergebnis:	367	(389.3)
Serien:	91 95 89 92	
Zähler:	14 21 3 2 0 0 0 0 0 0	
Innenzehner:	11	
weiteste:	845 (21), 781 (2), 719 (14)	
beste Teiler	55.8 (10.) 65.7 (4.) 69.2 (9.)	
Trefferlage	1.77 mm rechts, 0.44 mm tief	
Streuwert	2.22, horizontal: 2.62, vertikal: 1.72	




Serie 1:	9.5 ↘	7.8 →	8.4 →	10.7 *	9.8 ↘
	10.6 *	9.5 →	9.6 →	10.7 *	10.7 *
beste Teiler	55.8 (10.)	65.7 (4.)	69.2 (9.)		
Trefferlage	2.43 mm rechts, 0.70 mm tief				
Streuwert	2.16, horizontal: 2.82, vertikal: 1.19				



Serie 2:	10.0 ↗	10.4 *	10.6 *	8.1 →	9.9 ↗
	9.6 ↘	10.2 *	10.2 *	10.5 *	9.8 ←
beste Teiler	89.3 (13.)	119.6 (19.)	128.3 (12.)		
Trefferlage	1.35 mm rechts, 0.24 mm tief				
Streuwert	2.05, horizontal: 2.50, vertikal: 1.48				



Serie 3:	7.6 →	9.6 →	9.7 ↖	9.8 →	9.8 ←
	9.7 ↘	9.9 ↙	9.7 ↘	9.8 →	10.3 *
beste Teiler	173.0 (30.)	275.2 (27.)	284.2 (25.)		
Trefferlage	1.52 mm rechts, 0.55 mm tief				
Streuwert	2.62, horizontal: 3.24, vertikal: 1.80				





Serie 4:	9.4 →	9.9 ↑	9.4 ↘	10.0 ↑	9.9 →
	9.6 ↘	9.7 ↓	10.6 *	8.3 ↘	10.0 →
beste Teiler	100.9 (38.)	232.2 (34.)	235.0 (40.)		
Trefferlage	1.80 mm rechts, 0.27 mm tief				
Streuwert	2.26, horizontal: 2.08, vertikal: 2.42				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	369	(388.0)
Serien:	96 90 93 90	
Zähler:	16 19 3 2 0 0 0 0 0 0	
Innenzehner:	11	
weiteste:	890 (40), 799 (16), 608 (18)	
beste Teiler	60.2 (8.) 106.2 (14.) 136.0 (27.)	
Trefferlage	0.31 mm rechts, 0.06 mm hoch	
Streuwert	2.54, horizontal: 3.11, vertikal: 1.80	




Serie 1:	10.0 ↙	8.9 ↘	10.2 *	9.9 ↖	10.2 *
	10.1 ↓	10.2 *	10.7 *	9.5 ↘	10.2 *
beste Teiler	60.2 (8.)	177.1 (5.)	185.2 (10.)		
Trefferlage	0.31 mm rechts, 0.51 mm tief				
Streuwert	1.95, horizontal: 2.06, vertikal: 1.83				



Serie 2:	9.3 ↘	9.2 ↙	10.3 *	10.5 *	9.3 ↗
	7.8 ↖	9.9 ↗	8.5 →	10.4 *	9.7 ↖
beste Teiler	106.2 (14.)	150.6 (19.)	151.8 (13.)		
Trefferlage	0.46 mm rechts, 0.19 mm hoch				
Streuwert	3.11, horizontal: 3.75, vertikal: 2.29				



Serie 3:	10.3 *	9.8 ↗	9.9 ↙	9.9 ↗	9.6 →
	10.0 →	10.4 *	10.0 ↑	9.6 ↖	8.8 ←
beste Teiler	136.0 (27.)	159.6 (21.)	226.9 (26.)		
Trefferlage	0.11 mm links, 0.57 mm hoch				
Streuwert	2.18, horizontal: 2.67, vertikal: 1.54				





Serie 4:	9.9 ↘	10.0 ↓	9.7 →	9.5 →	9.3 ↖
	9.5 ←	9.9 ←	10.3 *	9.4 ↖	7.4 →
beste Teiler	151.5 (38.)	244.2 (32.)	263.8 (37.)		
Trefferlage	0.57 mm rechts, 0.00 mm				
Streuwert	3.05, horizontal: 4.03, vertikal: 1.52				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **374** (390.8)
 Serien: 92 95 93 94
 Zähler: 17 20 3 0 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 678 (25), 557 (33), 555 (7)
 beste Teiler 64.1 (10.) 68.6 (40.) 115.1 (31.)
 Trefferlage 0.29 mm rechts, 0.33 mm hoch
 Streuwert 2.29, horizontal: 2.68, vertikal: 1.84




Serie 1:
 10.0 ↘ 9.0 ← 9.4 ↖ 9.6 ↖ 9.7 ↓
 10.2 * 8.7 → 9.8 → 9.3 ↑ 10.7 *
 beste Teiler 64.1 (10.) 192.0 (6.) 237.2 (1.)
 Trefferlage 0.18 mm links, 0.32 mm hoch
 Streuwert 2.63, horizontal: 2.93, vertikal: 2.28



Serie 2:
 9.4 → 10.1 ↑ 9.9 ↗ 10.3 * 9.5 ↖
 10.5 * 9.5 → 10.1 ↗ 9.6 ↖ 10.0 →
 beste Teiler 119.2 (16.) 159.9 (14.) 207.7 (18.)
 Trefferlage 0.91 mm rechts, 0.85 mm hoch
 Streuwert 1.87, horizontal: 2.38, vertikal: 1.14



Serie 3:
 10.0 ↑ 9.5 ↖ 10.3 * 9.5 ← 8.2 →
 9.5 ↖ 9.7 ↓ 9.8 → 10.1 ← 10.3 *
 beste Teiler 152.1 (30.) 174.0 (23.) 207.4 (29.)
 Trefferlage 0.23 mm links, 0.02 mm tief
 Streuwert 2.56, horizontal: 3.04, vertikal: 1.97





Serie 4:
 10.5 * 9.9 ← 8.7 ↖ 10.1 ↓ 9.8 →
 10.1 ↘ 9.7 ↑ 9.1 ↖ 10.0 ↗ 10.7 *
 beste Teiler 68.6 (40.) 115.1 (31.) 203.7 (34.)
 Trefferlage 0.68 mm rechts, 0.20 mm hoch
 Streuwert 2.25, horizontal: 2.53, vertikal: 1.93


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **381.8** (364)
 Serien: 98.1 91.8 92.7 99.2
 Zähler: 14 19 4 3 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 832 (19), 786 (12), 759 (22)
 beste Teiler 85.6 (3.) 114.4 (1.) 115.3 (33.)
 Trefferlage 1.48 mm rechts, 0.33 mm hoch
 Streuwert 2.61, horizontal: 3.04, vertikal: 2.10




Serie 1:
 10.5 * 10.0 ↘ 10.6 * 8.9 ↗ 9.2 ↘
 10.0 → 9.4 ↙ 9.6 ↗ 10.1 ↗ 9.8 ↗
 beste Teiler 85.6 (3.) 114.4 (1.) 214.7 (9.)
 Trefferlage 1.58 mm rechts, 0.08 mm tief
 Streuwert 2.02, horizontal: 2.09, vertikal: 1.94



Serie 2:
 10.3 * 7.8 → 10.5 * 9.5 ↖ 9.4 ↘
 9.1 ↘ 9.1 ↗ 9.6 ↑ 7.6 → 8.9 →
 beste Teiler 117.0 (13.) 165.7 (11.) 326.9 (18.)
 Trefferlage 2.85 mm rechts, 0.61 mm hoch
 Streuwert 2.97, horizontal: 3.51, vertikal: 2.31



Serie 3:
 8.6 → 7.9 → 9.6 ↘ 10.1 ↗ 9.0 ←
 9.6 ↑ 9.3 ↑ 9.4 ↙ 9.5 ↙ 9.7 ↑
 beste Teiler 209.2 (24.) 320.5 (30.) 330.8 (26.)
 Trefferlage 0.68 mm rechts, 0.31 mm hoch
 Streuwert 3.27, horizontal: 3.84, vertikal: 2.58





Serie 4:
 10.1 ↘ 10.3 * 10.5 * 10.4 * 9.6 ↗
 10.4 * 9.5 → 10.3 * 8.8 ↗ 9.3 ←
 beste Teiler 115.3 (33.) 128.6 (34.) 139.1 (36.)
 Trefferlage 0.81 mm rechts, 0.48 mm hoch
 Streuwert 2.05, horizontal: 2.32, vertikal: 1.74


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **362** (381.6)
 Serien: 90 88 92 92
 Zähler: 11 21 7 1 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 768 (19), 737 (4), 722 (28)
 beste Teiler 73.9 (3.) 112.0 (27.) 136.8 (30.)
 Trefferlage 0.80 mm rechts, 0.39 mm tief
 Streuwert 2.74, horizontal: 3.16, vertikal: 2.23




Serie 1:
 9.8 ↓ 9.3 ↙ 10.7 * 8.0 ↘ 8.4 ↓
 9.5 ↗ 9.9 ↘ 10.1 ↖ 9.5 ↓ 9.3 ↑
 beste Teiler 73.9 (3.) 201.1 (8.) 251.1 (7.)
 Trefferlage 0.72 mm rechts, 1.43 mm tief
 Streuwert 2.86, horizontal: 2.52, vertikal: 3.16



Serie 2:
 9.9 → 9.0 ← 9.6 ← 10.3 * 9.3 ↓
 9.4 ↖ 8.9 → 9.3 ↘ 7.9 ← 9.6 →
 beste Teiler 163.7 (14.) 255.8 (11.) 343.4 (20.)
 Trefferlage 0.25 mm links, 0.22 mm tief
 Streuwert 3.26, horizontal: 4.25, vertikal: 1.78



Serie 3:
 9.8 ↖ 9.8 ← 9.7 ↗ 10.1 ↗ 10.4 *
 9.9 ↘ 10.5 * 8.1 → 8.5 → 10.4 *
 beste Teiler 112.0 (27.) 136.8 (30.) 141.4 (25.)
 Trefferlage 1.45 mm rechts, 0.72 mm hoch
 Streuwert 2.42, horizontal: 3.22, vertikal: 1.16





Serie 4:
 8.9 → 10.0 → 10.2 * 9.8 → 9.5 ↘
 10.4 * 8.6 ↓ 10.1 → 9.6 ↖ 9.6 →
 beste Teiler 141.5 (36.) 195.0 (33.) 207.2 (38.)
 Trefferlage 1.31 mm rechts, 0.64 mm tief
 Streuwert 2.34, horizontal: 2.57, vertikal: 2.08


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	362	(380.5)
Serien:	90 89 91 92	
Zähler:	13 19 6 1 1 0 0 0 0 0	
Innenzehner:	8	
weiteste:	1096 (22), 946 (17), 672 (10)	
beste Teiler	71.2 (26.) 123.1 (3.) 139.8 (24.)	
Trefferlage	0.63 mm rechts, 0.05 mm hoch	
Streuwert	2.97, horizontal: 3.06, vertikal: 2.89	




Serie 1:	9.6 →	8.7 ↘	10.5 *	9.1 ↘	10.2 *
	9.8 ↘	9.4 ←	9.6 ↖	9.9 ↘	8.3 →
beste Teiler	123.1 (3.) 198.9 (5.) 266.1 (9.)				
Trefferlage	1.63 mm rechts, 0.77 mm tief				
Streuwert	2.59, horizontal: 2.87, vertikal: 2.29				



Serie 2:	9.6 ↖	10.3 *	8.3 ↓	8.7 ↗	10.0 ↗
	9.3 →	7.2 →	10.0 ↘	10.1 ↗	8.6 ↓
beste Teiler	165.8 (12.) 203.1 (19.) 248.6 (15.)				
Trefferlage	1.59 mm rechts, 0.05 mm tief				
Streuwert	3.53, horizontal: 3.30, vertikal: 3.75				





Serie 3:	9.8 ↘	6.6 ↖	9.9 ↗	10.4 *	10.3 *
	10.7 *	9.0 ↖	9.9 →	9.7 ↘	10.0 ↘
beste Teiler	71.2 (26.) 139.8 (24.) 160.6 (25.)				
Trefferlage	0.14 mm rechts, 0.66 mm hoch				
Streuwert	3.18, horizontal: 2.77, vertikal: 3.54				




Serie 4:	9.8 ↓	10.1 ↓	8.4 ↖	10.3 *	9.6 ↖
	9.8 ↘	9.2 ←	9.9 ↗	9.7 ↗	10.2 *
beste Teiler	165.1 (34.) 177.4 (40.) 205.0 (32.)				
Trefferlage	0.85 mm links, 0.40 mm hoch				
Streuwert	2.43, horizontal: 2.97, vertikal: 1.74				

Unterschrift des Schützen


Ergebnis:	363	(379.3)
Serien:	91 92 89 91	
Zähler:	18 10 9 3 0 0 0 0 0 0	
Innenzehner:	13	
weiteste:	906 (20), 906 (22), 869 (35)	
beste Teiler	46.0 (26.) 50.9 (30.) 53.6 (14.)	
Trefferlage	1.04 mm rechts, 0.65 mm hoch	
Streuwert	3.04, horizontal: 3.77, vertikal: 2.07	




Serie 1:	8.9 ↗	9.6 ↖	9.1 →	10.0 ↗	8.0 →
	10.3 *	10.0 ↑	8.2 ↘	9.5 ↖	10.4 *
beste Teiler	138.1 (10.) 164.5 (6.) 231.6 (4.)				
Trefferlage	1.50 mm rechts, 0.48 mm hoch				
Streuwert	3.03, horizontal: 3.66, vertikal: 2.23				



Serie 2:	9.7 ↗	8.6 ↖	10.6 *	10.7 *	10.0 ←
	10.5 *	9.6 ↖	10.1 ↗	9.1 ↗	7.3 ↖
beste Teiler	53.6 (14.) 82.7 (13.) 123.4 (16.)				
Trefferlage	1.03 mm links, 1.75 mm hoch				
Streuwert	2.69, horizontal: 3.48, vertikal: 1.54				



Serie 3:	8.4 ↘	7.3 ↖	9.6 ↘	9.8 ↘	9.5 ↓
	10.8 *	9.0 →	10.2 *	8.3 →	10.8 *
beste Teiler	46.0 (26.) 50.9 (30.) 177.9 (28.)				
Trefferlage	1.33 mm rechts, 0.82 mm tief				
Streuwert	3.33, horizontal: 4.21, vertikal: 2.13				





Serie 4:	10.6 *	10.4 *	8.1 →	10.4 *	7.5 ↗
	8.9 →	10.1 ↖	10.2 *	8.9 ↗	10.3 *
beste Teiler	98.3 (31.) 130.3 (34.) 130.7 (32.)				
Trefferlage	2.35 mm rechts, 1.19 mm hoch				
Streuwert	2.63, horizontal: 3.36, vertikal: 1.61				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	368	(388.5)
Serien:	91 91 95 91	
Zähler:	14 20 6 0 0 0 0 0 0 0	
Innenzehner:	9	
weiteste:	689 (10), 645 (19), 631 (39)	
beste Teiler	30.0 (32.) 37.6 (26.) 44.0 (35.)	
Trefferlage	1.08 mm rechts, 0.82 mm hoch	
Streuwert	2.36, horizontal: 2.55, vertikal: 2.15	




Serie 1:	9.8 ↘	9.8 ↖	9.8 ←	9.6 ↗	9.2 ↗
	10.5 *	9.6 ↗	10.4 *	9.0 ↗	8.2 ↑
beste Teiler	113.1 (6.) 148.6 (8.) 295.6 (2.)				
Trefferlage	0.73 mm rechts, 1.18 mm hoch				
Streuwert	2.62, horizontal: 2.79, vertikal: 2.43				



Serie 2:	9.4 ↑	9.2 ↘	8.5 ↑	10.0 ↑	9.8 ↘
	9.9 ↗	10.7 *	10.1 →	8.4 →	9.2 ↗
beste Teiler	73.6 (17.) 221.0 (18.) 231.0 (14.)				
Trefferlage	2.15 mm rechts, 1.22 mm hoch				
Streuwert	2.33, horizontal: 2.13, vertikal: 2.52				



Serie 3:	9.5 ↖	9.6 ↘	9.6 ↑	10.6 *	10.2 *
	10.8 *	9.6 ↖	9.9 ↘	10.4 *	10.1 ←
beste Teiler	37.6 (26.) 90.5 (24.) 146.8 (29.)				
Trefferlage	0.05 mm rechts, 0.36 mm hoch				
Streuwert	1.92, horizontal: 1.92, vertikal: 1.93				



Serie 4:	9.9 ↗	10.8 *	10.1 ↗	9.6 →	10.8 *
	8.9 ↘	8.6 →	9.9 ↑	8.4 →	10.1 ↘
beste Teiler	30.0 (32.) 44.0 (35.) 213.0 (40.)				
Trefferlage	1.37 mm rechts, 0.51 mm hoch				
Streuwert	2.54, horizontal: 3.07, vertikal: 1.85				

Unterschrift des Schützen

Meyton Elektronik