





Ergebnis: **393** (410.3)
 Serien: 97 100 98 98
 Zähler: 33 7 0 0 0 0 0 0 0 0
 Innenzehner: 26
 weiteste: 417 (36), 410 (6), 375 (35)
 beste Teiler 15.0 (19.) 49.0 (30.) 51.3 (39.)
 Trefferlage 0.15 mm rechts, 0.32 mm hoch
 Streuwert 1.41, horizontal: 1.46, vertikal: 1.35




Serie 1:
 10.1 ↘ 10.0 → 10.3 * 9.6 ↑ 10.4 *
 9.3 → 9.7 ↗ 10.6 * 10.6 * 10.6 *
 beste Teiler 94.0 (9.) 94.5 (10.) 99.6 (8.)
 Trefferlage 1.02 mm rechts, 0.33 mm hoch
 Streuwert 1.57, horizontal: 1.77, vertikal: 1.35



Serie 2:
 10.6 * 10.6 * 10.4 * 10.3 * 10.1 ↖
 10.1 ↗ 10.4 * 10.6 * 10.9 * 10.4 *
 beste Teiler 15.0 (19.) 78.5 (11.) 80.1 (18.)
 Trefferlage 0.19 mm links, 0.26 mm hoch
 Streuwert 1.01, horizontal: 1.07, vertikal: 0.95



Serie 3:
 9.8 ↑ 10.2 * 10.2 * 10.5 * 10.1 ↗
 10.2 * 10.3 * 10.4 * 9.8 ↙ 10.8 *
 beste Teiler 49.0 (30.) 101.3 (24.) 136.9 (28.)
 Trefferlage 0.25 mm rechts, 0.27 mm hoch
 Streuwert 1.41, horizontal: 1.16, vertikal: 1.63





Serie 4:
 10.7 * 10.6 * 10.1 ↘ 10.4 * 9.5 ↖
 9.3 ↘ 10.6 * 10.5 * 10.7 * 10.0 ↓
 beste Teiler 51.3 (39.) 51.4 (31.) 79.8 (32.)
 Trefferlage 0.45 mm links, 0.41 mm hoch
 Streuwert 1.54, horizontal: 1.49, vertikal: 1.59

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	391	(410.1)
Serien:	98 99 97 97	
Zähler:	31 9 0 0 0 0 0 0 0 0	
Innenzehner:	26	
weiteste:	434 (26), 344 (38), 338 (5)	
beste Teiler	23.4 (16.) 29.7 (11.) 31.7 (12.)	
Trefferlage	0.10 mm links, 0.28 mm tief	
Streuwert	1.41, horizontal: 1.35, vertikal: 1.48	




Serie 1:

10.3 *	10.1 ↘	10.5 *	10.2 *	9.6 ←
9.9 ↘	10.0 ↘	10.7 *	10.1 ↓	10.6 *
beste Teiler	65.5 (8.)	80.0 (10.)	120.5 (3.)	
Trefferlage	0.27 mm rechts, 0.58 mm tief			
Streuwert	1.45, horizontal: 1.58, vertikal: 1.32			




Serie 2:

10.8 *	10.8 *	9.8 →	10.7 *	10.4 *
10.9 *	10.3 *	10.4 *	10.5 *	10.1 ↗
beste Teiler	23.4 (16.)	29.7 (11.)	31.7 (12.)	
Trefferlage	0.39 mm rechts, 0.07 mm hoch			
Streuwert	1.08, horizontal: 1.20, vertikal: 0.95			



Serie 3:

10.4 *	10.6 *	10.4 *	10.5 *	10.7 *
9.2 ↙	10.4 *	9.9 ↙	9.6 ↓	10.1 ↓
beste Teiler	74.6 (25.)	87.6 (22.)	117.2 (24.)	
Trefferlage	0.43 mm links, 0.79 mm tief			
Streuwert	1.50, horizontal: 1.44, vertikal: 1.57			





Serie 4:


10.3 *	9.8 ↓	9.7 ↘	10.2 *	10.4 *
10.4 *	10.3 *	9.6 ↙	10.4 *	10.5 *
beste Teiler	108.2 (40.)	136.0 (35.)	143.5 (36.)	
Trefferlage	0.65 mm links, 0.16 mm hoch			
Streuwert	1.51, horizontal: 0.98, vertikal: 1.90			

Unterschrift des Schützen


Ergebnis:	395	(406.4)
Serien:	99 99 97 100	
Zähler:	35 5 0 0 0 0 0 0 0 0	
Innenzehner:	21	
weiteste:	458 (29), 424 (21), 328 (24)	
beste Teiler	66.0 (17.) 74.6 (30.) 82.0 (8.)	
Trefferlage	0.04 mm rechts, 0.12 mm hoch	
Streuwert	1.53, horizontal: 1.57, vertikal: 1.48	




Serie 1:	9.7 ↘	10.0 ↓	10.1 ↓	10.1 ↖	10.4 *
	10.2 *	10.2 *	10.6 *	10.1 ↗	10.5 *
beste Teiler	82.0 (8.) 125.1 (10.) 141.7 (5.)				
Trefferlage	0.08 mm links, 0.40 mm tief				
Streuwert	1.46, horizontal: 1.48, vertikal: 1.45				



Serie 2:	10.0 ↘	10.2 *	10.3 *	10.2 *	9.8 ↖
	10.2 *	10.7 *	10.1 ↘	10.3 *	10.3 *
beste Teiler	66.0 (17.) 153.1 (20.) 157.0 (13.)				
Trefferlage	0.61 mm rechts, 0.14 mm tief				
Streuwert	1.37, horizontal: 1.26, vertikal: 1.48				



Serie 3:	9.3 ↗	10.4 *	10.3 *	9.6 ↖	10.1 ↘
	10.6 *	10.1 ↗	10.4 *	9.1 ←	10.7 *
beste Teiler	74.6 (30.) 89.3 (26.) 130.7 (28.)				
Trefferlage	0.49 mm links, 0.70 mm hoch				
Streuwert	1.80, horizontal: 2.10, vertikal: 1.45				





Serie 4:	10.0 ↘	10.2 *	10.3 *	10.5 *	10.3 *
	10.1 ↗	10.1 ↘	10.1 ←	10.1 ↖	10.1 ↘
beste Teiler	124.2 (34.) 157.7 (35.) 174.1 (33.)				
Trefferlage	0.13 mm rechts, 0.34 mm hoch				
Streuwert	1.43, horizontal: 1.36, vertikal: 1.50				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **410.4** (391)
 Serien: 102.0 104.1 102.1 102.2
 Zähler: 31 9 0 0 0 0 0 0 0 0
 Innenzehner: 26
 weiteste: 370 (26), 361 (31), 332 (32)
 beste Teiler 36.2 (20.) 41.4 (1.) 45.8 (16.)
 Trefferlage 0.21 mm rechts, 0.15 mm hoch
 Streuwert 1.41, horizontal: 1.26, vertikal: 1.54




Serie 1:
 10.8 * 10.3 * 10.2 * 10.7 * 10.4 *
 10.5 * 9.7 ↑ 9.6 ↘ 9.9 ↗ 9.9 ↘
 beste Teiler 41.4 (1.) 64.4 (4.) 108.2 (6.)
 Trefferlage 0.63 mm rechts, 0.28 mm hoch
 Streuwert 1.49, horizontal: 1.31, vertikal: 1.66



Serie 2:
 10.2 * 10.2 * 10.5 * 10.5 * 10.0 ↖
 10.8 * 10.5 * 10.0 ← 10.6 * 10.8 *
 beste Teiler 36.2 (20.) 45.8 (16.) 97.0 (19.)
 Trefferlage 0.48 mm links, 0.44 mm hoch
 Streuwert 1.04, horizontal: 0.96, vertikal: 1.11





Serie 3:
 10.0 ← 10.7 * 10.2 * 9.7 ↖ 10.6 *
 9.5 ↑ 10.4 * 10.4 * 10.7 * 9.9 ↓
 beste Teiler 52.6 (22.) 65.4 (29.) 80.1 (25.)
 Trefferlage 0.12 mm links, 0.44 mm hoch
 Streuwert 1.55, horizontal: 1.15, vertikal: 1.86




Serie 4:
 9.5 → 9.6 ↘ 10.4 * 10.4 * 10.4 *
 10.7 * 10.1 ↘ 10.5 * 10.5 * 10.1 ↘
 beste Teiler 72.4 (36.) 113.0 (39.) 124.3 (38.)
 Trefferlage 0.84 mm rechts, 0.56 mm tief
 Streuwert 1.35, horizontal: 1.28, vertikal: 1.42

Unterschrift des Schützen


Ergebnis:	390	(409.3)
Serien:	97 97 99 97	
Zähler:	30 10 0 0 0 0 0 0 0 0	
Innenzehner:	25	
weiteste:	453 (9), 445 (20), 340 (38)	
beste Teiler	7.2 (28.) 8.9 (39.) 47.8 (30.)	
Trefferlage	0.06 mm rechts, 0.39 mm hoch	
Streuwert	1.48, horizontal: 1.60, vertikal: 1.36	




Serie 1:	10.2 *	10.3 *	10.0 ↙	9.8 ↘	10.2 *
	10.1 ↓	10.7 *	9.8 ↘	9.1 ←	10.3 *
beste Teiler	73.2 (7.)	160.3 (2.)	173.4 (10.)		
Trefferlage	0.52 mm links, 0.14 mm hoch				
Streuwert	1.78, horizontal: 2.01, vertikal: 1.52				



Serie 2:	10.2 *	10.5 *	9.7 ↘	10.6 *	10.2 *
	10.7 *	10.7 *	10.3 *	9.7 ←	9.2 ↗
beste Teiler	67.2 (16.)	72.6 (17.)	91.0 (14.)		
Trefferlage	0.22 mm rechts, 0.65 mm hoch				
Streuwert	1.62, horizontal: 1.86, vertikal: 1.32				



Serie 3:	10.7 *	10.2 *	10.7 *	10.7 *	10.4 *
	10.4 *	10.1 →	10.9 *	9.8 →	10.8 *
beste Teiler	7.2 (28.)	47.8 (30.)	64.6 (23.)		
Trefferlage	0.53 mm rechts, 0.17 mm hoch				
Streuwert	1.03, horizontal: 1.30, vertikal: 0.65				





Serie 4:	9.8 ↙	9.9 ↘	10.6 *	10.0 ↗	10.0 ↘
	10.5 *	10.8 *	9.6 ↑	10.9 *	10.2 *
beste Teiler	8.9 (39.)	48.0 (37.)	87.5 (33.)		
Trefferlage	0.02 mm rechts, 0.61 mm hoch				
Streuwert	1.49, horizontal: 1.09, vertikal: 1.80				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **391** (406.7)
 Serien: 97 99 97 98
 Zähler: 31 9 0 0 0 0 0 0 0 0
 Innenzehner: 22
 weiteste: 477 (38), 476 (20), 435 (40)
 beste Teiler 33.5 (14.) 39.1 (24.) 40.1 (22.)
 Trefferlage 0.02 mm rechts, 0.55 mm hoch
 Streuwert 1.60, horizontal: 1.52, vertikal: 1.67




Serie 1:
 10.0 ↘ 9.2 ↑ 9.9 ← 10.0 ← 10.2 *
 10.7 * 10.5 * 10.0 ↗ 10.6 * 9.7 ↗
 beste Teiler 55.4 (6.) 91.9 (9.) 117.0 (7.)
 Trefferlage 0.31 mm rechts, 0.69 mm hoch
 Streuwert 1.71, horizontal: 1.69, vertikal: 1.72



Serie 2:
 10.6 * 10.1 ↓ 10.4 * 10.8 * 10.7 *
 10.1 ↓ 10.3 * 10.2 * 10.6 * 9.0 ↘
 beste Teiler 33.5 (14.) 53.0 (15.) 89.8 (19.)
 Trefferlage 0.35 mm links, 0.09 mm hoch
 Streuwert 1.51, horizontal: 1.07, vertikal: 1.84



Serie 3:
 9.5 ↖ 10.8 * 9.6 ↑ 10.8 * 10.1 ↘
 10.4 * 10.5 * 10.0 ← 9.6 ↗ 10.3 *
 beste Teiler 39.1 (24.) 40.1 (22.) 118.3 (27.)
 Trefferlage 0.20 mm rechts, 0.86 mm hoch
 Streuwert 1.56, horizontal: 1.54, vertikal: 1.59





Serie 4:
 10.1 ↖ 10.1 ↓ 10.4 * 10.7 * 10.4 *
 10.8 * 10.5 * 9.0 ↗ 10.3 * 9.2 ↖
 beste Teiler 46.8 (36.) 53.7 (34.) 109.1 (37.)
 Trefferlage 0.05 mm links, 0.55 mm hoch
 Streuwert 1.76, horizontal: 1.84, vertikal: 1.67


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **395** (413.4)
 Serien: 99 99 99 98
 Zähler: 35 5 0 0 0 0 0 0 0 0
 Innenzehner: 30
 weiteste: 368 (21), 285 (15), 271 (4)
 beste Teiler 51.8 (31.) 56.2 (10.) 56.8 (24.)
 Trefferlage 0.04 mm rechts, 0.02 mm hoch
 Streuwert 1.22, horizontal: 1.25, vertikal: 1.20




Serie 1:
 10.5 * 10.4 * 10.3 * 9.9 ↓ 10.1 ←
 10.7 * 10.2 * 10.2 * 10.2 * 10.7 *
 beste Teiler 56.2 (10.) 64.5 (6.) 104.0 (1.)
 Trefferlage 0.05 mm rechts, 0.59 mm tief
 Streuwert 1.18, horizontal: 1.12, vertikal: 1.24



Serie 2:
 10.5 * 10.6 * 10.0 → 10.2 * 9.8 ↘
 10.5 * 10.5 * 10.3 * 10.2 * 10.3 *
 beste Teiler 93.7 (12.) 110.6 (11.) 119.6 (16.)
 Trefferlage 0.45 mm rechts, 0.33 mm tief
 Streuwert 1.24, horizontal: 1.43, vertikal: 1.02



Serie 3:
 9.5 ↖ 10.6 * 10.1 ← 10.7 * 10.6 *
 10.6 * 10.1 ↘ 10.5 * 10.1 ↗ 10.7 *
 beste Teiler 56.8 (24.) 67.7 (30.) 86.3 (22.)
 Trefferlage 0.32 mm links, 0.67 mm hoch
 Streuwert 1.20, horizontal: 1.51, vertikal: 0.79





Serie 4:
 10.7 * 10.5 * 10.6 * 9.9 ↑ 10.7 *
 10.2 * 10.6 * 10.2 * 9.9 ↓ 10.5 *
 beste Teiler 51.8 (31.) 58.7 (35.) 89.0 (33.)
 Trefferlage 0.01 mm links, 0.35 mm hoch
 Streuwert 1.17, horizontal: 0.92, vertikal: 1.37


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	386	(406.7)
Serien:	97 98 97 94	
Zähler:	26 14 0 0 0 0 0 0 0 0	
Innenzehner:	23	
weiteste:	382 (38), 374 (30), 364 (32)	
beste Teiler	57.0 (19.) 59.8 (22.) 60.9 (34.)	
Trefferlage	0.14 mm rechts, 0.04 mm hoch	
Streuwert	1.56, horizontal: 1.57, vertikal: 1.55	




Serie 1:	10.6 *	9.9 ↘	9.9 ↘	10.6 *	10.7 *
	10.0 ↘	10.4 *	10.6 *	10.3 *	9.7 ↗
beste Teiler	72.1 (5.)	77.0 (4.)	97.3 (1.)		
Trefferlage	0.37 mm rechts, 0.06 mm hoch				
Streuwert	1.41, horizontal: 1.40, vertikal: 1.41				



Serie 2:	10.4 *	10.7 *	10.4 *	10.2 *	10.2 *
	9.9 ↗	10.3 *	10.5 *	10.7 *	9.8 ↗
beste Teiler	57.0 (19.)	74.2 (12.)	114.5 (18.)		
Trefferlage	0.30 mm links, 0.31 mm hoch				
Streuwert	1.29, horizontal: 1.22, vertikal: 1.36				



Serie 3:	10.2 *	10.7 *	10.1 ↗	10.0 ↑	10.6 *
	10.4 *	9.9 ↖	10.2 *	9.9 ←	9.5 ↑
beste Teiler	59.8 (22.)	89.0 (25.)	140.0 (26.)		
Trefferlage	0.46 mm links, 0.62 mm hoch				
Streuwert	1.55, horizontal: 1.34, vertikal: 1.74				



Serie 4:	10.2 *	9.5 →	9.9 ↗	10.7 *	10.3 *
	9.7 ↓	9.9 ↓	9.4 ↗	9.5 →	10.3 *
beste Teiler	60.9 (34.)	156.1 (40.)	164.2 (35.)		
Trefferlage	0.98 mm rechts, 0.81 mm tief				
Streuwert	1.77, horizontal: 2.00, vertikal: 1.52				

Unterschrift des Schützen

Meyton Elektronik