





Ergebnis: **365** (385.0)  
 Serien: 93 91 92 89  
 Zähler: 17 12 10 1 0 0 0 0 0 0  
 Innenzehner: 8  
 weiteste: 2541 (5), 2394 (35), 2151 (11)  
 beste Teiler 50.2 (13.) 92.9 (10.) 217.2 (8.)  
 Trefferlage 2.32 mm links, 1.40 mm hoch  
 Streuwert 8.64, horizontal: 9.24, vertikal: 8.00




Serie 1:  
 10.1 ←                      10.4 \*                      8.8 ←                      10.1 ↘                      7.8 ↘  
 9.7 ↘                      10.0 ↘                      10.7 \*                      9.9 ←                      10.8 \*  
 beste Teiler 92.9 (10.) 217.2 (8.) 423.0 (2.)  
 Trefferlage 1.40 mm links, 2.54 mm tief  
 Streuwert 8.10, horizontal: 10.02, vertikal: 5.55



Serie 2:  
 8.3 ←                      9.4 ↑                      10.9 \*                      9.4 ←                      9.4 ↘  
 8.9 ↘                      10.3 ↑                      10.5 \*                      10.5 \*                      8.3 ↘  
 beste Teiler 50.2 (13.) 363.4 (19.) 371.4 (18.)  
 Trefferlage 6.14 mm links, 2.88 mm hoch  
 Streuwert 8.31, horizontal: 7.40, vertikal: 9.12



Serie 3:  
 9.6 ←                      9.5 →                      10.6 \*                      8.5 ↑                      10.0 ↘  
 9.5 ↘                      10.1 ↘                      8.9 →                      10.1 ←                      9.7 →  
 beste Teiler 301.5 (23.) 648.1 (27.) 665.8 (29.)  
 Trefferlage 0.98 mm rechts, 2.69 mm hoch  
 Streuwert 8.13, horizontal: 9.13, vertikal: 6.99





Serie 4:  
 8.8 ←                      8.7 ↘                      10.1 ↘                      9.7 ↑                      8.0 ↘  
 10.6 \*                      9.5 ↘                      10.2 →                      9.8 ↑                      8.9 ↘  
 beste Teiler 303.4 (36.) 574.2 (38.) 652.2 (33.)  
 Trefferlage 2.74 mm links, 2.60 mm hoch  
 Streuwert 9.81, horizontal: 10.08, vertikal: 9.53


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **359** (376.3)  
 Serien: 88 88 91 92  
 Zähler: 11 20 6 3 0 0 0 0 0 0  
 Innenzehner: 3  
 weiteste: 3123 (30), 2924 (17), 2452 (9)  
 beste Teiler 203.0 (21.) 267.1 (7.) 371.4 (8.)  
 Trefferlage 0.26 mm rechts, 0.77 mm hoch  
 Streuwert 9.98, horizontal: 8.52, vertikal: 11.26




Serie 1:  
 9.2 ↗ 9.0 ↘ 8.8 ↘ 9.8 ↘ 9.4 ↘  
 9.9 ↘ 10.6 \* 10.5 \* 7.9 ↙ 8.4 ↘  
 beste Teiler 267.1 (7.) 371.4 (8.) 870.0 (6.)  
 Trefferlage 1.95 mm links, 4.85 mm tief  
 Streuwert 9.97, horizontal: 9.36, vertikal: 10.55



Serie 2:  
 9.5 ↘ 10.0 ↓ 9.8 ↗ 9.6 ↗ 8.9 ↑  
 9.8 ↑ 7.3 ↘ 9.0 ↗ 8.8 ↑ 10.2 ↓  
 beste Teiler 595.2 (20.) 800.8 (12.) 889.8 (13.)  
 Trefferlage 0.30 mm links, 6.03 mm hoch  
 Streuwert 10.01, horizontal: 6.00, vertikal: 12.82



Serie 3:  
 10.7 \* 10.1 ↓ 9.7 ↘ 10.1 → 8.0 ↗  
 9.4 ↘ 9.5 ↘ 9.8 → 10.1 ↘ 7.0 ↘  
 beste Teiler 203.0 (21.) 681.2 (24.) 688.6 (29.)  
 Trefferlage 0.43 mm rechts, 0.67 mm tief  
 Streuwert 10.93, horizontal: 10.41, vertikal: 11.42





Serie 4:  
 9.3 ↗ 10.2 → 9.7 → 10.0 ↘ 9.2 ↑  
 9.1 ↗ 10.2 → 9.5 ↙ 8.5 ↘ 9.8 ↙  
 beste Teiler 569.0 (37.) 588.1 (32.) 780.0 (34.)  
 Trefferlage 2.88 mm rechts, 2.61 mm hoch  
 Streuwert 8.35, horizontal: 8.29, vertikal: 8.41


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **368** (385.0)  
 Serien: 91 93 94 90  
 Zähler: 16 17 6 1 0 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 2484 (8), 1996 (36), 1928 (12)  
 beste Teiler 215.2 (16.) 242.5 (26.) 319.0 (35.)  
 Trefferlage 0.49 mm links, 2.17 mm hoch  
 Streuwert 8.38, horizontal: 8.01, vertikal: 8.73




Serie 1:  
 9.5 ↓                      9.3 ↗                      9.7 ↘                      9.9 ↘                      10.2 ←  
 9.0 ↖                      9.7 ↙                      7.8 ←                      10.0 ↓                      10.1 →  
 beste Teiler 611.9 (5.) 702.7 (10.) 793.4 (9.)  
 Trefferlage 2.42 mm links, 3.02 mm tief  
 Streuwert 9.02, horizontal: 9.73, vertikal: 8.24



Serie 2:  
 9.8 ↖                      8.5 ↖                      10.1 ↑                      10.1 ↘                      8.9 →  
 10.7 \*                      10.1 ←                      9.2 ↑                      10.0 ↑                      9.3 ↖  
 beste Teiler 215.2 (16.) 660.0 (13.) 673.6 (17.)  
 Trefferlage 0.33 mm links, 5.60 mm hoch  
 Streuwert 7.40, horizontal: 7.60, vertikal: 7.19



Serie 3:  
 10.3 →                      10.4 \*                      9.2 ↖                      8.6 ↖                      10.1 ←  
 10.6 \*                      9.9 ↙                      9.4 ↑                      9.1 ↘                      10.5 \*  
 beste Teiler 242.5 (26.) 396.4 (30.) 443.6 (22.)  
 Trefferlage 1.61 mm links, 2.30 mm hoch  
 Streuwert 7.57, horizontal: 6.34, vertikal: 8.62





Serie 4:  
 8.7 ↘                      9.8 ←                      10.0 ↘                      9.7 →                      10.6 \*  
 8.5 ↑                      9.4 →                      8.8 ↖                      10.3 ←                      9.2 ↑  
 beste Teiler 319.0 (35.) 542.8 (39.) 757.4 (33.)  
 Trefferlage 2.41 mm rechts, 3.78 mm hoch  
 Streuwert 8.97, horizontal: 8.38, vertikal: 9.52


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **373.7** (357)  
 Serien: 92.8 90.7 97.8 92.4  
 Zähler: 9 22 6 3 0 0 0 0 0 0  
 Innenzehner: 7  
 weiteste: 2877 (12), 2645 (38), 2615 (6)  
 beste Teiler 185.0 (7.) 280.7 (28.) 290.5 (33.)  
 Trefferlage 2.56 mm links, 1.07 mm tief  
 Streuwert 10.17, horizontal: 9.33, vertikal: 10.95




Serie 1:  
 8.4 ↘                      9.1 ↑                      8.5 ↖                      10.4 \*                      9.4 ↙  
 7.7 ↘                      10.7 \*                      9.8 ←                      9.2 →                      9.6 ↘  
 beste Teiler 185.0 (7.) 414.0 (4.) 898.2 (8.)  
 Trefferlage 2.13 mm links, 0.65 mm tief  
 Streuwert 11.13, horizontal: 11.86, vertikal: 10.35



Serie 2:  
 8.3 ↙                      7.4 ↑                      9.1 ↙                      9.1 ↘                      8.6 ←  
 9.7 ↘                      9.3 ↓                      9.6 →                      10.4 \*                      9.2 ↘  
 beste Teiler 446.9 (19.) 1018.0 (16.) 1052.8 (18.)  
 Trefferlage 4.36 mm links, 0.58 mm tief  
 Streuwert 11.72, horizontal: 10.51, vertikal: 12.82



Serie 3:  
 10.4 \*                      9.3 ↘                      9.7 ↙                      9.7 ↖                      9.3 ↘  
 9.5 ←                      9.6 ↙                      10.6 \*                      9.5 →                      10.2 →  
 beste Teiler 280.7 (28.) 409.1 (21.) 618.3 (30.)  
 Trefferlage 0.68 mm links, 2.73 mm tief  
 Streuwert 7.17, horizontal: 7.76, vertikal: 6.53





Serie 4:  
 9.2 ↓                      9.1 ↑                      10.6 \*                      10.5 \*                      9.6 ↙  
 8.5 ↙                      8.0 ↓                      7.6 ↑                      10.1 ←                      9.2 ↖  
 beste Teiler 290.5 (33.) 400.1 (34.) 644.0 (39.)  
 Trefferlage 3.08 mm links, 0.32 mm tief  
 Streuwert 11.38, horizontal: 7.60, vertikal: 14.18


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **370** (388.5)  
 Serien: 95 96 91 88  
 Zähler: 19 14 6 0 1 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 3473 (33), 2353 (31), 2209 (29)  
 beste Teiler 188.0 (32.) 212.8 (10.) 260.0 (26.)  
 Trefferlage 2.29 mm links, 1.14 mm hoch  
 Streuwert 8.33, horizontal: 8.40, vertikal: 8.26




Serie 1:  
 10.2 ↖                      9.7 ←                      10.3 ↗                      10.6 \*                      10.3 ↘  
 9.7 ↙                      9.1 →                      9.7 ↓                      9.7 ↓                      10.7 \*  
 beste Teiler 212.8 (10.) 282.0 (4.) 486.2 (5.)  
 Trefferlage 1.02 mm links, 1.06 mm tief  
 Streuwert 6.29, horizontal: 6.06, vertikal: 6.52



Serie 2:  
 10.3 ↑                      10.3 ↖                      10.0 ↖                      10.3 ↘                      9.2 →  
 10.0 ↓                      10.2 ↘                      9.9 ↙                      9.6 ↙                      9.7 ←  
 beste Teiler 487.9 (14.) 507.3 (12.) 540.0 (11.)  
 Trefferlage 0.50 mm links, 1.54 mm tief  
 Streuwert 6.19, horizontal: 6.85, vertikal: 5.46





Serie 3:  
 8.9 ↗                      9.5 ↑                      10.2 ↖                      9.9 ←                      8.5 ↑  
 10.6 \*                      10.2 ←                      9.8 ↑                      8.2 ↑                      10.1 →  
 beste Teiler 260.0 (26.) 599.3 (27.) 636.3 (23.)  
 Trefferlage 1.15 mm links, 8.18 mm hoch  
 Streuwert 7.05, horizontal: 5.50, vertikal: 8.32




Serie 4:  
 8.0 ←                      10.7 \*                      6.6 ←                      10.0 ↘                      9.9 ↙  
 10.4 \*                      10.2 ↑                      8.8 ↖                      9.8 ↘                      8.7 ↓  
 beste Teiler 188.0 (32.) 453.5 (36.) 620.0 (37.)  
 Trefferlage 6.51 mm links, 0.96 mm tief  
 Streuwert 11.10, horizontal: 12.87, vertikal: 9.00

Unterschrift des Schützen


Ergebnis: **356** (375.4)  
 Serien: 86 89 87 94  
 Zähler: 8 20 12 0 0 0 0 0 0 0  
 Innenzehner: 2  
 weiteste: 2233 (10), 2049 (4), 2035 (7)  
 beste Teiler 385.0 (14.) 435.4 (39.) 512.0 (35.)  
 Trefferlage 1.33 mm rechts, 2.33 mm hoch  
 Streuwert 9.50, horizontal: 7.52, vertikal: 11.13




Serie 1:  
 8.9 → 10.0 ↘ 9.7 ↖ 8.4 ↗ 8.4 ↘  
 10.3 ↘ 8.4 ↓ 8.4 ↘ 9.9 ↑ 8.2 ↘  
 beste Teiler 544.6 (6.) 789.4 (2.) 806.6 (9.)  
 Trefferlage 5.31 mm rechts, 5.84 mm tief  
 Streuwert 10.68, horizontal: 7.76, vertikal: 12.96



Serie 2:  
 9.4 → 9.6 ↓ 8.9 ↗ 10.5 \* 10.1 ↘  
 8.7 ↑ 9.7 ↘ 8.8 ↘ 9.5 ↗ 9.8 ←  
 beste Teiler 385.0 (14.) 652.8 (15.) 901.1 (20.)  
 Trefferlage 2.10 mm rechts, 5.01 mm hoch  
 Streuwert 8.29, horizontal: 7.42, vertikal: 9.08



Serie 3:  
 9.9 ↘ 9.9 ↖ 9.6 ↗ 9.4 ↗ 9.0 ↗  
 9.9 ↗ 8.5 ↘ 8.4 ↘ 9.3 ↗ 8.4 ↘  
 beste Teiler 818.5 (21.) 818.7 (22.) 875.6 (26.)  
 Trefferlage 1.58 mm rechts, 6.14 mm hoch  
 Streuwert 9.68, horizontal: 7.26, vertikal: 11.60





Serie 4:  
 9.0 ↑ 9.9 ↑ 10.1 ↖ 9.5 ↘ 10.3 ↖  
 10.0 ↘ 9.2 ↗ 9.7 ← 10.4 \* 9.4 ↖  
 beste Teiler 435.4 (39.) 512.0 (35.) 649.8 (33.)  
 Trefferlage 3.66 mm links, 4.02 mm hoch  
 Streuwert 6.39, horizontal: 5.59, vertikal: 7.10


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **354** (376.9)  
 Serien: 89 89 86 90  
 Zähler: 7 23 7 3 0 0 0 0 0 0  
 Innenzehner: 2  
 weiteste: 2600 (35), 2497 (37), 2492 (6)  
 beste Teiler 236.2 (7.) 339.7 (36.) 531.8 (39.)  
 Trefferlage 2.64 mm rechts, 1.02 mm tief  
 Streuwert 9.53, horizontal: 7.35, vertikal: 11.30




Serie 1:  
 9.9 ←                      8.4 ↑                      9.8 ↘                      9.6 →                      9.2 →  
 7.8 ↓                      10.7 \*                      9.7 ↖                      10.1 →                      9.8 →  
 beste Teiler 236.2 (7.) 694.6 (9.) 851.0 (1.)  
 Trefferlage 2.50 mm rechts, 0.82 mm tief  
 Streuwert 9.64, horizontal: 8.14, vertikal: 10.93



Serie 2:  
 8.4 ↑                      9.4 ↗                      9.8 ↖                      8.7 ↘                      9.9 ↘  
 10.2 ↑                      9.4 ↗                      9.7 ↑                      9.5 ↘                      9.7 ↓  
 beste Teiler 633.4 (16.) 847.1 (15.) 914.4 (13.)  
 Trefferlage 4.31 mm rechts, 2.78 mm hoch  
 Streuwert 8.48, horizontal: 5.74, vertikal: 10.54



Serie 3:  
 8.8 ↘                      8.3 ↘                      9.9 ↗                      9.9 ↑                      9.3 ↑  
 9.4 ↙                      9.9 ↓                      8.2 ↘                      8.8 ↓                      9.6 ←  
 beste Teiler 802.6 (27.) 849.7 (23.) 866.6 (24.)  
 Trefferlage 0.71 mm rechts, 5.66 mm tief  
 Streuwert 10.25, horizontal: 8.41, vertikal: 11.80





Serie 4:  
 9.5 →                      10.2 ↙                      10.2 →                      9.9 ↗                      7.7 ↓  
 10.5 \*                      7.8 ↖                      9.8 ↓                      10.3 ↖                      9.2 →  
 beste Teiler 339.7 (36.) 531.8 (39.) 595.1 (32.)  
 Trefferlage 3.04 mm rechts, 0.40 mm tief  
 Streuwert 9.99, horizontal: 7.52, vertikal: 11.97


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **371** (387.0)  
 Serien: 93 90 93 95  
 Zähler: 17 17 6 0 0 0 0 0 0 0  
 Innenzehner: 7  
 weiteste: 2247 (27), 2129 (1), 2092 (15)  
 beste Teiler 68.9 (25.) 174.4 (40.) 236.8 (4.)  
 Trefferlage 2.18 mm rechts, 1.90 mm hoch  
 Streuwert 8.05, horizontal: 7.67, vertikal: 8.41




Serie 1:  
 8.3 → 10.4 \* 10.4 \* 10.7 \* 10.2 ↘  
 9.7 ↗ 10.2 ↑ 9.3 ↘ 8.5 ↘ 9.3 ↓  
 beste Teiler 236.8 (4.) 425.0 (3.) 475.7 (2.)  
 Trefferlage 5.35 mm rechts, 2.13 mm tief  
 Streuwert 7.71, horizontal: 6.79, vertikal: 8.54



Serie 2:  
 10.0 ↘ 10.0 ↘ 9.3 ↙ 9.2 ↘ 8.3 ↑  
 8.9 ↗ 9.4 ↘ 9.7 ← 9.4 → 9.3 ↖  
 beste Teiler 744.6 (12.) 749.5 (11.) 1039.8 (18.)  
 Trefferlage 0.20 mm links, 2.87 mm hoch  
 Streuwert 9.72, horizontal: 9.38, vertikal: 10.06



Serie 3:  
 9.1 ↑ 10.3 ↘ 9.8 → 9.3 → 10.9 \*  
 10.5 \* 8.1 ↘ 9.7 ↗ 10.3 ↖ 9.4 ↑  
 beste Teiler 68.9 (25.) 384.8 (26.) 513.3 (29.)  
 Trefferlage 1.65 mm rechts, 5.86 mm hoch  
 Streuwert 7.25, horizontal: 7.96, vertikal: 6.45



Serie 4:  
 8.9 ↗ 10.0 ↗ 9.2 ↙ 10.2 → 9.9 ↓  
 10.4 \* 10.2 ↑ 10.1 ↘ 9.5 ↗ 10.7 \*  
 beste Teiler 174.4 (40.) 442.5 (36.) 620.2 (37.)  
 Trefferlage 1.92 mm rechts, 1.01 mm hoch  
 Streuwert 6.82, horizontal: 6.29, vertikal: 7.32

Unterschrift des Schützen

Meyton Elektronik