





Ergebnis: **353** (372.1)
 Serien: 85 90 86 92
 Zähler: 11 15 10 4 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 2936 (27), 2729 (1), 2474 (7)
 beste Teiler 222.8 (15.) 281.8 (34.) 384.6 (35.)
 Trefferlage 1.42 mm links, 2.17 mm hoch
 Streuwert 10.53, horizontal: 9.83, vertikal: 11.18




Serie 1:
 7.5 ← 8.8 ↘ 9.5 → 9.9 ↗ 9.4 ↓
 9.8 ↓ 7.9 ↙ 7.9 ↑ 10.3 ← 10.2 →
 beste Teiler 515.7 (9.) 575.5 (10.) 801.8 (4.)
 Trefferlage 2.86 mm links, 2.27 mm tief
 Streuwert 12.06, horizontal: 11.97, vertikal: 12.15



Serie 2:
 9.2 ↑ 10.1 ← 9.2 ↖ 9.2 ↗ 10.7 *
 8.6 → 9.9 ↘ 8.9 ← 9.7 ↗ 9.3 ↖
 beste Teiler 222.8 (15.) 715.9 (12.) 845.9 (17.)
 Trefferlage 4.66 mm links, 2.28 mm hoch
 Streuwert 8.58, horizontal: 8.99, vertikal: 8.14



Serie 3:
 9.4 ↑ 8.4 ↑ 10.1 ↘ 9.6 ↖ 9.1 ↗
 10.2 ← 7.3 ↗ 8.9 ↗ 8.9 ↑ 8.4 →
 beste Teiler 594.9 (26.) 668.4 (23.) 1083.8 (24.)
 Trefferlage 3.84 mm rechts, 10.39 mm hoch
 Streuwert 9.36, horizontal: 9.96, vertikal: 8.72





Serie 4:
 10.3 → 8.0 ↑ 10.0 ↗ 10.6 * 10.5 *
 9.8 ↖ 8.7 ← 8.3 ↓ 10.2 ↓ 9.4 ↘
 beste Teiler 281.8 (34.) 384.6 (35.) 551.9 (31.)
 Trefferlage 2.01 mm links, 1.71 mm tief
 Streuwert 9.70, horizontal: 7.11, vertikal: 11.73

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	365	(381.4)
Serien:	90 94 90 91	
Zähler:	12 22 5 1 0 0 0 0 0 0	
Innenzehner:	5	
weiteste:	2460 (30), 2324 (37), 1904 (38)	
beste Teiler	148.6 (34.) 353.9 (29.) 358.6 (5.)	
Trefferlage	3.56 mm rechts, 0.53 mm hoch	
Streuwert	8.58, horizontal: 8.29, vertikal: 8.86	




Serie 1:

8.8 ↘	9.1 ↘	9.6 →	9.3 ↙	10.5 *
9.2 →	8.7 ↘	9.5 ↘	10.1 ↖	9.2 →
beste Teiler	358.6 (5.)	720.5 (9.)	1116.2 (3.)	
Trefferlage	3.25 mm rechts, 5.07 mm tief			
Streuwert	8.78, horizontal: 9.14, vertikal: 8.40			




Serie 2:

9.5 ↗	9.2 ↙	9.4 ↘	10.4 ↗	10.1 ↗
10.4 *	9.7 ↙	9.2 ↗	9.1 ↑	10.3 ↖
beste Teiler	417.2 (16.)	477.1 (14.)	485.7 (20.)	
Trefferlage	0.36 mm rechts, 2.41 mm hoch			
Streuwert	7.68, horizontal: 7.50, vertikal: 7.85			



Serie 3:

10.1 ↘	9.5 ↖	9.3 ↓	9.4 ↓	9.1 →
9.9 →	9.7 ↘	9.3 →	10.5 *	7.9 →
beste Teiler	353.9 (29.)	695.1 (21.)	831.7 (26.)	
Trefferlage	6.75 mm rechts, 2.22 mm tief			
Streuwert	8.13, horizontal: 8.58, vertikal: 7.66			





Serie 4:

9.4 ↑	9.3 ↑	10.1 ↖	10.8 *	10.4 *
10.1 ↖	8.0 →	8.6 ↗	8.9 ↗	9.8 ↓
beste Teiler	148.6 (34.)	431.5 (35.)	661.3 (36.)	
Trefferlage	3.91 mm rechts, 7.00 mm hoch			
Streuwert	7.64, horizontal: 7.83, vertikal: 7.45			


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **366** (381.2)
 Serien: 92 91 91 92
 Zähler: 15 18 5 2 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 2598 (18), 2538 (24), 2115 (1)
 beste Teiler 315.2 (27.) 324.7 (40.) 457.0 (22.)
 Trefferlage 1.70 mm rechts, 3.05 mm hoch
 Streuwert 8.83, horizontal: 8.71, vertikal: 8.95




Serie 1:
 8.3 ← 10.0 ← 10.3 ↗ 9.4 ↑ 9.8 ↓
 9.5 → 9.2 ← 10.0 ↗ 9.8 → 9.9 ↓
 beste Teiler 528.6 (3.) 750.1 (2.) 769.4 (8.)
 Trefferlage 0.98 mm links, 1.89 mm tief
 Streuwert 8.43, horizontal: 9.80, vertikal: 6.80



Serie 2:
 10.3 → 10.1 ↑ 9.0 ↓ 10.2 → 10.2 ↖
 9.0 ↑ 9.8 ↘ 7.7 ↗ 8.6 ↑ 9.9 ↑
 beste Teiler 503.5 (11.) 568.0 (15.) 606.2 (14.)
 Trefferlage 4.16 mm rechts, 5.38 mm hoch
 Streuwert 8.71, horizontal: 7.89, vertikal: 9.45



Serie 3:
 9.3 ↘ 10.4 * 9.5 ↗ 7.8 ↑ 10.2 ↖
 10.2 → 10.6 * 9.5 ↑ 8.4 → 9.1 ↗
 beste Teiler 315.2 (27.) 457.0 (22.) 586.3 (25.)
 Trefferlage 3.88 mm rechts, 6.18 mm hoch
 Streuwert 8.51, horizontal: 8.02, vertikal: 8.98





Serie 4:
 9.2 ↘ 10.1 ← 9.3 ↓ 10.3 ← 9.1 ↑
 9.4 ← 8.8 ↗ 10.1 ↗ 8.4 → 10.5 *
 beste Teiler 324.7 (40.) 539.4 (34.) 673.0 (32.)
 Trefferlage 0.24 mm links, 2.54 mm hoch
 Streuwert 9.18, horizontal: 9.04, vertikal: 9.32


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **378.8** (362)
 Serien: 96.3 94.3 95.7 92.5
 Zähler: 15 15 7 3 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 2686 (22), 2591 (34), 2441 (36)
 beste Teiler 283.9 (30.) 345.6 (7.) 459.1 (11.)
 Trefferlage 0.04 mm links, 0.68 mm tief
 Streuwert 9.71, horizontal: 7.98, vertikal: 11.17




Serie 1:
 10.3 ↘ 8.5 ↘ 8.9 ↙ 10.3 ↘ 8.1 ↓
 9.8 → 10.5 * 10.0 ↑ 9.9 ← 10.0 ↘
 beste Teiler 345.6 (7.) 535.3 (4.) 546.7 (1.)
 Trefferlage 0.99 mm rechts, 4.56 mm tief
 Streuwert 8.43, horizontal: 7.80, vertikal: 9.01



Serie 2:
 10.4 * 9.8 → 9.1 ↑ 9.7 ↘ 9.4 ←
 9.4 ↗ 8.3 ↑ 9.9 ← 8.1 ↓ 10.2 ↑
 beste Teiler 459.1 (11.) 623.9 (20.) 816.5 (18.)
 Trefferlage 0.87 mm links, 3.84 mm hoch
 Streuwert 9.58, horizontal: 7.47, vertikal: 11.30



Serie 3:
 10.3 ↘ 7.6 ↘ 10.1 ↙ 9.7 ↘ 9.6 ↗
 10.0 ← 10.0 ↑ 8.1 ↗ 9.7 ← 10.6 *
 beste Teiler 283.9 (30.) 523.6 (21.) 711.1 (23.)
 Trefferlage 1.06 mm links, 4.50 mm hoch
 Streuwert 9.36, horizontal: 8.43, vertikal: 10.21



Serie 4:
 9.4 ↖ 10.1 ← 9.5 ← 7.7 ↓ 9.7 ↘
 7.9 ↓ 10.0 ↘ 10.1 → 8.7 ↘ 9.4 →
 beste Teiler 698.4 (32.) 716.9 (38.) 743.0 (37.)
 Trefferlage 0.74 mm rechts, 6.53 mm tief
 Streuwert 10.11, horizontal: 9.18, vertikal: 10.95

Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **368** (384.4)

Serien: 92 91 93 92

Zähler: 14 20 6 0 0 0 0 0 0 0



Innenzehner: 4

weiteste: 2214 (33), 2065 (25), 1975 (35)

beste Teiler 182.1 (32.) 228.6 (22.) 328.5 (37.)

Trefferlage 0.87 mm rechts, 1.08 mm tief

Streuwert 8.47, horizontal: 6.68, vertikal: 9.95




Serie 1:

9.1 ↘	10.1 ↘	10.0 ↗	9.7 ↙	9.6 ↗
9.8 ↗	9.1 ↗	9.6 →	10.3 ↗	8.8 ↘

beste Teiler 534.1 (9.) 670.9 (2.) 790.4 (3.)

Trefferlage 2.73 mm rechts, 1.75 mm tief

Streuwert 8.14, horizontal: 7.11, vertikal: 9.06




Serie 2:

9.0 ↙	8.6 ↑	10.1 ↗	9.7 ↙	8.9 ↖
9.7 →	10.2 ↙	9.5 ↗	9.3 ↓	10.4 *

beste Teiler 423.4 (20.) 581.5 (17.) 696.2 (13.)

Trefferlage 0.10 mm links, 0.00 mm

Streuwert 9.13, horizontal: 7.63, vertikal: 10.42




Serie 3:

10.3 ↘	10.7 *	9.5 ↑	10.2 ↖	8.4 ↓
9.2 ←	9.4 ↑	9.5 ↗	9.3 ↓	10.2 ↑

beste Teiler 228.6 (22.) 491.4 (21.) 596.6 (30.)

Trefferlage 0.82 mm links, 0.08 mm hoch

Streuwert 8.60, horizontal: 6.02, vertikal: 10.56



Serie 4:

9.6 ↗	10.7 *	8.2 ↙	9.7 →	8.5 ↓
9.5 ↑	10.5 *	10.2 ↑	10.3 →	9.0 ↓

beste Teiler 182.1 (32.) 328.5 (37.) 523.4 (39.)



Trefferlage 1.71 mm rechts, 2.67 mm tief

Streuwert 8.94, horizontal: 6.26, vertikal: 10.98


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	366	(383.8)
Serien:	93 93 91 89	
Zähler:	16 15 8 1 0 0 0 0 0 0	
Innenzehner:	4	
weiteste:	2737 (27), 2186 (29), 2060 (39)	
beste Teiler	155.1 (31.) 278.1 (4.) 416.8 (13.)	
Trefferlage	1.07 mm rechts, 2.17 mm hoch	
Streuwert	8.64, horizontal: 7.83, vertikal: 9.37	




Serie 1:	10.0 ↘	10.1 ↘	10.2 ↗	10.6 *	9.8 ↑
	10.4 ←	9.7 →	8.7 ↙	8.8 →	9.2 ↗
beste Teiler	278.1 (4.) 476.9 (6.) 609.0 (3.)				
Trefferlage	1.86 mm rechts, 2.01 mm hoch				
Streuwert	7.81, horizontal: 7.42, vertikal: 8.19				



Serie 2:	9.5 ↗	10.0 ↘	10.4 *	9.9 →	9.2 →
	9.8 ↗	9.0 ↙	8.9 ↗	10.2 ←	10.4 *
beste Teiler	416.8 (13.) 473.0 (20.) 619.5 (19.)				
Trefferlage	2.22 mm rechts, 2.96 mm tief				
Streuwert	7.38, horizontal: 8.09, vertikal: 6.59				



Serie 3:	9.8 ↘	9.5 →	10.1 ↘	10.3 →	9.6 ↖
	10.3 ←	7.5 ↗	9.6 ↙	8.2 ↖	10.3 ↖
beste Teiler	489.8 (24.) 507.7 (26.) 539.5 (30.)				
Trefferlage	1.09 mm links, 2.75 mm hoch				
Streuwert	9.73, horizontal: 9.47, vertikal: 9.97				





Serie 4:	10.8 *	8.5 ↗	8.5 ↑	9.7 ↑	10.1 ↖
	9.8 ↑	10.2 →	8.7 ↗	8.4 ↖	9.1 ↓
beste Teiler	155.1 (31.) 596.4 (37.) 692.8 (35.)				
Trefferlage	1.28 mm rechts, 6.88 mm hoch				
Streuwert	9.06, horizontal: 6.93, vertikal: 10.78				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **359** (377.1)
 Serien: 94 88 91 86
 Zähler: 13 15 11 0 1 0 0 0 0 0
 Innenzehner: 3
 weiteste: 3807 (31), 2286 (20), 2182 (38)
 beste Teiler 100.9 (34.) 225.4 (32.) 313.1 (8.)
 Trefferlage 0.35 mm rechts, 1.64 mm hoch
 Streuwert 9.99, horizontal: 9.58, vertikal: 10.37




Serie 1:
 9.7 ↘ 10.2 ↖ 10.3 ↓ 10.0 ← 10.1 ↘
 9.0 → 9.6 ← 10.6 * 9.3 ↘ 8.8 ←
 beste Teiler 313.1 (8.) 501.6 (3.) 565.4 (2.)
 Trefferlage 1.55 mm links, 4.16 mm tief
 Streuwert 7.10, horizontal: 8.75, vertikal: 4.94



Serie 2:
 10.1 → 9.5 ↖ 8.4 ← 9.1 ↗ 10.3 ↙
 8.8 ↗ 8.7 ↘ 8.9 ↖ 10.3 ↗ 8.1 →
 beste Teiler 497.8 (15.) 520.2 (19.) 669.4 (11.)
 Trefferlage 2.58 mm rechts, 3.70 mm hoch
 Streuwert 10.70, horizontal: 12.71, vertikal: 8.22



Serie 3:
 10.2 ↗ 10.0 → 9.7 ↑ 8.8 ↑ 9.9 →
 9.8 → 9.7 ↖ 9.8 ↖ 9.0 ↑ 9.6 ↖
 beste Teiler 623.8 (21.) 760.4 (22.) 848.8 (25.)
 Trefferlage 0.24 mm rechts, 7.00 mm hoch
 Streuwert 6.19, horizontal: 6.12, vertikal: 6.26





Serie 4:
 6.2 ↑ 10.7 * 8.3 ← 10.8 * 9.6 ↗
 10.2 ← 9.6 ← 8.2 ↓ 8.6 ↘ 8.6 →
 beste Teiler 100.9 (34.) 225.4 (32.) 590.8 (36.)
 Trefferlage 0.12 mm rechts, 0.02 mm hoch
 Streuwert 13.62, horizontal: 10.63, vertikal: 16.06

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	369	(385.0)
Serien:	95 93 88 93	
Zähler:	19 13 6 2 0 0 0 0 0 0	
Innenzehner:	4	
weiteste:	2630 (16), 2516 (28), 2175 (23)	
beste Teiler	93.0 (39.) 280.4 (14.) 291.7 (8.)	
Trefferlage	0.58 mm rechts, 1.16 mm tief	
Streuwert	8.68, horizontal: 8.61, vertikal: 8.75	




Serie 1:

8.8 ↙	10.0 ↓	9.2 ↘	9.4 ↙	10.2 ↖
10.0 →	10.2 ↓	10.6 *	9.0 →	10.2 ↖
beste Teiler	291.7 (8.) 580.0 (5.) 603.0 (10.)			
Trefferlage	0.20 mm rechts, 4.28 mm tief			
Streuwert	7.23, horizontal: 8.29, vertikal: 5.98			




Serie 2:

10.3 ↖	10.3 ↖	10.1 →	10.6 *	10.1 ↖
7.7 ↗	9.6 ↙	9.1 →	9.0 ↖	9.4 ↖
beste Teiler	280.4 (14.) 492.1 (12.) 540.8 (11.)			
Trefferlage	0.82 mm links, 2.96 mm hoch			
Streuwert	9.05, horizontal: 10.24, vertikal: 7.68			



Serie 3:

10.0 ↙	8.9 ↗	8.2 ↓	8.9 ↑	10.6 *
9.5 ↙	9.9 ↖	7.8 ↓	10.3 →	9.9 ↙
beste Teiler	320.7 (25.) 560.9 (29.) 789.3 (21.)			
Trefferlage	1.53 mm links, 3.92 mm tief			
Streuwert	10.12, horizontal: 7.32, vertikal: 12.30			



Serie 4:

9.1 →	9.8 ↓	8.6 →	10.0 ↓	8.9 ↗
10.2 ↑	9.4 →	10.1 ↖	10.8 *	10.3 ↓
beste Teiler	93.0 (39.) 501.5 (40.) 567.5 (36.)			
Trefferlage	4.50 mm rechts, 0.56 mm hoch			
Streuwert	7.53, horizontal: 8.33, vertikal: 6.65			

Unterschrift des Schützen

Meyton Elektronik