




Ergebnis:	<b>366</b>	(381.9)
Serien:	94 92 95 85	
Zähler:	15 17 7 1 0 0 0 0 0 0	
Innenzehner:	6	
weiteste:	3002 (36), 2255 (37), 2154 (32)	
beste Teiler	129.2 (22.) 154.9 (39.) 265.4 (27.)	
Trefferlage	0.34 mm links, 5.33 mm tief	
Streuwert	8.36, horizontal: 10.03, vertikal: 6.26	



Serie 1:

9.4 ↓	9.8 ←	10.3 ↙	10.1 ↘	9.0 →
10.2 →	9.5 ↘	9.1 ↙	10.1 ↓	9.7 ↘


beste Teiler 491.6 (3.) 571.5 (6.) 680.5 (4.)  
 Trefferlage 2.61 mm rechts, 6.28 mm tief  
 Streuwert 5.95, horizontal: 7.31, vertikal: 4.18



Serie 2:

9.5 ←	9.9 ↘	10.0 →	9.3 ↓	9.9 ↗
10.4 *	8.6 →	10.0 ←	9.4 ↙	9.2 ↘


beste Teiler 454.0 (16.) 749.1 (13.) 756.3 (18.)  
 Trefferlage 1.98 mm rechts, 2.89 mm tief  
 Streuwert 8.07, horizontal: 9.27, vertikal: 6.65



Serie 3:

10.4 *	10.8 *	10.1 ↘	8.6 ↙	10.1 ↓
10.4 *	10.6 *	10.3 ←	9.0 ↙	8.8 ↙

beste Teiler 129.2 (22.) 265.4 (27.) 425.8 (26.)  
 Trefferlage 3.60 mm links, 4.81 mm tief  
 Streuwert 6.05, horizontal: 5.71, vertikal: 6.38





Serie 4:

8.6 ↙	8.3 ↙	9.5 ↘	9.5 ↙	9.5 ←
7.2 ←	8.1 →	9.4 ↙	10.8 *	8.5 →


beste Teiler 154.9 (39.) 1135.4 (33.) 1153.9 (34.)  
 Trefferlage 2.38 mm links, 7.34 mm tief  
 Streuwert 11.99, horizontal: 15.24, vertikal: 7.44

Unterschrift des Schützen


Ergebnis: **358** (378.8)  
 Serien: 89 92 89 88  
 Zähler: 11 17 11 1 0 0 0 0 0 0  
 Innenzehner: 6  
 weiteste: 2447 (33), 2305 (1), 2172 (11)  
 beste Teiler 65.2 (23.) 75.3 (38.) 294.3 (20.)  
 Trefferlage 0.94 mm links, 6.43 mm tief  
 Streuwert 8.33, horizontal: 8.54, vertikal: 8.11




Serie 1:  
 8.1 ↓                      9.9 ↗                      10.1 ↑                      8.9 ↓                      8.5 →  
 9.1 ↙                      9.4 ↘                      9.8 ↗                      9.1 ↓                      10.0 ↘  
 beste Teiler 675.7 (3.) 791.3 (10.) 835.8 (2.)  
 Trefferlage 3.77 mm rechts, 5.74 mm tief  
 Streuwert 9.35, horizontal: 7.28, vertikal: 11.04



Serie 2:  
 8.2 ↗                      9.7 ↓                      10.1 ↓                      9.9 ←                      8.6 ↓  
 9.6 ↙                      9.7 ↙                      10.5 \*                      10.4 \*                      10.6 \*  
 beste Teiler 294.3 (20.) 368.7 (18.) 406.0 (19.)  
 Trefferlage 0.50 mm links, 3.79 mm tief  
 Streuwert 7.94, horizontal: 8.27, vertikal: 7.60



Serie 3:  
 8.8 ↙                      8.5 ↓                      10.9 \*                      8.3 ↙                      9.4 →  
 9.4 →                      9.3 ↓                      10.3 ↓                      10.0 ←                      8.7 ←  
 beste Teiler 65.2 (23.) 544.6 (28.) 770.3 (29.)  
 Trefferlage 2.96 mm links, 7.19 mm tief  
 Streuwert 8.91, horizontal: 10.21, vertikal: 7.38





Serie 4:  
 9.4 ←                      8.9 ↓                      7.9 ↙                      10.4 \*                      9.7 ↓  
 9.4 ↓                      8.8 ↙                      10.9 \*                      9.7 ↓                      9.9 ↓  
 beste Teiler 75.3 (38.) 419.8 (34.) 831.0 (40.)  
 Trefferlage 4.08 mm links, 8.98 mm tief  
 Streuwert 6.51, horizontal: 7.09, vertikal: 5.86


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **353** (374.1)  
 Serien: 85 88 92 88  
 Zähler: 8 18 13 1 0 0 0 0 0 0  
 Innenzehner: 3  
 weiteste: 2509 (17), 2239 (9), 2166 (36)  
 beste Teiler 235.4 (11.) 238.0 (29.) 394.5 (5.)  
 Trefferlage 2.37 mm rechts, 7.57 mm tief  
 Streuwert 8.28, horizontal: 8.38, vertikal: 8.19




Serie 1:  
 8.3 ↙ 8.7 ↙ 8.8 ↗ 8.9 ↖ 10.5 \*  
 9.3 ↓ 9.9 ↘ 8.8 ↓ 8.2 ↓ 9.9 ↗  
 beste Teiler 394.5 (5.) 829.5 (10.) 861.2 (7.)  
 Trefferlage 1.35 mm links, 8.41 mm tief  
 Streuwert 9.88, horizontal: 9.19, vertikal: 10.53



Serie 2:  
 10.7 \* 8.7 ↖ 9.0 ↘ 9.9 → 10.0 ↘  
 9.8 ↓ 7.8 ↓ 9.8 ↓ 8.6 ↓ 9.7 →  
 beste Teiler 235.4 (11.) 722.1 (15.) 852.9 (14.)  
 Trefferlage 2.29 mm rechts, 9.26 mm tief  
 Streuwert 7.56, horizontal: 7.05, vertikal: 8.04





Serie 3:  
 10.0 ↘ 9.8 ↓ 9.2 ↘ 9.1 ↘ 9.5 ↘  
 9.9 ↓ 10.3 ↖ 9.2 ↗ 10.7 \* 8.7 →  
 beste Teiler 238.0 (29.) 505.4 (27.) 785.9 (21.)  
 Trefferlage 6.00 mm rechts, 4.05 mm tief  
 Streuwert 6.63, horizontal: 6.57, vertikal: 6.70




Serie 4:  
 8.4 → 8.7 ↘ 9.8 ↖ 9.6 ↓ 10.0 →  
 8.2 ↘ 8.7 ↓ 9.3 ↖ 9.6 ↖ 10.1 ↘  
 beste Teiler 707.0 (40.) 723.7 (35.) 932.9 (33.)  
 Trefferlage 2.57 mm rechts, 8.58 mm tief  
 Streuwert 8.61, horizontal: 9.85, vertikal: 7.15

Unterschrift des Schützen


Ergebnis: **391.3** (374)  
 Serien: 95.7 98.0 96.3 101.3  
 Zähler: 21 14 3 2 0 0 0 0 0 0  
 Innenzehner: 6  
 weiteste: 2737 (1), 2693 (28), 1697 (24)  
 beste Teiler 11.1 (26.) 302.7 (11.) 353.7 (39.)  
 Trefferlage 2.98 mm rechts, 0.09 mm tief  
 Streuwert 7.56, horizontal: 8.70, vertikal: 6.21




Serie 1:  
 7.5 → 10.3 ↘ 9.2 ↓ 9.0 ↙ 10.0 →  
 10.0 ↓ 10.1 ↓ 9.9 ← 9.9 ↘ 9.8 ↘  
 beste Teiler 501.3 (2.) 665.7 (7.) 776.9 (6.)  
 Trefferlage 3.20 mm rechts, 4.98 mm tief  
 Streuwert 8.39, horizontal: 10.63, vertikal: 5.26



Serie 2:  
 10.6 \* 8.9 ↗ 10.3 ↖ 10.3 ↗ 10.3 ↗  
 9.2 ↗ 10.0 → 9.5 ↗ 10.0 ↓ 8.9 ←  
 beste Teiler 302.7 (11.) 481.6 (13.) 506.9 (14.)  
 Trefferlage 3.33 mm rechts, 1.88 mm hoch  
 Streuwert 7.23, horizontal: 8.63, vertikal: 5.49



Serie 3:  
 10.3 ↗ 9.4 ← 9.6 ↖ 8.8 ↗ 10.2 ↘  
 10.9 \* 9.9 → 7.6 → 9.6 → 10.0 ↓  
 beste Teiler 11.1 (26.) 510.0 (21.) 603.6 (25.)  
 Trefferlage 4.35 mm rechts, 1.15 mm hoch  
 Streuwert 8.83, horizontal: 11.02, vertikal: 5.86





Serie 4:  
 10.5 \* 10.2 ↗ 9.9 ↓ 10.1 ↗ 10.5 \*  
 10.4 \* 10.0 ↘ 9.6 ↓ 10.5 \* 9.6 ↑  
 beste Teiler 353.7 (39.) 355.1 (31.) 383.8 (35.)  
 Trefferlage 1.02 mm rechts, 1.55 mm hoch  
 Streuwert 5.09, horizontal: 3.56, vertikal: 6.26


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **363** (383.7)  
 Serien: 91 90 88 94  
 Zähler: 13 18 8 1 0 0 0 0 0 0  
 Innenzehner: 4  
 weiteste: 2553 (27), 2375 (29), 2250 (28)  
 beste Teiler 102.6 (26.) 214.5 (12.) 388.7 (5.)  
 Trefferlage 0.28 mm rechts, 0.61 mm tief  
 Streuwert 8.75, horizontal: 9.15, vertikal: 8.33




Serie 1:  
 9.2 ↘ 10.3 → 9.7 ↓ 9.9 ↙ 10.5 \*  
 8.9 ↘ 9.9 ↘ 9.3 ↑ 10.1 ↗ 8.9 →  
 beste Teiler 388.7 (5.) 510.0 (2.) 650.6 (9.)  
 Trefferlage 2.58 mm rechts, 1.89 mm tief  
 Streuwert 7.97, horizontal: 6.87, vertikal: 8.94



Serie 2:  
 8.9 ↙ 10.7 \* 9.4 ↑ 9.9 ↙ 10.2 ↑  
 9.1 ↑ 8.9 ↙ 9.3 ↗ 9.7 ↙ 9.7 ↘  
 beste Teiler 214.5 (12.) 574.3 (15.) 803.8 (14.)  
 Trefferlage 1.34 mm links, 0.45 mm tief  
 Streuwert 8.76, horizontal: 7.07, vertikal: 10.17





Serie 3:  
 9.9 ← 10.3 ↓ 9.9 → 9.9 ↑ 9.8 →  
 10.8 \* 7.8 ← 8.1 ↘ 8.0 ↙ 9.0 ↘  
 beste Teiler 102.6 (26.) 482.2 (22.) 812.4 (21.)  
 Trefferlage 2.31 mm links, 0.92 mm tief  
 Streuwert 11.09, horizontal: 12.74, vertikal: 9.16




Serie 4:  
 10.1 ↗ 8.8 ↘ 9.5 ↗ 8.9 ↘ 10.1 →  
 10.4 \* 10.2 ← 10.1 ← 9.6 ↘ 10.0 ↖  
 beste Teiler 445.6 (36.) 632.2 (37.) 648.2 (35.)  
 Trefferlage 2.21 mm rechts, 0.81 mm hoch  
 Streuwert 7.49, horizontal: 9.10, vertikal: 5.43

Unterschrift des Schützen


Ergebnis: **368** (384.8)  
 Serien: 92 92 92 92  
 Zähler: 14 20 6 0 0 0 0 0 0 0  
 Innenzehner: 6  
 weiteste: 2254 (18), 1928 (14), 1901 (40)  
 beste Teiler 288.0 (5.) 365.6 (10.) 391.4 (11.)  
 Trefferlage 1.44 mm rechts, 0.82 mm tief  
 Streuwert 8.31, horizontal: 9.12, vertikal: 7.40




Serie 1:  
 9.5 ←                      9.8 →                      9.5 ↑                      9.2 ↙                      10.6 \*  
 9.8 ↘                      8.6 →                      9.1 ↗                      10.3 ↑                      10.5 \*  
 beste Teiler 288.0 (5.) 365.6 (10.) 543.0 (9.)  
 Trefferlage 0.26 mm rechts, 0.95 mm tief  
 Streuwert 8.39, horizontal: 9.70, vertikal: 6.84



Serie 2:  
 10.5 \*                      10.2 ↘                      10.4 \*                      8.5 ↓                      10.1 ←  
 8.9 ↘                      10.0 ↓                      8.1 →                      10.1 ↓                      8.6 ↗  
 beste Teiler 391.4 (11.) 461.7 (13.) 598.8 (12.)  
 Trefferlage 2.03 mm rechts, 1.07 mm tief  
 Streuwert 9.61, horizontal: 9.99, vertikal: 9.22



Serie 3:  
 9.2 →                      9.1 ←                      9.5 ↓                      10.4 \*                      9.7 ↘  
 9.5 ↘                      9.4 ↗                      10.3 ↓                      9.3 →                      9.9 →  
 beste Teiler 410.6 (24.) 553.5 (28.) 802.0 (30.)  
 Trefferlage 1.16 mm links, 3.16 mm tief  
 Streuwert 7.77, horizontal: 9.72, vertikal: 5.11





Serie 4:  
 10.2 ↓                      9.6 →                      10.4 \*                      9.1 →                      10.1 ↗  
 9.3 →                      9.8 ↑                      9.3 ↗                      9.8 ←                      8.6 ↑  
 beste Teiler 458.0 (33.) 579.6 (31.) 706.4 (35.)  
 Trefferlage 4.63 mm rechts, 1.89 mm hoch  
 Streuwert 7.63, horizontal: 7.15, vertikal: 8.08


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **367** (385.9)  
 Serien: 95 93 91 88  
 Zähler: 13 22 4 1 0 0 0 0 0 0  
 Innenzehner: 4  
 weiteste: 2819 (37), 2224 (24), 1841 (27)  
 beste Teiler 195.2 (7.) 214.3 (23.) 359.2 (28.)  
 Trefferlage 2.69 mm rechts, 3.04 mm tief  
 Streuwert 7.85, horizontal: 8.38, vertikal: 7.28




Serie 1:  
 10.3 ←                      10.1 ↓                      10.1 ↓                      10.3 ←                      9.8 ←  
 9.7 ↘                      10.7 \*                      9.7 ↓                      9.5 →                      9.1 ↓  
 beste Teiler 195.2 (7.) 488.3 (4.) 532.5 (1.)  
 Trefferlage 0.72 mm rechts, 4.91 mm tief  
 Streuwert 5.53, horizontal: 6.10, vertikal: 4.89



Serie 2:  
 9.8 ↗                      10.3 ←                      9.3 ↓                      10.1 ↘                      8.8 ↘  
 9.1 ↗                      10.0 ↓                      9.9 ←                      10.3 →                      9.5 →  
 beste Teiler 501.9 (19.) 541.0 (12.) 686.3 (14.)  
 Trefferlage 0.82 mm rechts, 4.30 mm tief  
 Streuwert 7.27, horizontal: 8.37, vertikal: 5.96





Serie 3:  
 10.2 →                      9.9 ←                      10.7 \*                      8.2 ↑                      9.8 ↗  
 9.2 →                      8.6 ↘                      10.5 \*                      9.8 ↑                      9.7 ↘  
 beste Teiler 214.3 (23.) 359.2 (28.) 600.2 (21.)  
 Trefferlage 4.90 mm rechts, 1.53 mm hoch  
 Streuwert 7.98, horizontal: 6.61, vertikal: 9.15




Serie 4:  
 9.5 ↘                      9.2 ↗                      9.8 ↓                      9.8 ↘                      9.2 ↘  
 9.4 ↘                      7.4 →                      10.4 \*                      9.4 ←                      8.8 ↓  
 beste Teiler 432.9 (38.) 923.1 (33.) 935.1 (34.)  
 Trefferlage 4.32 mm rechts, 4.48 mm tief  
 Streuwert 9.79, horizontal: 11.68, vertikal: 7.43

Unterschrift des Schützen


Ergebnis: **365** (382.9)  
 Serien: 91 87 96 91  
 Zähler: 17 14 6 3 0 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 2739 (20), 2732 (16), 2454 (33)  
 beste Teiler 179.8 (11.) 191.7 (37.) 309.7 (40.)  
 Trefferlage 2.95 mm rechts, 0.20 mm tief  
 Streuwert 8.94, horizontal: 8.98, vertikal: 8.90




Serie 1:  
 9.6 ↘                      9.9 ↘                      9.9 →                      10.4 \*                      10.3 ↓  
 10.1 →                      9.6 ↓                      8.7 ↓                      8.8 ↓                      9.6 ↑  
 beste Teiler 443.1 (4.) 530.5 (5.) 664.0 (6.)  
 Trefferlage 4.69 mm rechts, 5.48 mm tief  
 Streuwert 6.18, horizontal: 3.60, vertikal: 7.96



Serie 2:  
 10.7 \*                      9.1 ↑                      9.7 ↑                      8.8 ↑                      9.2 →  
 7.5 ↗                      8.8 ↘                      10.4 \*                      10.2 ↓                      7.5 ↘  
 beste Teiler 179.8 (11.) 410.5 (18.) 627.9 (19.)  
 Trefferlage 7.42 mm rechts, 2.96 mm hoch  
 Streuwert 10.59, horizontal: 10.47, vertikal: 10.72



Serie 3:  
 9.3 →                      10.1 ↗                      9.4 →                      10.1 ↗                      9.9 ↓  
 10.2 ↓                      10.2 ↖                      9.8 ↑                      10.1 ↓                      10.0 ↓  
 beste Teiler 567.4 (27.) 617.3 (26.) 672.5 (24.)  
 Trefferlage 2.75 mm rechts, 0.39 mm tief  
 Streuwert 6.05, horizontal: 6.26, vertikal: 5.83



Serie 4:  
 10.2 →                      8.2 ↘                      7.9 ↖                      9.7 ↗                      10.1 ↖  
 10.2 ↙                      10.7 \*                      9.1 ↖                      8.3 ↖                      10.6 \*  
 beste Teiler 191.7 (37.) 309.7 (40.) 593.6 (36.)  
 Trefferlage 3.05 mm links, 2.09 mm hoch  
 Streuwert 10.13, horizontal: 11.06, vertikal: 9.10

Unterschrift des Schützen

Meyton Elektronik