





Ergebnis:	386	(402.0)
Serien:	98 95 97 96	
Zähler:	28 10 2 0 0 0 0 0 0 0	
Innenzehner:	23	
weiteste:	556 (14), 551 (40), 427 (25)	
beste Teiler	66.4 (36.) 120.8 (3.) 128.8 (6.)	
Trefferlage	1.03 mm rechts, 0.01 mm tief	
Streuwert	1.65, horizontal: 1.77, vertikal: 1.53	




Serie 1:	10.3 *	10.2 *	10.5 *	9.6 →	10.3 *
	10.4 *	10.0 ↑	10.1 ↘	9.6 →	10.2 *
beste Teiler	120.8 (3.) 128.8 (6.) 158.6 (5.)				
Trefferlage	1.20 mm rechts, 0.65 mm hoch				
Streuwert	1.29, horizontal: 1.26, vertikal: 1.31				



Serie 2:	9.8 →	9.5 ↑	10.3 *	8.7 ↘	10.3 *
	10.2 *	10.4 *	10.4 *	10.1 ↓	9.9 ↘
beste Teiler	139.3 (17.) 143.9 (18.) 153.4 (13.)				
Trefferlage	1.08 mm rechts, 0.19 mm tief				
Streuwert	1.92, horizontal: 1.76, vertikal: 2.08				





Serie 3:	9.8 →	10.2 *	10.1 ↖	10.4 *	9.2 →
	10.4 *	10.3 *	10.0 ↘	10.4 *	9.4 ↘
beste Teiler	131.7 (24.) 144.2 (26.) 147.2 (29.)				
Trefferlage	1.07 mm rechts, 0.04 mm hoch				
Streuwert	1.71, horizontal: 1.96, vertikal: 1.43				




Serie 4:	9.9 ↘	9.6 →	10.2 *	10.4 *	10.4 *
	10.7 *	10.3 *	10.4 *	10.4 *	8.7 →
beste Teiler	66.4 (36.) 132.3 (35.) 132.3 (39.)				
Trefferlage	0.76 mm rechts, 0.57 mm tief				
Streuwert	1.73, horizontal: 2.21, vertikal: 1.05				

Unterschrift des Schützen


Ergebnis: **387** (405.4)
 Serien: 96 96 96 99
 Zähler: 27 13 0 0 0 0 0 0 0 0
 Innenzehner: 21
 weiteste: 467 (17), 449 (10), 380 (15)
 beste Teiler 5.0 (16.) 6.3 (36.) 58.4 (12.)
 Trefferlage 0.17 mm rechts, 0.06 mm tief
 Streuwert 1.66, horizontal: 1.71, vertikal: 1.60




Serie 1:
 10.3 * 10.1 ↓ 10.1 ↗ 10.6 * 10.2 *
 9.9 ↘ 9.9 ↖ 9.7 → 10.6 * 9.2 ↑
 beste Teiler 79.5 (4.) 85.1 (9.) 175.5 (1.)
 Trefferlage 0.19 mm rechts, 0.75 mm hoch
 Streuwert 1.73, horizontal: 1.64, vertikal: 1.82



Serie 2:
 10.7 * 10.7 * 9.8 → 9.7 ↓ 9.4 →
 10.9 * 9.1 ← 10.3 * 10.4 * 10.1 ↗
 beste Teiler 5.0 (16.) 58.4 (12.) 71.1 (11.)
 Trefferlage 0.40 mm rechts, 0.25 mm tief
 Streuwert 1.86, horizontal: 2.32, vertikal: 1.25



Serie 3:
 10.7 * 9.5 ↙ 9.9 ↘ 10.4 * 9.8 →
 10.2 * 10.2 * 9.5 ↑ 10.6 * 10.0 ↖
 beste Teiler 67.7 (21.) 87.9 (29.) 126.2 (24.)
 Trefferlage 0.07 mm rechts, 0.32 mm tief
 Streuwert 1.75, horizontal: 1.67, vertikal: 1.83





Serie 4:
 10.4 * 10.2 * 10.2 * 10.7 * 10.1 ↙
 10.9 * 10.4 * 10.2 * 9.8 ↘ 10.0 ↓
 beste Teiler 6.3 (36.) 63.0 (34.) 128.9 (37.)
 Trefferlage 0.04 mm rechts, 0.42 mm tief
 Streuwert 1.34, horizontal: 1.31, vertikal: 1.37


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **391** (408.7)
 Serien: 99 97 98 97
 Zähler: 31 9 0 0 0 0 0 0 0 0
 Innenzehner: 27
 weiteste: 473 (27), 463 (39), 447 (19)
 beste Teiler 38.3 (32.) 52.0 (29.) 70.0 (9.)
 Trefferlage 0.04 mm rechts, 0.24 mm hoch
 Streuwert 1.53, horizontal: 1.45, vertikal: 1.60




Serie 1:
 10.3 * 10.2 * 10.7 * 9.5 → 10.3 *
 10.3 * 10.2 * 10.5 * 10.7 * 10.6 *
 beste Teiler 70.0 (9.) 70.2 (3.) 92.0 (10.)
 Trefferlage 0.10 mm links, 0.08 mm tief
 Streuwert 1.33, horizontal: 1.59, vertikal: 1.01



Serie 2:
 10.4 * 9.8 ↙ 10.6 * 10.0 ↘ 9.9 ↗
 10.1 ← 10.4 * 10.0 → 9.2 ↖ 10.3 *
 beste Teiler 78.1 (13.) 138.0 (17.) 149.0 (11.)
 Trefferlage 0.10 mm links, 0.12 mm hoch
 Streuwert 1.81, horizontal: 2.02, vertikal: 1.57



Serie 3:
 10.2 * 10.6 * 10.4 * 10.5 * 10.4 *
 9.9 ↖ 9.1 ↑ 10.2 * 10.7 * 10.3 *
 beste Teiler 52.0 (29.) 78.7 (22.) 116.1 (24.)
 Trefferlage 0.21 mm rechts, 0.22 mm hoch
 Streuwert 1.58, horizontal: 1.26, vertikal: 1.84





Serie 4:
 10.7 * 10.8 * 9.9 ↖ 10.1 → 9.8 ↓
 10.3 * 10.6 * 10.5 * 9.1 ↑ 10.6 *
 beste Teiler 38.3 (32.) 74.2 (31.) 85.4 (37.)
 Trefferlage 0.15 mm rechts, 0.72 mm hoch
 Streuwert 1.52, horizontal: 0.91, vertikal: 1.95


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **409.4** (394)
 Serien: 102.6 104.2 102.8 99.8
 Zähler: 34 6 0 0 0 0 0 0 0 0
 Innenzehner: 25
 weiteste: 394 (31), 367 (40), 347 (32)
 beste Teiler 7.2 (17.) 61.8 (29.) 71.4 (27.)
 Trefferlage 0.22 mm rechts, 0.18 mm hoch
 Streuwert 1.42, horizontal: 1.54, vertikal: 1.29




Serie 1:
 10.2 * 10.6 * 10.0 ↘ 10.5 * 10.3 *
 10.6 * 10.0 ↗ 10.1 ↗ 9.9 ↘ 10.4 *
 beste Teiler 79.0 (6.) 98.2 (2.) 110.0 (4.)
 Trefferlage 0.91 mm rechts, 0.36 mm tief
 Streuwert 1.15, horizontal: 1.21, vertikal: 1.09



Serie 2:
 10.2 * 10.5 * 10.2 * 10.5 * 10.4 *
 10.0 ↖ 10.9 * 10.6 * 10.3 * 10.6 *
 beste Teiler 7.2 (17.) 88.8 (18.) 100.0 (20.)
 Trefferlage 0.30 mm links, 0.77 mm hoch
 Streuwert 0.86, horizontal: 1.01, vertikal: 0.68



Serie 3:
 10.5 * 10.0 ↖ 10.2 * 10.6 * 10.5 *
 9.6 ↗ 10.7 * 10.0 ↖ 10.7 * 10.0 ↓
 beste Teiler 61.8 (29.) 71.4 (27.) 82.3 (24.)
 Trefferlage 0.02 mm links, 0.09 mm tief
 Streuwert 1.42, horizontal: 1.53, vertikal: 1.29



Serie 4:
 9.4 ↗ 9.6 ↗ 10.0 ↖ 10.4 * 9.7 ↘
 10.0 → 10.5 * 10.2 * 10.5 * 9.5 ↖
 beste Teiler 109.8 (39.) 114.9 (37.) 139.4 (34.)
 Trefferlage 0.32 mm rechts, 0.40 mm hoch
 Streuwert 1.95, horizontal: 2.13, vertikal: 1.75

Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **388** (405.8)

Serien: 97 98 97 96

Zähler: 29 10 1 0 0 0 0 0 0 0



Innenzehner: 19

weiteste: 505 (17), 395 (34), 382 (26)

beste Teiler 43.1 (13.) 46.0 (24.) 62.0 (20.)

Trefferlage 0.27 mm rechts, 0.17 mm tief

Streuwert 1.60, horizontal: 1.75, vertikal: 1.45




Serie 1:

9.8 ↘	10.4 *	10.4 *	9.9 ↗	10.1 ↓
10.1 ↓	10.6 *	10.6 *	10.0 ↙	9.9 ←

beste Teiler 76.0 (8.) 94.0 (7.) 133.9 (2.)

Trefferlage 0.10 mm rechts, 0.85 mm tief

Streuwert 1.37, horizontal: 1.49, vertikal: 1.24




Serie 2:

10.5 *	10.4 *	10.8 *	10.5 *	10.1 ↗
10.6 *	8.9 ↗	10.0 ↓	10.3 *	10.7 *

beste Teiler 43.1 (13.) 62.0 (20.) 93.6 (16.)

Trefferlage 0.19 mm rechts, 0.11 mm hoch

Streuwert 1.56, horizontal: 1.66, vertikal: 1.45




Serie 3:

10.5 *	10.6 *	10.2 *	10.8 *	10.6 *
9.4 →	9.5 →	10.0 ↘	9.9 ↖	10.1 ↖

beste Teiler 46.0 (24.) 83.6 (22.) 99.6 (25.)

Trefferlage 0.10 mm rechts, 0.07 mm hoch

Streuwert 1.69, horizontal: 2.09, vertikal: 1.18



Serie 4:

10.3 *	10.0 ↗	10.0 ↘	9.4 →	9.9 ↙
9.7 ↘	10.3 *	10.3 *	10.1 ↓	9.6 ↗

beste Teiler 159.3 (31.) 160.8 (37.) 174.7 (38.)



Trefferlage 0.69 mm rechts, 0.04 mm tief

Streuwert 1.88, horizontal: 1.91, vertikal: 1.84


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **379** (396.5)
 Serien: 95 92 96 96
 Zähler: 19 21 0 0 0 0 0 0 0 0
 Innenzehner: 14
 weiteste: 492 (9), 445 (21), 430 (16)
 beste Teiler 30.5 (18.) 58.8 (26.) 65.0 (30.)
 Trefferlage 0.10 mm rechts, 0.69 mm hoch
 Streuwert 1.97, horizontal: 1.96, vertikal: 1.98




Serie 1:
 9.6 ↘ 9.6 ↑ 10.0 → 10.0 → 10.1 ↗
 10.6 * 9.9 → 9.5 ↖ 9.0 ↗ 10.4 *
 beste Teiler 79.5 (6.) 137.5 (10.) 225.8 (5.)
 Trefferlage 0.70 mm rechts, 1.00 mm hoch
 Streuwert 1.97, horizontal: 2.36, vertikal: 1.48



Serie 2:
 9.4 ↘ 9.7 ↖ 10.3 * 9.3 ↗ 9.7 ↘
 9.2 ↑ 9.5 ↖ 10.8 * 9.6 ↗ 9.7 ↘
 beste Teiler 30.5 (18.) 163.9 (13.) 306.5 (20.)
 Trefferlage 0.11 mm links, 1.44 mm hoch
 Streuwert 2.18, horizontal: 2.19, vertikal: 2.17



Serie 3:
 9.2 ↘ 10.5 * 10.6 * 10.0 ↑ 9.4 ↘
 10.7 * 9.5 ↖ 10.2 * 9.8 ↑ 10.7 *
 beste Teiler 58.8 (26.) 65.0 (30.) 89.8 (23.)
 Trefferlage 0.52 mm links, 0.30 mm hoch
 Streuwert 1.89, horizontal: 1.60, vertikal: 2.14





Serie 4:
 10.5 * 10.2 * 10.2 * 10.3 * 9.3 ↗
 9.4 ↘ 10.0 ↘ 9.9 ↑ 10.3 * 9.9 →
 beste Teiler 101.8 (31.) 153.0 (34.) 153.1 (39.)
 Trefferlage 0.33 mm rechts, 0.00 mm
 Streuwert 1.85, horizontal: 1.67, vertikal: 2.02


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	383	(401.4)
Serien:	97 96 97 93	
Zähler:	24 15 1 0 0 0 0 0 0 0	
Innenzehner:	14	
weiteste:	562 (18), 374 (12), 367 (37)	
beste Teiler	40.7 (2.) 69.0 (27.) 85.1 (17.)	
Trefferlage	0.57 mm links, 0.72 mm hoch	
Streuwert	1.66, horizontal: 1.64, vertikal: 1.69	




Serie 1:					
	10.6 *	10.8 *	9.8 ↘	10.0 ←	10.1 ←
	10.3 *	10.0 ←	9.6 ←	10.5 *	9.8 ↘
beste Teiler	40.7 (2.) 89.5 (1.) 125.6 (9.)				
Trefferlage	1.40 mm links, 0.40 mm hoch				
Streuwert	1.23, horizontal: 1.46, vertikal: 0.95				



Serie 2:					
	10.0 ↗	9.5 ↑	10.5 *	10.3 *	9.9 ↘
	10.3 *	10.6 *	8.7 ↑	10.0 ↖	10.2 *
beste Teiler	85.1 (17.) 107.2 (13.) 159.0 (14.)				
Trefferlage	0.11 mm rechts, 1.21 mm hoch				
Streuwert	1.83, horizontal: 1.33, vertikal: 2.21				



Serie 3:					
	10.0 ↑	9.5 ←	10.5 *	10.0 ↑	10.0 ↘
	10.4 *	10.7 *	10.3 *	9.9 ↗	9.8 ↖
beste Teiler	69.0 (27.) 124.7 (23.) 127.0 (26.)				
Trefferlage	0.62 mm links, 0.60 mm hoch				
Streuwert	1.54, horizontal: 1.52, vertikal: 1.57				





Serie 4:					
	9.7 ↖	10.0 ↗	9.8 ←	9.6 ↘	9.8 ↗
	9.9 ↘	9.5 ↑	9.9 ↘	10.1 ←	10.5 *
beste Teiler	101.5 (40.) 225.2 (39.) 244.0 (32.)				
Trefferlage	0.41 mm links, 0.69 mm hoch				
Streuwert	1.98, horizontal: 2.04, vertikal: 1.91				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **387** (408.6)
 Serien: 96 95 98 98
 Zähler: 27 13 0 0 0 0 0 0 0 0
 Innenzehner: 22
 weiteste: 371 (28), 337 (5), 332 (14)
 beste Teiler 8.6 (23.) 20.2 (21.) 39.8 (32.)
 Trefferlage 0.73 mm rechts, 0.19 mm tief
 Streuwert 1.38, horizontal: 1.43, vertikal: 1.33




Serie 1:
 10.4 * 10.3 * 9.7 ↘ 9.9 ↗ 9.6 ↘
 10.6 * 10.4 * 10.6 * 9.9 ↘ 10.4 *
 beste Teiler 79.9 (8.) 84.1 (6.) 132.8 (7.)
 Trefferlage 0.47 mm rechts, 0.65 mm tief
 Streuwert 1.46, horizontal: 1.34, vertikal: 1.57



Serie 2:
 10.3 * 9.8 ← 10.7 * 9.6 → 9.9 ↘
 10.5 * 9.8 ↗ 10.2 * 10.5 * 9.9 ↘
 beste Teiler 67.8 (13.) 121.8 (16.) 122.0 (19.)
 Trefferlage 1.05 mm rechts, 0.11 mm hoch
 Streuwert 1.48, horizontal: 1.75, vertikal: 1.16



Serie 3:
 10.9 * 10.1 → 10.9 * 9.7 ↘ 10.4 *
 10.7 * 10.1 → 9.5 ↖ 10.3 * 10.1 ↘
 beste Teiler 8.6 (23.) 20.2 (21.) 67.4 (26.)
 Trefferlage 0.70 mm rechts, 0.20 mm tief
 Streuwert 1.42, horizontal: 1.65, vertikal: 1.14



Serie 4:
 10.1 ↘ 10.8 * 10.7 * 10.2 * 10.4 *
 10.4 * 9.9 ↓ 10.1 ↑ 10.5 * 9.8 ↘
 beste Teiler 39.8 (32.) 71.5 (33.) 125.3 (39.)
 Trefferlage 0.69 mm rechts, 0.01 mm tief
 Streuwert 1.29, horizontal: 1.04, vertikal: 1.50

Unterschrift des Schützen

Meyton Elektronik