





Ergebnis: **358** (379.5)
 Serien: 88 89 95 86
 Zähler: 10 20 8 2 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 2742 (19), 2499 (7), 1973 (37)
 beste Teiler 215.9 (30.) 301.8 (4.) 374.0 (12.)
 Trefferlage 4.01 mm links, 0.33 mm hoch
 Streuwert 8.85, horizontal: 9.75, vertikal: 7.86




Serie 1:
 10.3 ← 9.4 ↗ 9.9 ↓ 10.6 * 8.9 ↑
 9.6 ↘ 7.8 ↙ 8.9 ← 9.8 ↖ 9.8 ←
 beste Teiler 301.8 (4.) 557.1 (1.) 842.4 (3.)
 Trefferlage 5.37 mm links, 0.45 mm tief
 Streuwert 8.84, horizontal: 7.93, vertikal: 9.66



Serie 2:
 8.9 ↖ 10.5 * 9.7 ↗ 9.6 ← 9.5 ←
 9.1 ↘ 10.1 ↘ 9.7 ↙ 7.5 ↖ 9.7 ←
 beste Teiler 374.0 (12.) 655.6 (17.) 968.4 (20.)
 Trefferlage 8.57 mm links, 3.23 mm hoch
 Streuwert 7.56, horizontal: 9.27, vertikal: 5.33





Serie 3:
 9.5 ↘ 9.0 ↓ 9.1 ↑ 9.8 ← 10.2 ↘
 9.6 ↗ 10.0 ↘ 10.5 * 10.4 * 10.7 *
 beste Teiler 215.9 (30.) 378.0 (28.) 473.7 (29.)
 Trefferlage 0.50 mm links, 0.57 mm hoch
 Streuwert 7.24, horizontal: 5.24, vertikal: 8.80




Serie 4:
 9.5 ↘ 8.5 ← 9.7 ← 8.8 ↘ 9.3 ↗
 8.9 ↙ 8.5 ↘ 9.3 ← 10.0 → 8.9 ←
 beste Teiler 733.1 (39.) 994.6 (33.) 1124.3 (31.)
 Trefferlage 1.59 mm links, 2.01 mm tief
 Streuwert 11.00, horizontal: 13.78, vertikal: 7.21

Unterschrift des Schützen


Ergebnis: **355** (377.0)
 Serien: 86 91 89 89
 Zähler: 8 20 11 1 0 0 0 0 0 0
 Innenzehner: 2
 weiteste: 2459 (9), 2021 (21), 2015 (8)
 beste Teiler 170.1 (26.) 453.0 (2.) 481.1 (37.)
 Trefferlage 1.52 mm rechts, 2.69 mm hoch
 Streuwert 9.22, horizontal: 9.45, vertikal: 8.99




Serie 1:
 9.7 ↘ 10.4 * 9.3 ↗ 9.8 ← 9.3 ↖
 9.6 ↑ 8.7 → 8.4 ↗ 7.9 ↑ 8.8 →
 beste Teiler 453.0 (2.) 913.3 (4.) 972.8 (1.)
 Trefferlage 5.31 mm rechts, 7.26 mm hoch
 Streuwert 9.03, horizontal: 9.83, vertikal: 8.16



Serie 2:
 10.2 ↑ 9.4 ← 9.9 ↓ 10.1 ↗ 9.8 ←
 9.7 ↓ 8.7 ↓ 9.9 ↖ 10.3 ↓ 8.7 →
 beste Teiler 560.3 (19.) 636.6 (11.) 688.4 (14.)
 Trefferlage 0.28 mm links, 2.05 mm tief
 Streuwert 8.23, horizontal: 7.92, vertikal: 8.54



Serie 3:
 8.4 ↗ 8.8 ↓ 9.0 → 9.0 ↑ 9.8 ↗
 10.7 * 9.9 ↗ 9.9 ↗ 9.9 ↓ 9.6 ↓
 beste Teiler 170.1 (26.) 829.5 (28.) 837.2 (27.)
 Trefferlage 5.02 mm rechts, 1.12 mm hoch
 Streuwert 8.66, horizontal: 6.87, vertikal: 10.14





Serie 4:
 8.7 ↖ 10.2 → 9.4 ↗ 10.0 ↗ 9.2 ↖
 9.1 ← 10.3 ↖ 8.7 ↖ 8.9 ↗ 8.9 ←
 beste Teiler 481.1 (37.) 574.5 (32.) 743.0 (34.)
 Trefferlage 3.95 mm links, 4.43 mm hoch
 Streuwert 9.14, horizontal: 10.67, vertikal: 7.30


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **359** (374.3)
 Serien: 87 91 87 94
 Zähler: 12 18 8 1 1 0 0 0 0 0
 Innenzehner: 5
 weiteste: 3928 (3), 2816 (29), 2285 (6)
 beste Teiler 193.8 (4.) 227.6 (32.) 402.6 (35.)
 Trefferlage 2.14 mm links, 2.24 mm hoch
 Streuwert 10.40, horizontal: 10.12, vertikal: 10.67




Serie 1:
 10.2 ↓ 9.9 ↘ 6.0 ↙ 10.7 * 10.3 ↑
 8.1 ↗ 8.1 ↗ 9.9 ← 8.5 ↑ 9.6 ↘
 beste Teiler 193.8 (4.) 536.2 (5.) 568.4 (1.)
 Trefferlage 2.61 mm links, 4.37 mm hoch
 Streuwert 12.97, horizontal: 12.45, vertikal: 13.48



Serie 2:
 10.4 * 9.5 ↓ 8.5 ↙ 9.2 ↙ 9.1 ↘
 9.3 ↙ 9.1 ↘ 10.1 ↗ 9.4 ↑ 9.9 ↘
 beste Teiler 468.3 (11.) 662.9 (18.) 880.5 (20.)
 Trefferlage 4.60 mm links, 0.27 mm hoch
 Streuwert 8.91, horizontal: 8.34, vertikal: 9.45



Serie 3:
 10.4 * 8.2 ↑ 9.5 ↙ 9.1 ↘ 9.6 ↑
 8.6 → 10.0 → 8.5 ↓ 7.4 ↗ 9.3 ↓
 beste Teiler 474.4 (21.) 748.2 (27.) 1099.4 (25.)
 Trefferlage 2.42 mm rechts, 2.81 mm hoch
 Streuwert 12.02, horizontal: 12.29, vertikal: 11.74





Serie 4:
 10.2 ↙ 10.7 * 9.4 ↘ 9.5 ↑ 10.4 *
 10.3 ↗ 9.3 ↘ 8.5 ↙ 9.2 ↓ 10.4 ↑
 beste Teiler 227.6 (32.) 402.6 (35.) 480.7 (40.)
 Trefferlage 3.80 mm links, 1.50 mm hoch
 Streuwert 7.39, horizontal: 5.94, vertikal: 8.59


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **384.0** (365)
 Serien: 97.5 95.6 96.4 94.5
 Zähler: 14 18 7 1 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 2709 (32), 2283 (21), 2067 (9)
 beste Teiler 66.4 (8.) 74.8 (1.) 243.2 (25.)
 Trefferlage 1.31 mm rechts, 0.71 mm hoch
 Streuwert 8.90, horizontal: 8.24, vertikal: 9.51




Serie 1:
 10.9 * 9.9 ← 9.5 ↘ 10.6 * 9.7 ↗
 8.6 ↗ 9.8 ↙ 10.9 * 8.4 ↑ 9.2 ↘
 beste Teiler 66.4 (8.) 74.8 (1.) 316.6 (4.)
 Trefferlage 0.46 mm links, 5.42 mm hoch
 Streuwert 7.78, horizontal: 8.14, vertikal: 7.41



Serie 2:
 8.5 ↘ 9.0 ↘ 8.8 ↖ 9.4 ↗ 10.4 *
 9.9 ← 9.1 ↙ 10.0 → 10.2 ↗ 10.3 ↘
 beste Teiler 410.5 (15.) 514.0 (20.) 592.8 (19.)
 Trefferlage 0.38 mm rechts, 1.67 mm hoch
 Streuwert 9.06, horizontal: 8.50, vertikal: 9.60



Serie 3:
 8.1 ↘ 9.8 ↘ 10.2 ← 10.2 ↙ 10.6 *
 10.0 ↘ 9.6 ↙ 9.3 ↘ 9.7 ↗ 8.9 ↙
 beste Teiler 243.2 (25.) 574.7 (24.) 588.0 (23.)
 Trefferlage 0.53 mm rechts, 5.65 mm tief
 Streuwert 7.79, horizontal: 8.31, vertikal: 7.23





Serie 4:
 9.7 → 7.6 ↗ 9.9 ↑ 10.4 * 9.2 ↓
 10.2 → 9.1 ↘ 10.5 * 8.5 ↓ 9.4 →
 beste Teiler 344.4 (38.) 434.1 (34.) 587.1 (36.)
 Trefferlage 4.80 mm rechts, 1.41 mm hoch
 Streuwert 9.74, horizontal: 8.26, vertikal: 11.02

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	365	(381.9)
Serien:	92 91 89 93	
Zähler:	15 16 8 1 0 0 0 0 0 0	
Innenzehner:	8	
weiteste:	2796 (11), 2346 (39), 2170 (9)	
beste Teiler	214.7 (14.) 282.8 (38.) 314.3 (31.)	
Trefferlage	1.81 mm links, 3.14 mm hoch	
Streuwert	8.95, horizontal: 9.36, vertikal: 8.51	




Serie 1:

9.1 ↗	9.2 ↓	8.7 ↗	9.8 ↘	10.5 *
10.0 ↖	10.2 →	9.7 ←	8.2 ↖	10.1 ↖
beste Teiler	393.2 (5.) 616.2 (7.) 644.5 (10.)			
Trefferlage	0.90 mm links, 2.57 mm hoch			
Streuwert	9.05, horizontal: 9.75, vertikal: 8.28			




Serie 2:

7.5 ↑	10.4 *	9.7 →	10.7 *	10.2 ↖
10.2 ↓	9.8 ↖	10.0 ↖	8.7 ←	8.8 ↖
beste Teiler	214.7 (14.) 463.1 (12.) 610.0 (16.)			
Trefferlage	4.59 mm links, 5.85 mm hoch			
Streuwert	8.22, horizontal: 7.36, vertikal: 8.99			



Serie 3:

9.5 ↗	9.2 ↗	8.3 ←	10.1 ↑	9.0 ↖
10.5 *	9.5 ↖	9.4 ↖	8.5 ↘	8.3 ↖
beste Teiler	334.2 (26.) 677.3 (24.) 1125.1 (27.)			
Trefferlage	2.97 mm links, 3.85 mm hoch			
Streuwert	10.48, horizontal: 11.53, vertikal: 9.31			





Serie 4:

10.6 *	9.5 ↗	9.8 ↘	9.5 ↖	10.6 *
9.2 ↖	9.8 ↑	10.6 *	8.0 →	10.5 *
beste Teiler	282.8 (38.) 314.3 (31.) 317.4 (35.)			
Trefferlage	1.22 mm rechts, 0.29 mm hoch			
Streuwert	8.24, horizontal: 8.74, vertikal: 7.70			


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	366	(385.5)
Serien:	93 91 89 93	
Zähler:	13 21 5 1 0 0 0 0 0 0	
Innenzehner:	8	
weiteste:	2473 (30), 1975 (25), 1868 (23)	
beste Teiler	102.0 (18.) 241.0 (13.) 251.4 (6.)	
Trefferlage	2.89 mm links, 0.73 mm hoch	
Streuwert	8.21, horizontal: 7.54, vertikal: 8.82	




Serie 1:	9.0 ↘	10.5 *	9.3 ←	9.5 →	10.3 ↘
	10.6 *	9.6 ↙	9.7 ↘	9.8 ←	9.8 ↗
beste Teiler	251.4 (6.) 349.1 (2.) 523.9 (5.)				
Trefferlage	3.74 mm links, 1.55 mm hoch				
Streuwert	6.74, horizontal: 7.79, vertikal: 5.49				



Serie 2:	9.6 ↑	9.6 ↓	10.6 *	8.9 ↑	9.3 ↓
	9.5 ↘	10.4 *	10.8 *	8.7 ←	9.6 ↑
beste Teiler	102.0 (18.) 241.0 (13.) 408.3 (17.)				
Trefferlage	2.07 mm links, 1.40 mm hoch				
Streuwert	8.29, horizontal: 6.05, vertikal: 10.04				



Serie 3:	10.2 →	10.3 ↓	8.6 ↘	10.0 ↓	8.5 ↑
	9.5 ↓	9.2 ↓	9.3 →	9.7 ←	7.9 ↑
beste Teiler	523.1 (22.) 635.0 (21.) 776.9 (24.)				
Trefferlage	0.76 mm links, 0.50 mm hoch				
Streuwert	10.75, horizontal: 8.49, vertikal: 12.61				





Serie 4:	10.6 *	10.4 *	9.5 ←	9.0 ↘	9.9 ←
	9.1 ↘	10.6 *	10.0 ←	8.8 ↘	9.3 ←
beste Teiler	305.1 (31.) 308.8 (37.) 418.3 (32.)				
Trefferlage	4.99 mm links, 0.52 mm tief				
Streuwert	7.41, horizontal: 8.10, vertikal: 6.65				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **368** (386.5)
 Serien: 86 94 97 91
 Zähler: 19 14 4 2 1 0 0 0 0 0
 Innenzehner: 7
 weiteste: 3473 (5), 2694 (7), 2636 (3)
 beste Teiler 58.0 (23.) 137.5 (1.) 210.2 (9.)
 Trefferlage 0.17 mm rechts, 1.09 mm hoch
 Streuwert 9.02, horizontal: 7.96, vertikal: 9.96




Serie 1:
 10.8 * 9.7 ↘ 7.7 ↓ 9.5 ↗ 6.6 ↗
 10.7 * 7.6 ↑ 9.6 ↓ 10.7 * 9.3 ↓
 beste Teiler 137.5 (1.) 210.2 (9.) 222.9 (6.)
 Trefferlage 3.95 mm rechts, 0.22 mm tief
 Streuwert 12.90, horizontal: 9.55, vertikal: 15.54



Serie 2:
 10.1 ↓ 10.3 ↑ 9.5 ↖ 10.4 * 8.6 ↑
 8.9 → 10.0 ↓ 9.5 ↗ 10.0 ↙ 10.2 ↘
 beste Teiler 416.0 (14.) 484.5 (12.) 589.6 (20.)
 Trefferlage 1.73 mm rechts, 1.82 mm hoch
 Streuwert 7.70, horizontal: 6.26, vertikal: 8.92



Serie 3:
 10.0 ↖ 10.4 * 10.9 * 9.8 ↓ 9.9 ←
 10.3 ↓ 10.3 ↖ 10.3 ↓ 10.5 * 9.7 ↖
 beste Teiler 58.0 (23.) 387.2 (29.) 426.9 (22.)
 Trefferlage 2.82 mm links, 0.63 mm tief
 Streuwert 4.39, horizontal: 3.88, vertikal: 4.86





Serie 4:
 9.2 ↗ 10.2 ↙ 8.8 ↓ 8.0 ↖ 9.7 →
 9.6 ↑ 9.1 ↑ 10.2 ↖ 9.9 ← 10.0 ↑
 beste Teiler 598.4 (38.) 603.8 (32.) 751.0 (40.)
 Trefferlage 2.16 mm links, 3.43 mm hoch
 Streuwert 9.16, horizontal: 9.73, vertikal: 8.57


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **369** (388.2)
 Serien: 92 93 95 89
 Zähler: 15 19 6 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 2249 (12), 2124 (29), 2016 (3)
 beste Teiler 163.8 (26.) 297.1 (14.) 301.5 (13.)
 Trefferlage 1.18 mm rechts, 1.71 mm tief
 Streuwert 7.91, horizontal: 6.54, vertikal: 9.07




Serie 1:
 10.3 → 9.6 ↑ 8.4 ↓ 9.5 ↖ 9.5 ↓
 9.8 ↗ 10.0 ↘ 9.7 ↘ 10.5 * 9.5 →
 beste Teiler 325.7 (9.) 517.3 (1.) 794.8 (7.)
 Trefferlage 2.58 mm rechts, 2.10 mm tief
 Streuwert 7.78, horizontal: 6.73, vertikal: 8.71



Serie 2:
 9.5 ↘ 8.1 ↑ 10.6 * 10.6 * 9.5 ↗
 9.1 ↖ 9.9 → 10.5 * 9.7 ↓ 10.4 *
 beste Teiler 297.1 (14.) 301.5 (13.) 376.8 (18.)
 Trefferlage 0.60 mm rechts, 1.45 mm hoch
 Streuwert 8.14, horizontal: 6.01, vertikal: 9.81



Serie 3:
 9.6 ↗ 10.0 → 10.1 ← 10.1 ↙ 10.5 *
 10.7 * 10.3 → 9.6 ↓ 8.3 ↗ 9.4 ↙
 beste Teiler 163.8 (26.) 324.1 (25.) 542.6 (27.)
 Trefferlage 1.05 mm rechts, 0.92 mm tief
 Streuwert 7.48, horizontal: 7.41, vertikal: 7.54



Serie 4:
 9.2 ↘ 10.4 * 9.7 ↓ 9.5 ← 9.7 ↓
 10.4 * 8.9 ↓ 8.5 ↑ 9.8 ↖ 8.8 ↓
 beste Teiler 420.1 (32.) 443.5 (36.) 891.9 (39.)
 Trefferlage 0.49 mm rechts, 5.30 mm tief
 Streuwert 8.56, horizontal: 6.77, vertikal: 10.04

Unterschrift des Schützen

Meyton Elektronik