





Ergebnis: **379** (394.3)
 Serien: 96 93 95 95
 Zähler: 21 17 2 0 0 0 0 0 0 0
 Innenzehner: 13
 weiteste: 731 (15), 613 (23), 487 (19)
 beste Teiler 56.0 (16.) 83.7 (34.) 121.8 (5.)
 Trefferlage 0.24 mm links, 0.78 mm hoch
 Streuwert 2.09, horizontal: 2.40, vertikal: 1.74




Serie 1:
 9.9 ↘ 10.1 ↘ 10.2 * 9.7 ↘ 10.5 *
 10.3 * 9.3 ↗ 10.1 ↘ 9.4 ↘ 10.3 *
 beste Teiler 121.8 (5.) 152.3 (10.) 172.4 (6.)
 Trefferlage 0.70 mm links, 0.91 mm hoch
 Streuwert 1.70, horizontal: 1.64, vertikal: 1.76



Serie 2:
 9.7 ← 10.3 * 9.8 ↙ 9.7 ↗ 8.0 ←
 10.7 * 10.1 ↑ 9.5 ↘ 9.0 ↘ 10.1 ↘
 beste Teiler 56.0 (16.) 169.3 (12.) 208.5 (17.)
 Trefferlage 1.87 mm links, 0.45 mm hoch
 Streuwert 2.28, horizontal: 2.83, vertikal: 1.53



Serie 3:
 10.0 ↗ 10.2 * 8.5 ↘ 9.9 ↘ 10.3 *
 10.3 * 10.1 ↗ 10.0 ↙ 9.5 ↗ 9.3 ↑
 beste Teiler 154.7 (25.) 171.8 (26.) 200.3 (22.)
 Trefferlage 0.27 mm rechts, 0.73 mm hoch
 Streuwert 2.29, horizontal: 2.54, vertikal: 2.00





Serie 4:
 9.4 ↑ 10.3 * 9.9 ↗ 10.6 * 9.5 ↘
 10.1 ↘ 10.3 * 9.8 ↗ 10.2 * 9.4 ↗
 beste Teiler 83.7 (34.) 156.7 (37.) 169.0 (32.)
 Trefferlage 1.30 mm rechts, 1.02 mm hoch
 Streuwert 1.58, horizontal: 1.26, vertikal: 1.85


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	374	(394.2)
Serien:	95 95 92 92	
Zähler:	18 18 4 0 0 0 0 0 0 0	
Innenzehner:	16	
weiteste:	642 (5), 554 (29), 546 (28)	
beste Teiler	58.0 (18.) 64.0 (12.) 66.4 (24.)	
Trefferlage	0.53 mm rechts, 0.10 mm tief	
Streuwert	2.21, horizontal: 2.47, vertikal: 1.91	




Serie 1:	10.7 *	10.3 *	10.2 *	10.2 *	8.4 ↖
	10.4 *	9.1 ↘	9.7 ↙	10.1 ↘	9.5 ↗
beste Teiler	75.0 (1.)	139.8 (6.)	162.7 (2.)		
Trefferlage	0.75 mm links, 0.43 mm tief				
Streuwert	2.29, horizontal: 2.51, vertikal: 2.05				



Serie 2:	9.8 ↗	10.7 *	10.7 *	9.6 ↙	10.6 *
	9.5 ↘	9.5 →	10.7 *	9.7 ↓	10.2 *
beste Teiler	58.0 (18.)	64.0 (12.)	73.3 (13.)		
Trefferlage	0.85 mm rechts, 0.85 mm tief				
Streuwert	1.64, horizontal: 1.52, vertikal: 1.75				



Serie 3:	9.7 ↗	9.9 ↗	9.7 ↘	10.7 *	9.4 →
	10.6 *	10.4 *	8.8 ←	8.7 →	10.3 *
beste Teiler	66.4 (24.)	81.4 (26.)	130.6 (27.)		
Trefferlage	0.58 mm rechts, 0.72 mm hoch				
Streuwert	2.35, horizontal: 3.08, vertikal: 1.26				





Serie 4:	9.5 →	9.3 ↘	9.3 ↗	9.5 ↘	10.3 *
	10.3 *	10.0 ↘	9.7 ↗	8.8 ↗	9.7 ↘
beste Teiler	160.4 (35.)	161.3 (36.)	227.4 (37.)		
Trefferlage	1.47 mm rechts, 0.15 mm hoch				
Streuwert	2.32, horizontal: 2.31, vertikal: 2.32				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	372	(388.2)
Serien:	93 94 95 90	
Zähler:	18 18 2 2 0 0 0 0 0 0	
Innenzehner:	11	
weiteste:	842 (36), 818 (2), 715 (33)	
beste Teiler	104.2 (27.) 123.4 (6.) 129.0 (16.)	
Trefferlage	1.42 mm rechts, 0.32 mm hoch	
Streuwert	2.34, horizontal: 2.91, vertikal: 1.56	




Serie 1:	10.2 *	7.7 →	10.3 *	10.1 ↗	9.9 ↓
	10.5 *	9.2 ↘	9.0 →	10.0 ←	9.7 →
beste Teiler	123.4 (6.)	153.3 (3.)	192.4 (1.)		
Trefferlage	1.51 mm rechts, 0.09 mm hoch				
Streuwert	2.59, horizontal: 3.11, vertikal: 1.93				



Serie 2:	9.1 →	9.9 →	10.2 *	9.8 ↑	10.3 *
	10.4 *	9.8 ↘	10.2 *	9.6 →	9.6 →
beste Teiler	129.0 (16.)	162.0 (15.)	183.3 (13.)		
Trefferlage	1.68 mm rechts, 0.30 mm hoch				
Streuwert	1.67, horizontal: 2.01, vertikal: 1.25				



Serie 3:	9.7 ↘	9.7 ↑	9.5 ←	10.3 *	10.1 ←
	10.2 *	10.5 *	10.1 ↗	9.8 →	9.1 →
beste Teiler	104.2 (27.)	173.0 (24.)	191.3 (26.)		
Trefferlage	0.02 mm links, 0.69 mm hoch				
Streuwert	2.07, horizontal: 2.55, vertikal: 1.44				





Serie 4:	9.8 ↘	10.0 ↗	8.1 →	8.6 →	9.6 ←
	7.6 →	10.2 *	10.1 ↘	10.1 ↑	9.6 ↘
beste Teiler	184.6 (37.)	219.9 (38.)	221.8 (39.)		
Trefferlage	2.52 mm rechts, 0.20 mm hoch				
Streuwert	2.81, horizontal: 3.58, vertikal: 1.72				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **389.7** (372)
 Serien: 101.4 97.6 96.2 94.5
 Zähler: 17 19 3 1 0 0 0 0 0 0
 Innenzehner: 14
 weiteste: 757 (31), 615 (34), 537 (11)
 beste Teiler 69.6 (6.) 69.8 (15.) 71.8 (1.)
 Trefferlage 0.86 mm rechts, 0.99 mm hoch
 Streuwert 2.27, horizontal: 2.36, vertikal: 2.17




Serie 1:
 10.7 * 10.2 * 10.4 * 10.3 * 9.0 ↑
 10.7 * 10.4 * 9.3 ↓ 10.2 * 10.2 *
 beste Teiler 69.6 (6.) 71.8 (1.) 139.5 (3.)
 Trefferlage 0.21 mm links, 0.38 mm hoch
 Streuwert 1.80, horizontal: 1.19, vertikal: 2.25



Serie 2:
 8.8 ↘ 9.6 → 9.5 ↑ 10.5 * 10.7 *
 9.8 ↘ 9.4 ↑ 9.0 → 10.6 * 9.7 ↗
 beste Teiler 69.8 (15.) 77.7 (19.) 115.1 (14.)
 Trefferlage 0.85 mm rechts, 1.86 mm hoch
 Streuwert 1.98, horizontal: 2.24, vertikal: 1.68



Serie 3:
 8.8 → 9.8 ↗ 10.1 ← 9.7 ↗ 9.2 ↗
 9.2 ↗ 10.0 ↑ 9.4 ↓ 10.1 ↘ 9.9 →
 beste Teiler 219.4 (23.) 220.0 (29.) 236.3 (27.)
 Trefferlage 1.44 mm rechts, 1.04 mm hoch
 Streuwert 2.23, horizontal: 2.23, vertikal: 2.22





Serie 4:
 7.9 ↘ 9.5 ↘ 10.4 * 8.5 → 10.2 *
 9.2 → 10.4 * 9.6 ↙ 9.7 ↑ 9.1 ↑
 beste Teiler 129.1 (37.) 140.1 (33.) 195.9 (35.)
 Trefferlage 1.38 mm rechts, 0.70 mm hoch
 Streuwert 2.91, horizontal: 3.26, vertikal: 2.52


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	374	(394.2)
Serien:	95	92 92 95
Zähler:	20	14 6 0 0 0 0 0 0 0
Innenzehner:	18	
weiteste:	664	(30), 645 (36), 628 (29)
beste Teiler	34.5	(7.) 38.0 (15.) 55.0 (11.)
Trefferlage	0.36 mm	rechts, 0.62 mm hoch
Streuwert	2.30,	horizontal: 2.79, vertikal: 1.65




Serie 1:	9.7 ←	9.8 →	9.6 ↖	10.6 *	10.2 *
	10.7 *	10.8 *	9.3 ↙	9.6 ↗	10.7 *
beste Teiler	34.5	(7.) 68.9	(6.) 70.1	(10.)	
Trefferlage	0.76 mm	links, 0.19 mm	hoch		
Streuwert	1.79,	horizontal: 1.94,	vertikal: 1.63		



Serie 2:	10.7 *	8.9 →	9.0 →	9.9 →	10.8 *
	10.5 *	8.6 ←	9.8 ←	9.9 →	10.2 *
beste Teiler	38.0	(15.) 55.0	(11.) 106.5	(16.)	
Trefferlage	0.42 mm	rechts, 0.12 mm	hoch		
Streuwert	2.48,	horizontal: 3.41,	vertikal: 0.83		



Serie 3:	10.4 *	10.4 *	10.2 *	8.8 ↑	10.5 *
	9.9 ↗	10.2 *	9.3 →	8.4 ↖	8.3 ↑
beste Teiler	116.8	(25.) 135.9	(22.) 147.5	(21.)	
Trefferlage	0.29 mm	rechts, 1.87 mm	hoch		
Streuwert	2.50,	horizontal: 2.71,	vertikal: 2.27		





Serie 4:	10.0 ↑	10.6 *	9.1 →	9.9 →	9.2 →
	8.4 →	10.1 ↖	10.4 *	10.6 *	10.2 *
beste Teiler	80.6	(39.) 93.4	(32.) 150.3	(38.)	
Trefferlage	1.51 mm	rechts, 0.30 mm	hoch		
Streuwert	2.16,	horizontal: 2.87,	vertikal: 1.03		


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **372** (389.1)
 Serien: 95 93 92 92
 Zähler: 15 22 3 0 0 0 0 0 0 0
 Innenzehner: 13
 weiteste: 718 (17), 701 (10), 525 (33)
 beste Teiler 29.2 (36.) 92.0 (5.) 115.1 (2.)
 Trefferlage 0.55 mm rechts, 0.23 mm hoch
 Streuwert 2.42, horizontal: 2.76, vertikal: 2.04




Serie 1:
 9.4 ↙ 10.5 * 10.0 ↘ 10.2 * 10.6 *
 9.4 ↑ 9.8 ↘ 10.3 * 10.1 ↗ 8.1 ↖
 beste Teiler 92.0 (5.) 115.1 (2.) 169.2 (8.)
 Trefferlage 0.43 mm links, 0.52 mm hoch
 Streuwert 2.39, horizontal: 2.43, vertikal: 2.36



Serie 2:
 9.5 ↑ 10.3 * 10.2 * 9.0 ↗ 9.4 ↗
 9.9 ↘ 8.1 ↘ 10.2 * 10.3 * 9.8 →
 beste Teiler 154.0 (19.) 165.4 (12.) 177.6 (18.)
 Trefferlage 1.70 mm rechts, 0.77 mm hoch
 Streuwert 2.32, horizontal: 2.39, vertikal: 2.24



Serie 3:
 10.5 * 9.9 ↘ 9.1 ↖ 9.8 ↗ 9.2 →
 9.4 → 10.2 * 9.7 → 9.9 ↘ 9.3 ←
 beste Teiler 121.7 (21.) 200.2 (27.) 257.1 (29.)
 Trefferlage 1.22 mm rechts, 0.17 mm tief
 Streuwert 2.31, horizontal: 2.81, vertikal: 1.67





Serie 4:
 9.0 ↗ 10.3 * 8.9 ↙ 9.4 ← 9.7 ←
 10.8 * 9.5 ↗ 9.7 → 10.4 * 9.3 ↙
 beste Teiler 29.2 (36.) 145.0 (39.) 152.7 (32.)
 Trefferlage 0.27 mm links, 0.19 mm tief
 Streuwert 2.59, horizontal: 3.10, vertikal: 1.96

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	374	(388.6)
Serien:	95	94 92 93
Zähler:	18 18 4	0 0 0 0 0 0 0
Innenzehner:	13	
weiteste:	710 (18), 669 (13), 578 (27)	
beste Teiler	67.3 (38.) 76.4 (14.) 98.2 (37.)	
Trefferlage	1.07 mm rechts, 0.53 mm hoch	
Streuwert	2.36, horizontal: 2.71, vertikal: 1.94	




Serie 1:

9.5 ↘	9.9 ←	10.0 ↘	9.0 ←	9.8 →
10.2 *	10.1 ↘	9.0 ↑	10.1 →	10.1 ↓
beste Teiler	186.3 (6.) 213.6 (7.) 216.2 (9.)			
Trefferlage	0.00 mm , 0.12 mm hoch			
Streuwert	2.35, horizontal: 2.62, vertikal: 2.04			




Serie 2:

9.7 →	10.5 *	8.3 →	10.6 *	10.3 *
10.3 *	10.4 *	8.1 ←	10.5 *	9.3 →
beste Teiler	76.4 (14.) 107.5 (12.) 117.7 (19.)			
Trefferlage	1.21 mm rechts, 0.26 mm hoch			
Streuwert	2.55, horizontal: 3.47, vertikal: 0.98			



Serie 3:

9.5 →	9.1 ↘	9.3 ↗	9.3 ↘	10.2 *
9.1 →	8.6 ↑	10.1 →	9.0 ↑	10.3 *
beste Teiler	152.5 (30.) 187.2 (25.) 201.1 (28.)			
Trefferlage	0.99 mm rechts, 1.93 mm hoch			
Streuwert	2.48, horizontal: 2.77, vertikal: 2.14			





Serie 4:

9.1 ↗	9.7 →	10.4 *	9.7 →	9.7 ↓
10.3 *	10.6 *	10.7 *	9.3 →	8.9 ↘
beste Teiler	67.3 (38.) 98.2 (37.) 127.7 (33.)			
Trefferlage	2.10 mm rechts, 0.17 mm tief			
Streuwert	1.78, horizontal: 1.65, vertikal: 1.90			


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	372	(391.0)
Serien:	91 92 95 94	
Zähler:	18 17 4 1 0 0 0 0 0 0	
Innenzehner:	15	
weiteste:	780 (20), 570 (2), 551 (13)	
beste Teiler	78.6 (37.) 81.3 (32.) 94.5 (23.)	
Trefferlage	0.43 mm rechts, 0.01 mm hoch	
Streuwert	2.39, horizontal: 2.78, vertikal: 1.92	




Serie 1:	9.6 ↘	8.7 ↘	9.1 ↑	9.0 ←	8.9 →
	10.0 ↙	10.3 *	10.3 *	9.8 ←	9.5 ↘
beste Teiler	156.4 (7.)	169.4 (8.)	245.7 (6.)		
Trefferlage	0.30 mm links, 0.26 mm hoch				
Streuwert	2.86, horizontal: 3.18, vertikal: 2.51				



Serie 2:	10.2 *	9.3 →	8.7 ↓	9.0 ↘	10.5 *
	10.5 *	10.4 *	9.9 ↑	10.5 *	7.8 →
beste Teiler	104.5 (15.)	116.4 (19.)	116.6 (16.)		
Trefferlage	1.59 mm rechts, 0.69 mm tief				
Streuwert	2.56, horizontal: 2.90, vertikal: 2.18				



Serie 3:	9.0 →	9.6 ↘	10.6 *	9.8 ←	9.9 ↘
	10.0 ↙	9.9 ←	10.5 *	10.2 *	10.4 *
beste Teiler	94.5 (23.)	104.6 (28.)	141.1 (30.)		
Trefferlage	0.14 mm links, 0.18 mm tief				
Streuwert	1.94, horizontal: 2.39, vertikal: 1.35				



Serie 4:	9.9 ←	10.6 *	10.5 *	8.9 ↗	9.4 ↗
	10.1 ←	10.6 *	9.3 ↘	9.6 ↗	10.2 *
beste Teiler	78.6 (37.)	81.3 (32.)	125.1 (33.)		
Trefferlage	0.58 mm rechts, 0.69 mm hoch				
Streuwert	2.09, horizontal: 2.60, vertikal: 1.40				

Unterschrift des Schützen