





Ergebnis: **376** (395.5)  
 Serien: 96 93 93 94  
 Zähler: 19 18 3 0 0 0 0 0 0  
 Innenzehner: 16  
 weiteste: 601 (32), 576 (29), 554 (18)  
 beste Teiler 37.2 (40.) 47.0 (4.) 69.2 (37.)  
 Trefferlage 0.98 mm rechts, 1.08 mm tief  
 Streuwert 1.90, horizontal: 2.25, vertikal: 1.46




Serie 1:  
 9.5 ↘ 10.2 \* 9.1 → 10.8 \* 9.9 ↙  
 9.1 ↘ 10.5 \* 10.0 → 10.0 ↗ 10.5 \*  
 beste Teiler 47.0 (4.) 110.0 (10.) 123.0 (7.)  
 Trefferlage 1.06 mm rechts, 1.05 mm tief  
 Streuwert 1.82, horizontal: 2.01, vertikal: 1.61



Serie 2:  
 9.7 → 9.2 ↙ 10.2 \* 10.3 \* 9.6 ↘  
 10.7 \* 10.6 \* 8.7 → 9.5 ↙ 9.5 ↓  
 beste Teiler 72.8 (16.) 95.7 (17.) 154.0 (14.)  
 Trefferlage 0.42 mm rechts, 1.51 mm tief  
 Streuwert 2.10, horizontal: 2.60, vertikal: 1.43



Serie 3:  
 9.8 → 9.6 ↙ 10.4 \* 9.9 → 10.2 \*  
 9.5 ← 10.0 → 10.2 \* 8.6 → 9.7 ↘  
 beste Teiler 138.1 (23.) 177.7 (25.) 180.8 (28.)  
 Trefferlage 0.84 mm rechts, 0.47 mm tief  
 Streuwert 2.20, horizontal: 2.72, vertikal: 1.51





Serie 4:  
 9.8 → 8.5 ↘ 9.4 ↘ 10.5 \* 10.6 \*  
 10.3 \* 10.7 \* 9.9 ↘ 9.5 ↓ 10.8 \*  
 beste Teiler 37.2 (40.) 69.2 (37.) 81.0 (35.)  
 Trefferlage 1.63 mm rechts, 1.30 mm tief  
 Streuwert 1.52, horizontal: 1.71, vertikal: 1.30

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	<b>381</b>	(401.3)
Serien:	95 95 93 98	
Zähler:	22 17 1 0 0 0 0 0 0 0	
Innenzehner:	17	
weiteste:	564 (26), 496 (18), 469 (17)	
beste Teiler	7.2 (36.) 30.5 (14.) 68.0 (13.)	
Trefferlage	0.35 mm rechts, 0.30 mm hoch	
Streuwert	1.84, horizontal: 2.09, vertikal: 1.55	




Serie 1:

9.8 ↖	9.8 ↗	10.0 ↖	9.9 →	9.9 ←
10.2 *	10.0 ←	9.9 →	10.4 *	10.3 *
beste Teiler	129.5 (9.) 172.1 (10.) 195.2 (6.)			
Trefferlage	0.15 mm rechts, 0.42 mm hoch			
Streuwert	1.75, horizontal: 2.23, vertikal: 1.07			




Serie 2:

9.6 ↖	9.9 →	10.7 *	10.8 *	9.3 ↑
10.6 *	9.1 →	9.0 →	10.5 *	10.3 *
beste Teiler	30.5 (14.) 68.0 (13.) 78.5 (16.)			
Trefferlage	0.75 mm rechts, 0.75 mm hoch			
Streuwert	2.03, horizontal: 2.38, vertikal: 1.62			



Serie 3:

10.1 →	9.8 ↗	10.0 →	10.7 *	10.5 *
8.7 →	9.9 ←	9.9 ↘	9.9 ↙	9.6 ↙
beste Teiler	71.5 (24.) 104.0 (25.) 218.0 (21.)			
Trefferlage	0.73 mm rechts, 0.73 mm tief			
Streuwert	2.00, horizontal: 2.37, vertikal: 1.55			





Serie 4:

10.5 *	10.2 *	10.5 *	10.2 *	9.3 ↙
10.9 *	10.2 *	9.7 ↗	10.6 *	10.1 ↑
beste Teiler	7.2 (36.) 99.8 (39.) 119.2 (33.)			
Trefferlage	0.22 mm links, 0.77 mm hoch			
Streuwert	1.50, horizontal: 1.39, vertikal: 1.59			


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **376** (391.1)  
 Serien: 92 97 94 93  
 Zähler: 20 17 2 1 0 0 0 0 0 0  
 Innenzehner: 16  
 weiteste: 877 (6), 668 (23), 645 (4)  
 beste Teiler 40.4 (7.) 56.9 (30.) 58.6 (26.)  
 Trefferlage 1.00 mm rechts, 0.06 mm tief  
 Streuwert 2.35, horizontal: 2.80, vertikal: 1.80




Serie 1:  
 9.3 ←                      9.4 ↖                      9.2 ↘                      8.4 ↗                      10.0 ←  
 7.4 →                      10.8 \*                      10.2 \*                      10.4 \*                      10.0 →  
 beste Teiler 40.4 (7.) 146.1 (9.) 200.6 (8.)  
 Trefferlage 0.57 mm rechts, 1.33 mm hoch  
 Streuwert 3.03, horizontal: 3.75, vertikal: 2.09



Serie 2:  
 10.4 \*                      10.2 \*                      9.1 →                      10.4 \*                      10.2 \*  
 9.2 ↙                      10.1 →                      10.3 \*                      10.7 \*                      9.2 →  
 beste Teiler 64.0 (19.) 132.0 (11.) 148.0 (14.)  
 Trefferlage 0.70 mm rechts, 0.30 mm tief  
 Streuwert 2.01, horizontal: 2.63, vertikal: 1.08



Serie 3:  
 9.3 ←                      9.9 ↘                      8.3 →                      10.5 \*                      9.4 →  
 10.7 \*                      10.4 \*                      9.8 ↖                      10.2 \*                      10.7 \*  
 beste Teiler 56.9 (30.) 58.6 (26.) 107.5 (24.)  
 Trefferlage 0.98 mm rechts, 0.18 mm hoch  
 Streuwert 2.21, horizontal: 2.82, vertikal: 1.34





Serie 4:  
 10.2 \*                      9.7 ↘                      9.7 ↓                      9.0 ↘                      9.0 ↘  
 10.1 ←                      10.4 \*                      9.8 ↓                      9.3 →                      9.8 →  
 beste Teiler 128.1 (37.) 194.6 (31.) 211.4 (36.)  
 Trefferlage 1.76 mm rechts, 1.46 mm tief  
 Streuwert 1.78, horizontal: 2.00, vertikal: 1.53


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **397.8** (380)  
 Serien: 101.8 98.8 98.0 99.2  
 Zähler: 23 14 3 0 0 0 0 0 0 0  
 Innenzehner: 15  
 weiteste: 620 (27), 571 (16), 518 (30)  
 beste Teiler 62.7 (8.) 69.5 (7.) 89.0 (24.)  
 Trefferlage 0.34 mm links, 0.19 mm hoch  
 Streuwert 2.01, horizontal: 2.35, vertikal: 1.60




Serie 1:  
 10.4 \*                      10.0 ↙                      10.4 \*                      10.1 ↘                      9.3 ←  
 10.1 ←                      10.7 \*                      10.7 \*                      10.2 \*                      9.9 ↖  
 beste Teiler 62.7 (8.) 69.5 (7.) 134.2 (1.)  
 Trefferlage 0.78 mm links, 0.06 mm hoch  
 Streuwert 1.50, horizontal: 1.82, vertikal: 1.09



Serie 2:  
 10.2 \*                      10.5 \*                      10.3 \*                      10.0 ↘                      9.7 →  
 8.7 →                      9.6 ↘                      10.1 ↓                      9.9 ←                      9.8 ←  
 beste Teiler 109.2 (12.) 166.0 (13.) 191.2 (11.)  
 Trefferlage 0.46 mm rechts, 0.05 mm tief  
 Streuwert 2.15, horizontal: 2.74, vertikal: 1.34



Serie 3:  
 9.8 ↓                      10.0 ↖                      10.5 \*                      10.6 \*                      10.1 →  
 9.9 ↙                      8.5 ←                      10.4 \*                      9.3 →                      8.9 ←  
 beste Teiler 89.0 (24.) 114.7 (23.) 145.6 (28.)  
 Trefferlage 0.94 mm links, 0.86 mm tief  
 Streuwert 2.32, horizontal: 3.06, vertikal: 1.20





Serie 4:  
 9.2 ↗                      10.6 \*                      9.6 ←                      10.2 \*                      10.0 →  
 10.3 \*                      10.2 \*                      9.8 ↑                      9.7 ↑                      9.6 ↑  
 beste Teiler 89.9 (32.) 170.0 (36.) 180.7 (37.)  
 Trefferlage 0.11 mm links, 1.63 mm hoch  
 Streuwert 1.64, horizontal: 1.54, vertikal: 1.74


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>369</b>	(386.5)
Serien:	94 93 88 94	
Zähler:	17 16 6 1 0 0 0 0 0 0	
Innenzehner:	13	
weiteste:	766 (22), 744 (18), 744 (24)	
beste Teiler	50.4 (29.) 54.1 (6.) 67.0 (5.)	
Trefferlage	1.18 mm rechts, 0.77 mm tief	
Streuwert	2.52, horizontal: 2.48, vertikal: 2.55	




Serie 1:				
	10.2 *	9.9 →	10.6 *	8.6 →
	10.7 *	9.9 →	9.2 ↘	10.7 *
beste Teiler	54.1 (6.) 67.0 (5.) 88.8 (3.)			
Trefferlage	1.83 mm rechts, 0.31 mm tief			
Streuwert	1.62, horizontal: 1.98, vertikal: 1.16			



Serie 2:				
	8.8 ↓	10.4 *	10.6 *	10.1 ↖
	9.2 →	10.1 →	8.0 ↘	10.2 *
beste Teiler	76.0 (13.) 148.6 (12.) 198.7 (15.)			
Trefferlage	0.96 mm rechts, 0.83 mm tief			
Streuwert	2.70, horizontal: 2.70, vertikal: 2.70			





Serie 3:				
	9.0 ↘	7.9 ↓	9.2 ↘	8.0 ↘
	9.9 ↘	10.4 *	9.8 ↓	10.8 *
beste Teiler	50.4 (29.) 141.0 (27.) 270.8 (26.)			
Trefferlage	1.35 mm rechts, 2.31 mm tief			
Streuwert	3.08, horizontal: 2.48, vertikal: 3.59			




Serie 4:				
	10.5 *	10.1 ↑	10.2 *	9.5 →
	9.9 ↑	9.8 →	8.5 →	9.2 ←
beste Teiler	113.3 (31.) 165.0 (40.) 200.1 (33.)			
Trefferlage	0.57 mm rechts, 0.34 mm hoch			
Streuwert	2.32, horizontal: 2.90, vertikal: 1.54			

Unterschrift des Schützen


Ergebnis: **373** (396.3)  
 Serien: 94 94 93 92  
 Zähler: 18 17 5 0 0 0 0 0 0 0  
 Innenzehner: 16  
 weiteste: 737 (4), 593 (27), 588 (28)  
 beste Teiler 42.5 (18.) 48.0 (24.) 51.9 (5.)  
 Trefferlage 0.30 mm links, 0.01 mm hoch  
 Streuwert 2.19, horizontal: 2.21, vertikal: 2.16




Serie 1:  
 9.9 ↘ 10.2 \* 8.7 ↘ 8.0 ↙ 10.7 \*  
 10.1 ← 10.3 \* 10.6 \* 9.5 → 10.6 \*  
 beste Teiler 51.9 (5.) 77.0 (10.) 93.6 (8.)  
 Trefferlage 0.22 mm rechts, 1.03 mm tief  
 Streuwert 2.46, horizontal: 2.81, vertikal: 2.05



Serie 2:  
 9.9 → 9.9 ↘ 10.7 \* 9.9 ↓ 10.5 \*  
 10.3 \* 9.6 ↓ 10.8 \* 9.9 ↖ 9.6 ↗  
 beste Teiler 42.5 (18.) 53.0 (13.) 108.0 (15.)  
 Trefferlage 0.57 mm rechts, 0.44 mm tief  
 Streuwert 1.67, horizontal: 1.55, vertikal: 1.79



Serie 3:  
 9.7 ← 9.7 ← 10.2 \* 10.8 \* 10.4 \*  
 10.3 \* 8.6 ↑ 8.6 ← 10.4 \* 9.9 →  
 beste Teiler 48.0 (24.) 142.8 (25.) 147.5 (29.)  
 Trefferlage 0.88 mm links, 0.45 mm hoch  
 Streuwert 2.31, horizontal: 2.37, vertikal: 2.24





Serie 4:  
 9.9 ↖ 9.5 ↑ 10.6 \* 10.0 ↙ 9.7 ↓  
 10.4 \* 8.9 ← 9.7 ↖ 9.7 ↑ 9.6 ↖  
 beste Teiler 95.0 (33.) 149.8 (36.) 234.3 (34.)  
 Trefferlage 1.11 mm links, 1.08 mm hoch  
 Streuwert 1.98, horizontal: 1.72, vertikal: 2.20


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **378** (391.5)  
 Serien: 94 93 94 97  
 Zähler: 23 13 3 1 0 0 0 0 0 0  
 Innenzehner: 14  
 weiteste: 868 (17), 552 (25), 507 (16)  
 beste Teiler 28.6 (40.) 116.7 (14.) 120.7 (33.)  
 Trefferlage 0.04 mm rechts, 0.77 mm hoch  
 Streuwert 2.33, horizontal: 2.77, vertikal: 1.77




Serie 1:  
 10.1 ↗ 10.3 \* 9.1 ↘ 9.0 ↘ 9.9 ←  
 9.4 ↖ 9.4 ← 10.2 \* 10.2 \* 9.5 ←  
 beste Teiler 170.8 (2.) 176.0 (9.) 184.9 (8.)  
 Trefferlage 1.99 mm links, 1.63 mm hoch  
 Streuwert 1.55, horizontal: 1.62, vertikal: 1.47



Serie 2:  
 10.0 ↖ 9.6 ↘ 10.2 \* 10.5 \* 9.6 ←  
 8.9 ↗ 7.5 → 10.4 \* 10.0 → 10.3 \*  
 beste Teiler 116.7 (14.) 144.9 (18.) 169.0 (20.)  
 Trefferlage 1.37 mm rechts, 0.60 mm hoch  
 Streuwert 2.63, horizontal: 3.23, vertikal: 1.83





Serie 3:  
 10.1 ↘ 9.9 ↓ 9.0 ← 10.4 \* 8.7 ←  
 10.0 ↗ 10.2 \* 8.9 ↑ 10.0 → 10.1 ↓  
 beste Teiler 137.6 (24.) 184.0 (27.) 215.1 (30.)  
 Trefferlage 0.55 mm links, 0.57 mm hoch  
 Streuwert 2.43, horizontal: 2.59, vertikal: 2.26




Serie 4:  
 10.4 \* 10.0 ↖ 10.5 \* 9.0 → 10.1 ↘  
 10.5 \* 10.2 \* 9.2 → 9.4 ↗ 10.8 \*  
 beste Teiler 28.6 (40.) 120.7 (33.) 125.0 (36.)  
 Trefferlage 1.35 mm rechts, 0.28 mm hoch  
 Streuwert 1.79, horizontal: 2.15, vertikal: 1.33

Unterschrift des Schützen


Ergebnis: **366** (380.6)  
 Serien: 86 94 90 96  
 Zähler: 14 21 3 1 1 0 0 0 0 0  
 Innenzehner: 8  
 weiteste: 1183 (5), 999 (22), 743 (8)  
 beste Teiler 128.4 (4.) 140.8 (19.) 151.0 (13.)  
 Trefferlage 0.35 mm rechts, 0.71 mm hoch  
 Streuwert 2.95, horizontal: 3.26, vertikal: 2.60




Serie 1:  
 9.9 ↘                      9.9 ↘                      9.0 ↗                      10.4 \*                      6.2 ↗  
 8.4 ↗                      9.1 ↘                      8.0 ↘                      9.7 →                      9.3 ↘  
 beste Teiler 128.4 (4.) 273.0 (1.) 275.7 (2.)  
 Trefferlage 0.84 mm rechts, 3.31 mm hoch  
 Streuwert 3.40, horizontal: 3.92, vertikal: 2.78



Serie 2:  
 9.2 ↙                      9.7 ↓                      10.3 \*                      10.2 \*                      9.7 ↘  
 10.3 \*                      9.5 ↘                      9.5 ←                      10.4 \*                      9.8 ↘  
 beste Teiler 140.8 (19.) 151.0 (13.) 163.3 (16.)  
 Trefferlage 0.49 mm rechts, 1.39 mm tief  
 Streuwert 1.84, horizontal: 2.14, vertikal: 1.47



Serie 3:  
 9.9 ↗                      7.0 ←                      9.4 ↑                      10.3 \*                      9.8 ↘  
 9.4 →                      8.8 ←                      9.4 ↘                      10.0 ←                      10.0 ↘  
 beste Teiler 170.8 (24.) 234.0 (29.) 238.8 (30.)  
 Trefferlage 1.24 mm links, 0.80 mm hoch  
 Streuwert 3.21, horizontal: 4.04, vertikal: 2.06



Serie 4:  
 10.1 ←                      10.0 ↗                      10.2 \*                      10.2 \*                      9.4 →  
 9.5 →                      10.0 ↑                      9.0 ↘                      10.1 ↙                      9.6 →  
 beste Teiler 184.6 (33.) 193.2 (34.) 214.3 (31.)  
 Trefferlage 1.33 mm rechts, 0.15 mm hoch  
 Streuwert 1.99, horizontal: 2.38, vertikal: 1.50

Unterschrift des Schützen

Meyton Elektronik