





Ergebnis:	364	(383.7)
Serien:	90 91 89 94	
Zähler:	14 17 8 1 0 0 0 0 0 0	
Innenzehner:	8	
weiteste:	2415 (13), 2121 (22), 2118 (30)	
beste Teiler	198.3 (8.) 230.7 (37.) 383.7 (17.)	
Trefferlage	1.56 mm rechts, 2.58 mm hoch	
Streuwert	8.59, horizontal: 8.54, vertikal: 8.64	




Serie 1:	10.1 ↘	8.6 ↑	9.9 ↘	8.7 ↖	10.2 ↗
	9.5 ↑	9.6 ↖	10.7 *	8.9 ←	9.0 ↗
beste Teiler	198.3 (8.) 565.7 (5.) 661.0 (1.)				
Trefferlage	0.99 mm links, 5.00 mm hoch				
Streuwert	8.70, horizontal: 8.37, vertikal: 9.01				



Serie 2:	9.7 ↖	9.2 ↗	7.9 ↗	10.0 ↑	8.9 ↗
	9.2 ←	10.5 *	9.2 ↓	10.5 *	10.3 ↑
beste Teiler	383.7 (17.) 397.9 (19.) 550.4 (20.)				
Trefferlage	2.02 mm rechts, 5.12 mm hoch				
Streuwert	8.65, horizontal: 8.09, vertikal: 9.16				



Serie 3:	10.0 ↑	8.3 →	8.5 ↙	10.5 *	10.5 *
	8.6 ↗	9.1 →	9.9 ↓	9.3 ↓	8.3 ↗
beste Teiler	387.3 (24.) 387.5 (25.) 747.6 (21.)				
Trefferlage	4.56 mm rechts, 0.30 mm hoch				
Streuwert	10.53, horizontal: 11.33, vertikal: 9.66				





Serie 4:	9.8 →	10.2 ↗	9.8 ←	9.6 ↗	9.7 ↘
	9.8 ↘	10.7 *	10.4 *	9.6 ↘	10.5 *
beste Teiler	230.7 (37.) 385.0 (40.) 440.9 (38.)				
Trefferlage	0.68 mm rechts, 0.11 mm tief				
Streuwert	5.98, horizontal: 5.84, vertikal: 6.11				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **367** (384.0)
 Serien: 92 90 92 93
 Zähler: 11 26 2 1 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 2447 (18), 2363 (16), 1729 (3)
 beste Teiler 20.2 (17.) 202.8 (7.) 294.5 (38.)
 Trefferlage 0.47 mm links, 1.42 mm hoch
 Streuwert 8.44, horizontal: 6.86, vertikal: 9.77




Serie 1:
 9.8 ↖ 10.2 → 8.8 ↙ 9.5 ↘ 9.2 ←
 9.1 ↗ 10.7 * 10.0 ↓ 9.8 ↓ 9.5 ↑
 beste Teiler 202.8 (7.) 581.3 (2.) 725.7 (8.)
 Trefferlage 3.29 mm links, 1.48 mm tief
 Streuwert 7.84, horizontal: 6.25, vertikal: 9.16



Serie 2:
 9.9 ↓ 10.3 → 9.2 ↗ 9.0 ↑ 9.8 ↘
 8.0 ↑ 10.9 * 7.9 ↗ 10.2 ← 9.8 ↑
 beste Teiler 20.2 (17.) 496.5 (12.) 575.3 (19.)
 Trefferlage 2.03 mm rechts, 6.86 mm hoch
 Streuwert 8.79, horizontal: 7.69, vertikal: 9.76



Serie 3:
 10.0 ↙ 9.3 ↓ 9.0 ↘ 9.6 ↘ 9.3 ↑
 9.3 ↘ 9.9 ↑ 9.5 ↑ 10.1 ↙ 9.7 ↑
 beste Teiler 647.5 (29.) 754.9 (21.) 867.7 (27.)
 Trefferlage 0.88 mm rechts, 1.22 mm hoch
 Streuwert 8.48, horizontal: 6.00, vertikal: 10.38





Serie 4:
 9.9 ↑ 9.2 ← 10.4 * 10.1 → 9.2 ↙
 9.4 ← 9.6 ↘ 10.6 * 9.0 ↓ 9.3 ↑
 beste Teiler 294.5 (38.) 412.0 (33.) 645.8 (34.)
 Trefferlage 1.51 mm links, 0.90 mm tief
 Streuwert 8.04, horizontal: 7.13, vertikal: 8.86


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **364** (381.9)
 Serien: 90 92 91 91
 Zähler: 11 22 7 0 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 2181 (1), 1877 (27), 1837 (19)
 beste Teiler 241.0 (37.) 350.2 (21.) 426.8 (11.)
 Trefferlage 0.84 mm rechts, 0.97 mm hoch
 Streuwert 8.66, horizontal: 8.53, vertikal: 8.80




Serie 1:
 8.2 ↙ 9.4 ↘ 10.3 ↙ 8.7 ↓ 10.1 ↑
 9.9 ↖ 9.8 ↓ 9.4 ↑ 9.8 ↓ 9.4 →
 beste Teiler 490.2 (3.) 693.6 (5.) 868.4 (6.)
 Trefferlage 3.51 mm links, 3.28 mm tief
 Streuwert 8.60, horizontal: 7.50, vertikal: 9.57



Serie 2:
 10.4 * 9.1 ↖ 9.9 ↗ 9.5 → 9.3 ↗
 10.2 ↘ 10.0 ↗ 9.0 ↑ 8.7 ↘ 9.4 ↑
 beste Teiler 426.8 (11.) 612.8 (16.) 756.3 (17.)
 Trefferlage 4.33 mm rechts, 5.31 mm hoch
 Streuwert 7.38, horizontal: 7.58, vertikal: 7.17



Serie 3:
 10.5 * 9.5 ↘ 9.3 ↑ 8.8 ↑ 9.2 ↙
 9.6 ↗ 8.6 ↙ 10.1 ↑ 10.3 ↓ 9.8 ↖
 beste Teiler 350.2 (21.) 495.1 (29.) 668.1 (28.)
 Trefferlage 0.49 mm links, 1.85 mm hoch
 Streuwert 8.84, horizontal: 8.61, vertikal: 9.08





Serie 4:
 8.9 ↘ 10.1 ↑ 10.2 ↑ 9.1 ↗ 8.8 ↘
 9.1 → 10.6 * 9.8 → 9.9 ← 9.2 ←
 beste Teiler 241.0 (37.) 621.5 (33.) 706.2 (32.)
 Trefferlage 3.06 mm rechts, 0.00 mm
 Streuwert 8.72, horizontal: 9.24, vertikal: 8.17


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **371.8** (355)
 Serien: 91.1 94.2 95.0 91.5
 Zähler: 11 15 12 2 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 3132 (39), 2876 (36), 2162 (1)
 beste Teiler 286.6 (24.) 361.6 (27.) 451.3 (19.)
 Trefferlage 0.34 mm rechts, 1.10 mm hoch
 Streuwert 10.51, horizontal: 10.90, vertikal: 10.09




Serie 1:
 8.2 ↘ 9.1 ↙ 8.7 ↗ 10.0 ↓ 8.3 ↗
 9.4 ↙ 9.4 ↓ 8.9 ↙ 8.8 ↙ 10.3 →
 beste Teiler 554.6 (10.) 762.6 (4.) 1208.9 (6.)
 Trefferlage 3.69 mm links, 1.00 mm tief
 Streuwert 11.17, horizontal: 10.35, vertikal: 11.93



Serie 2:
 10.2 ← 8.8 ↓ 10.2 ↓ 8.3 ↗ 9.8 ↖
 9.2 ↗ 9.0 ↓ 9.3 ↗ 10.4 * 9.0 ↑
 beste Teiler 451.3 (19.) 608.6 (11.) 632.1 (13.)
 Trefferlage 1.81 mm rechts, 1.74 mm hoch
 Streuwert 9.73, horizontal: 8.22, vertikal: 11.04



Serie 3:
 9.1 ↗ 9.7 → 9.3 ↗ 10.6 * 8.7 ↖
 9.7 ↖ 10.5 * 10.0 ↓ 8.9 ↖ 8.5 ↑
 beste Teiler 286.6 (24.) 361.6 (27.) 764.0 (28.)
 Trefferlage 2.68 mm links, 3.56 mm hoch
 Streuwert 9.02, horizontal: 9.46, vertikal: 8.55





Serie 4:
 8.9 ↖ 9.4 → 10.3 ↓ 10.1 ↙ 8.7 ↓
 7.4 ↗ 9.9 ↓ 9.8 → 7.0 → 10.0 ↖
 beste Teiler 504.5 (33.) 659.5 (34.) 780.6 (40.)
 Trefferlage 5.94 mm rechts, 0.11 mm hoch
 Streuwert 11.76, horizontal: 13.63, vertikal: 9.53


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **362** (380.4)
 Serien: 88 89 91 94
 Zähler: 15 13 11 1 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 2585 (12), 2397 (14), 2341 (11)
 beste Teiler 177.7 (5.) 329.2 (36.) 365.4 (15.)
 Trefferlage 2.22 mm links, 0.79 mm hoch
 Streuwert 9.29, horizontal: 8.00, vertikal: 10.42




Serie 1:
 8.6 ↘ 10.2 ↓ 8.3 ↙ 8.6 ↘ 10.7 *
 9.9 ↓ 8.8 ↑ 9.3 ↑ 9.7 ↖ 9.5 ↗
 beste Teiler 177.7 (5.) 619.9 (2.) 860.3 (6.)
 Trefferlage 1.78 mm links, 0.82 mm tief
 Streuwert 10.42, horizontal: 8.61, vertikal: 11.96



Serie 2:
 8.0 ↗ 7.7 ↖ 9.4 ↓ 8.0 ↙ 10.5 *
 9.5 ↙ 9.2 ↓ 10.0 ↙ 9.6 ↓ 10.3 ↗
 beste Teiler 365.4 (15.) 491.4 (20.) 730.4 (18.)
 Trefferlage 2.35 mm links, 3.77 mm tief
 Streuwert 11.29, horizontal: 9.72, vertikal: 12.67



Serie 3:
 8.9 ↑ 10.2 ↑ 9.9 ↖ 9.4 ↖ 10.3 ↓
 10.2 ↙ 8.7 ↑ 9.3 ← 10.3 ↑ 8.5 ↑
 beste Teiler 504.0 (29.) 558.2 (25.) 589.0 (26.)
 Trefferlage 3.45 mm links, 5.33 mm hoch
 Streuwert 7.81, horizontal: 5.42, vertikal: 9.63





Serie 4:
 8.9 → 9.7 ↖ 9.9 ↖ 10.4 * 10.3 ↙
 10.5 * 10.0 ↖ 10.1 ↑ 8.7 ↖ 10.4 *
 beste Teiler 329.2 (36.) 410.9 (34.) 465.9 (40.)
 Trefferlage 1.32 mm links, 2.42 mm hoch
 Streuwert 7.02, horizontal: 8.76, vertikal: 4.68


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **378** (392.2)
 Serien: 92 96 93 97
 Zähler: 24 12 2 2 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 2564 (30), 2513 (2), 2029 (3)
 beste Teiler 52.3 (20.) 186.0 (1.) 302.6 (12.)
 Trefferlage 2.42 mm links, 0.87 mm tief
 Streuwert 7.53, horizontal: 9.17, vertikal: 5.39




Serie 1:
 10.7 * 7.8 ← 8.4 ← 10.2 ↙ 10.5 *
 9.7 ↘ 10.1 ↓ 9.5 ↘ 9.3 → 10.1 ↓
 beste Teiler 186.0 (1.) 382.3 (5.) 633.6 (4.)
 Trefferlage 5.32 mm links, 0.05 mm hoch
 Streuwert 8.56, horizontal: 10.76, vertikal: 5.54



Serie 2:
 10.0 ↙ 10.6 * 10.2 ↘ 10.0 ↙ 8.4 ←
 10.4 * 9.6 ← 9.4 → 10.2 ↗ 10.9 *
 beste Teiler 52.3 (20.) 302.6 (12.) 462.4 (16.)
 Trefferlage 2.17 mm links, 1.47 mm tief
 Streuwert 6.84, horizontal: 8.71, vertikal: 4.20



Serie 3:
 10.3 → 10.0 → 9.5 ↙ 9.0 ↙ 9.8 ↘
 10.0 ↗ 10.0 → 9.8 ↓ 10.4 * 7.7 ←
 beste Teiler 445.0 (29.) 488.4 (21.) 747.6 (26.)
 Trefferlage 1.80 mm links, 3.80 mm tief
 Streuwert 8.37, horizontal: 10.70, vertikal: 5.05





Serie 4:
 10.2 ↗ 9.6 → 9.1 ↑ 10.2 ↙ 10.4 *
 10.4 * 10.2 ↙ 10.0 ↗ 9.4 ← 10.2 ←
 beste Teiler 453.9 (36.) 460.3 (35.) 562.4 (37.)
 Trefferlage 0.39 mm links, 1.72 mm hoch
 Streuwert 6.25, horizontal: 6.65, vertikal: 5.82


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **364** (383.8)
 Serien: 90 87 95 92
 Zähler: 14 18 7 0 1 0 0 0 0 0
 Innenzehner: 7
 weiteste: 3743 (14), 1910 (12), 1839 (26)
 beste Teiler 71.6 (8.) 306.5 (21.) 312.8 (24.)
 Trefferlage 0.25 mm rechts, 3.42 mm hoch
 Streuwert 8.71, horizontal: 8.64, vertikal: 8.77




Serie 1:
 8.9 ↘ 9.4 → 9.9 ↗ 9.8 ← 9.7 ↘
 8.7 ↘ 9.6 ↘ 10.9 * 9.5 ↓ 10.5 *
 beste Teiler 71.6 (8.) 354.5 (10.) 836.0 (3.)
 Trefferlage 1.04 mm rechts, 0.54 mm tief
 Streuwert 8.36, horizontal: 8.95, vertikal: 7.72



Serie 2:
 10.4 * 8.6 ↘ 10.1 ↑ 6.3 ↑ 10.2 ↘
 9.3 ↑ 9.3 ↙ 8.9 ↘ 8.9 ↑ 9.9 ↙
 beste Teiler 409.4 (11.) 604.6 (15.) 672.0 (13.)
 Trefferlage 1.32 mm links, 8.43 mm hoch
 Streuwert 10.80, horizontal: 8.25, vertikal: 12.85



Serie 3:
 10.6 * 9.8 ↑ 10.1 ↑ 10.6 * 9.3 →
 8.7 → 10.1 ↗ 10.1 ↗ 9.9 ← 10.5 *
 beste Teiler 306.5 (21.) 312.8 (24.) 377.6 (30.)
 Trefferlage 3.31 mm rechts, 2.92 mm hoch
 Streuwert 5.94, horizontal: 7.73, vertikal: 3.29





Serie 4:
 9.9 ↑ 9.2 ← 10.4 * 10.0 ↓ 8.7 ←
 9.0 ↗ 9.4 ← 9.7 ↑ 9.0 ↑ 10.0 ↘
 beste Teiler 419.3 (33.) 736.3 (34.) 738.2 (40.)
 Trefferlage 2.00 mm links, 2.87 mm hoch
 Streuwert 8.61, horizontal: 9.82, vertikal: 7.20


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **364** (384.6)
 Serien: 90 88 93 93
 Zähler: 11 22 7 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 2367 (12), 2235 (33), 2144 (14)
 beste Teiler 311.9 (38.) 362.6 (15.) 394.3 (22.)
 Trefferlage 0.51 mm links, 0.23 mm hoch
 Streuwert 8.52, horizontal: 7.79, vertikal: 9.20




Serie 1:
 9.1 ↙ 10.2 ↖ 9.3 ↑ 9.8 ↑ 9.7 ↗
 9.4 ↓ 8.5 ↓ 9.7 ↘ 10.3 ↘ 8.8 ↓
 beste Teiler 556.4 (9.) 564.1 (2.) 959.4 (4.)
 Trefferlage 2.06 mm links, 4.06 mm tief
 Streuwert 8.76, horizontal: 4.10, vertikal: 11.69



Serie 2:
 8.9 ↑ 8.0 ↗ 9.6 ↘ 8.3 ↑ 10.5 *
 9.8 ↘ 10.0 ↖ 8.6 ↘ 9.9 → 9.8 ↑
 beste Teiler 362.6 (15.) 725.6 (17.) 804.0 (19.)
 Trefferlage 3.88 mm rechts, 4.17 mm hoch
 Streuwert 9.90, horizontal: 8.55, vertikal: 11.08



Serie 3:
 10.1 ↗ 10.5 * 9.9 ↗ 9.7 ↙ 9.8 ↑
 9.9 ↓ 9.9 ↖ 9.0 ↗ 10.1 ↗ 9.4 ↖
 beste Teiler 394.3 (22.) 662.4 (29.) 678.8 (21.)
 Trefferlage 0.08 mm rechts, 1.52 mm hoch
 Streuwert 6.99, horizontal: 7.50, vertikal: 6.45



Serie 4:
 9.9 ↖ 9.8 → 8.2 ↖ 9.3 ↖ 10.2 ↖
 10.0 ↘ 9.8 ↘ 10.6 * 9.9 ↖ 10.4 *
 beste Teiler 311.9 (38.) 435.2 (40.) 638.6 (35.)
 Trefferlage 3.94 mm links, 0.70 mm tief
 Streuwert 7.22, horizontal: 8.88, vertikal: 5.02

Unterschrift des Schützen

Meyton Elektronik